


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	UnderWritter Offset Control Functionality	1	0	1	0	43.766 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	UnderWritter Offset Control	System should display the proper validation post entering	22	9	1	12	43.761 s
	Functionality	the invalid data and clicking on save button					

DETAILED SECTION

(F)- UnderWritter Offset Control Functionality

FAILED	DURATION - 43.766 s	Scenarios		Steps	
		Total - 1		Total - 22	
/ 5:29:45.502 P	PM // 5:30:29.268 PM /	Pass - 0	1	Pass - 9	22
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 12	

(S)- System should display the proper validation post entering the invalid data and clicking on save button



#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	7.319 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.357 s
	screenshot		
	AZENTIO Milesas I Grad		
2	And User Login as maker	PASSED	5.958 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
	screenshot		

Then Click on the Business Rule	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Interpretable of the UnderWritter Offset Control eye icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then Modify the UnderWritter Offset Control approved record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Modify the UnderWritter Offset Control approved record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Then save the record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.867 s PASSED 0.403 s		The state of the s		
screenshot Then click on the UnderWritter Offset Control eye icon Then click on the UnderWritter Offset Control eye icon Then click on the UnderWritter Offset Control eye icon Then click on the UnderWritter Offset Control eye icon Then Modify the UnderWritter Offset Control approved record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Then would be underWritter Offset Control approved record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Then save the record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)	3	Then click on the Business Rule	PASSED	0.429 s
Then click on the UnderWritter Offset Control eye icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot Then Modify the UnderWritter Offset Control approved record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.213 s
Then click on the UnderWritter Offset Control eye icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Modify the UnderWritter Offset Control approved record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Modify the UnderWritter Offset Control approved record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.867 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Modify the UnderWritter Offset Control approved record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then save the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.867 s PASSED 0.405 s		And		
Screenshot Then Modify the UnderWritter Offset Control approved record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Then save the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.867 s PASSED 0.405 s	4	Then click on the UnderWritter Offset Control eye icon	PASSED	0.403 s
5 Then Modify the UnderWritter Offset Control approved record PASSED 3.833 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then save the record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.867 s PASSED 0.405 s		screenshot	PASSED	0.519 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then save the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.867 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.129 s				
Screenshot 6 Then save the record AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.405 s	5	Then Modify the UnderWritter Offset Control approved record	PASSED	3.833 s
6 Then save the record AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario) PASSED 0.405 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.129 s
6 Then save the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.405 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.405 s		EXERTO ID D II No		
	6	Then save the record	PASSED	1.867 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.405 s
		screenshot		


#	Step / Hook Details	Status	Duration
	TO SERVICE TO SER		
7	Then click on the inbox	PASSED	0.505 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.214 s
	screenshot		
	a g Ø 10 (sec) (sec) (fr. 1)		
8	And search UnderWritter Offset Control record from inbox	PASSED	0.678 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
	Screenshot If you was a second to the seco		
9	Then maker user open the UnderWritter record from inbox	PASSED	0.426 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.187 s
	Section Sect		
10	And maker user submit the UnderWritter record	FAILED	2.308 s
	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [998f919b02321c475b41275bdb72cb0f, sendKeysToElement {id=3c8341b9-00f0-434a-9d9c-32b96da9c503, value=[Ljava.lang. CharSequence;@b428830}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome:		

{chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:63922}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63922/devtoo, se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (998f919b02321c475b41275bdb72cb0f)] -> xpath: (//span[contains(text(),'Submit')])[2]] Session ID: 998f919b02321c475b41275bdb72cb0f at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480)	
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.Codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.serodKeys(RemoteWebElement.java:107) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy45.sendKeys(Unknown Source) at stepdefinitions.UnderWritter_Offset_Control.maker_user_submit_the_underwritter_record(UnderWritter_Offset_Control.java:140) at ?.maker user submit the UnderWritter record(file:///C./Users/inindc00089/git/repository6/Priyanka_AzentioULSFramework/src/test/java/features/UnderWritter_Offset_Control.feature:14) * Not displayable characters are replaced by '?'.	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.15	 50 s
screenshot	-
11 Then user logout from the application SKIPPED 0.00	00 s
12 And User Login as Checker SKIPPED 0.00	01 s
Then click on the inbox SKIPPED 0.00	01 s


DETAILED SECTION -- 8 --


#	Step / Hook Details	Status	Duration
14	And search UnderWritter Offset Control record from inbox	SKIPPED	0.000 s
15	Then checker open the record from inbox	SKIPPED	0.001 s
16	Then checker approve the record	SKIPPED	0.000 s
17	Then user logout from the application	SKIPPED	0.001 s
18	And User Login as maker	SKIPPED	0.000 s
19	Then click on the Business Rule	SKIPPED	0.000 s
20	Then click on the UnderWritter Offset Control eye icon	SKIPPED	0.000 s
21	Then Validate the aapproved record	SKIPPED	0.000 s
22	Then user logout from the application	SKIPPED	0.001 s


EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --







EXPANDED SECTION -- 13 --

