
Duration: 5.875 s Start: Aug 03, 1:22:16.618 PM End: Aug 03, 1:22:22.493 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 13 13 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Property Details screen	1	0	1	0	5.875 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Property	Verify the functionality of Activate/Deactivate button of	13	0	0	13	5.869 s
	Details screen	Property Details screen					

DETAILED SECTION -- 4 --

(F)- Check the functionality of Property Details screen

FAILED	DURATION - 5.875 s	Scenarios		Steps	
		Total - 1		Total - 13	
/ 1:22:16.618 PN	M // 1:22:22.493 PM /	Pass - 0	1	Pass - 0	13
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 13	

(S)- Verify the functionality of Activate/Deactivate button of Property Details screen



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	5.775 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not creat version of ChromeDriver only supports Chrome version 110 Current browser version is 115.0.5790.111 with binary path C:Nrogram Files\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-P: ip: '10.200.4.214', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [remotorigins=*], extensions: []}}}, desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [remotorigins=*], extensions: []}}} at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:166) at org.openqa.selenium.remote.RemoteWebDriver.	ed: This SK9T3U', chrome. e-allow-	3.773 5

DETAILED SECTION -- 5 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:86) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:75) at resources.BaseClass.initializeDriver(BaseClass.java:31) at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)</init></init>		
1	Given User launch the kuls application	SKIPPED	0.001 s
2	And User Login as maker	SKIPPED	0.000 s
3	Then user should click on the menu toggle from maker stage	SKIPPED	0.001 s
4	Then click on inbox to search for the Property Details record	SKIPPED	0.000 s
5	Then click on search button to search the record of Property Details in inbox	SKIPPED	0.000 s
6	Then enter the reference id of the Property Details record	SKIPPED	0.001 s
7	Then click on the entitle button of the Property Details record of that reference id	SKIPPED	0.000 s
8	Then click on the Property Details tab	SKIPPED	0.001 s
9	Then open the record of Property Details to modify	SKIPPED	0.002 s
10	Then verify on clicking toggle button system should allow user to change the status of the record as Activate or Deactivate	SKIPPED	0.000 s
11	Then verify the Label on button if the status of property details record is Active	SKIPPED	0.001 s
12	Then verify the Label on button if the status of property details record is Deactive	SKIPPED	0.001 s
13	Then verify the functionality of Back button on property details screen	SKIPPED	0.001 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		