

## **Cucumber Report**



FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of the Allocation Masater	1	0	1	0	1 m 13.052 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of the Allocation	To Create the allocation master with valid details	15	6	1	8	1 m 13.048 s
	Masater						

## **(F)-** Check the functionality of the Allocation Masater

FAILED	DURATION - 1 m 13.052 s	Scenarios		Steps	
		Total - 1		Total - 15	
/ 3:08:32.124 pr	m // 3:09:45.176 pm /	Pass - 0	1	Pass - 6	15
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 8	

## (S)- To Create the allocation master with valid details




#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS application	PASSED	27.930 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.752 s
	screenshot		
	DESCRIPTION OF THE SECOND SECO		
2	Then user click on configurations Tab	PASSED	0.560 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.376 s
	screenshot		
	ACCOUNTS  BY SO		


#	Step / Hook Details	Status	Duration
3	When user click Config Manager menu	PASSED	0.383 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.294 s
	screenshot		
	A SERTIO I I S (40) (30) (40) (41) (41) (41) (41) (41) (41) (41) (41		
4	And Click the eye icon of the alloction master	PASSED	0.319 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.537 s
	screenshot		
	A 254/10		
_	They Click the add button in the allocation meeter	DACCED	0.000.0
5	Then Click the add button in the allocation master	PASSED	0.688 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.734 s
	AZERTO  AZERTO		
6	And Validate the allocation master screen open with all fields	PASSED	0.493 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.462 s
	screenshot		
	ASSETTO:  U * 100 100 100 100 100 100 100 100 100 1		
7	Then Enter the description fields in the allocation master	FAILED	2.455 s
	java.lang.lllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:92)		

DETAILED SECTION -- 6 --


#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.sendKeys(Unknown Source) at stepdefinitions.AllocationMaster.enter_the_description_fields_in_the_allocation_master(AllocationMaster.java:75) at ?.Enter the description fields in the allocation master(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/ test/java/features/MDM_Allocation_Mst.feature:11) * Not displayable characters are replaced by '?'.  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.238 s
8	And Enter the allocation code value in the allocation master	SKIPPED	0.000 s
9	Then Save the record in allocation master	SKIPPED	0.001 s
10	And Validate the sucess popup	SKIPPED	0.000 s
11	Then Click the inbox in allocation master	SKIPPED	0.001 s
12	And Search the record in allocation master	SKIPPED	0.000 s
13	Then Get the reference id and store it in json in allocation master	SKIPPED	0.000 s
14	And Click the action icon of respective allocation master	SKIPPED	0.000 s
15	Then Submit the record in allocation master	SKIPPED	0.001 s



EXPANDED SECTION -- 8 --



EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --

