

Cucumber Report

Jul 27, 2022, 8:06:56 PM

Start : Jul 27, 8:06:20.599 PM

End : Jul 27, 8:06:54.951 PM

Duration : 34.352 s

Features

Scenarios

Steps

PASSED - 1

FAILED - 0

SKIPPED - 0

PASSED - 1

FAILED - 0

SKIPPED - 0

PASSED - 8

FAILED - 0

SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	Check the functionality of product master	1	1	0	0	34.352 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the functionality of product master</u>	<u>Product Master - to check the functionality of status(active/deactive) and back button</u>	8	8	0	0	34.348 s





(F)- Check the functionality of product master




PASSED	DURATION - 34.352 s	Scenarios		Steps	
/ 8:06:20.599 PM // 8:06:54.951 PM /		Total - 1		Total - 8	
		Pass - 1		Pass - 8	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Product Master - to check the functionality of status(active/deactive) and back button

<div>PASSED</div> <div>DURATION - 34.348 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:06:20.603 PM // 8:06:54.951 PM /</div>				
<div>Check the functionality of product master</div>				
<div>@ProductMaster @M9</div>				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	6.278 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.389 s
	screenshot		
			
2	And User Login as maker	PASSED	5.157 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.340 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
3	Then user should navigate to product master	PASSED	0.385 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.349 s
	screenshot		
			
4	And click on edit view of product master	PASSED	0.258 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.414 s
	screenshot		
			
5	Then verify the functionality of status of the record	PASSED	3.408 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.162 s
	screenshot		
			
6	Then verify user can able to change the status from active to deactivate	PASSED	4.764 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.185 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then verify user can able to change the status from deactive to active	PASSED	4.906 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.247 s
	screenshot		
			
8	Then verify the functionality of back button of product master	PASSED	1.417 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.208 s
	screenshot		
			

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - to check the
functionality of status(active/deactive) and
back button


(F) Check the functionality of product
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - to check the
functionality of status(active/deactive) and
back button


(F) Check the functionality of product
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - to check the
functionality of status(active/deactive) and
back button


(F) Check the functionality of product
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - to check the
functionality of status(active/deactive) and
back button

(F) Check the functionality of product
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - to check the
functionality of status(active/deactive) and
back button

(F) Check the functionality of product
master


The screenshot shows the Azentio Product Master interface. The left sidebar contains a menu with options like Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area displays a table with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, Status, and Authorization Status. The table lists five products, all with a status of 'Active'. The first product has Product Code 'depo30' and Product Description 'desc11'. The last product has Product Code 'LML' and Authorization Status 'MAKER'. A pagination bar at the bottom indicates 'Showing 106 to 110 of 203 entries' and shows page numbers 20, 21, 22 (selected), 23, 24.

The screenshot shows the Azentio Product Master interface after a status change. A green 'Success' message is displayed at the top. The table now shows the first product with a status of 'In-active' (in red text), while the other four products remain 'Active'. The pagination bar at the bottom indicates 'Showing 106 to 110 of 203 entries' and shows page numbers 20, 21, 22 (selected), 23, 24.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - to check the
functionality of status(active/deactive) and
back button

(F) Check the functionality of product
master




The screenshot displays the Azentio Product Master interface. On the left is a dark blue sidebar with the Azentio logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area shows a table titled 'Product Master' with a search bar and an 'Export' button. The table has columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, Status, and Authorization Status. It contains five rows of product data, all with 'Active' status. At the bottom of the table, it says 'Showing 106 to 110 of 203 entries' with pagination controls. A green success message 'Success' is shown in the top right corner.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - to check the
functionality of status(active/deactive) and
back button

(F) Check the functionality of product
master



This screenshot is identical to the one above, showing the Azentio Product Master interface. It features the same sidebar, table of products, and success message. The table lists five products with 'Active' status. The pagination at the bottom indicates 'Showing 106 to 110 of 203 entries'. A green success message 'Success' is displayed in the top right corner.