

# Cucumber Report

Jul 28, 2022, 1:43:24 AM

Start : Jul 28, 1:42:58.668 AM

End : Jul 28, 1:43:23.608 AM

Duration : 24.940 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 19  
FAILED - 1  
SKIPPED - 12







#	Feature Name	T	P	F	S	Duration
1	<u>Project Master Retail Functionality</u>	1	0	1	0	24.940 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Project Master Retail Functionality</u>	<u>Project Master bulding Fields validation</u>	32	19	1	12	24.936 s




**(F)- Project Master Retail Functionality**

<b>FAILED</b>	<b>DURATION - 24.940 s</b>	Scenarios		Steps	
/ 1:42:58.668 AM // 1:43:23.608 AM /		Total - 1		Total - 32	
		Pass - 0		Pass - 19	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 12	





**(S)- Project Master building Fields validation**





<div>FAILED</div> <div>DURATION - 24.936 s</div>		<div></div>	<div>Steps</div> <div>Total - 32</div> <div>Pass - 19</div> <div>Fail - 1</div> <div>Skip - 12</div>	<div></div>
<div>/ 1:42:58.672 AM // 1:43:23.608 AM /</div>				
<div>Project Master Retail Functionality</div>				
<div>@ProjectMaster</div>				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	10.245 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
	screenshot		
			
2	And User Login as maker	PASSED	0.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
	screenshot		



#	Step / Hook Details	Status	Duration
			
3	Then click on Project Setup	PASSED	0.092 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
	screenshot		
			
4	Then click on Project Master edit icon	PASSED	0.118 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.251 s
	screenshot		
			
5	Then open the project master record	PASSED	2.134 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.249 s
	screenshot		
			
6	Then click on Project Master Building add button	PASSED	1.616 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.349 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
7	Then verify the field Unit Type	PASSED	1.329 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.138 s
	screenshot		
			
8	Then verify the field Building Name	PASSED	0.386 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
	screenshot		
			
9	Then verify the field Building Type	PASSED	0.236 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.117 s
	screenshot		
			
10	Then verify the field Total Floors	PASSED	0.314 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.129 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then verify the field Total Flats	PASSED	0.177 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.139 s
	screenshot		
			
12	Then verify the field Tentative Start Dates	PASSED	0.252 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.103 s
	screenshot		
			
13	Then verify the field Tentative End Dates	PASSED	0.242 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.100 s
	screenshot		
			
14	Then verify the field Disbursement Amount	PASSED	0.239 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.107 s
	screenshot		

#	Step / Hook Details	Status	Duration
	 +		
15	Then verify the field Exposed No of Flats	PASSED	0.181 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.097 s
	screenshot		
	 +		
16	Then verify the field Verified By	PASSED	0.239 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.088 s
	screenshot		
	 +		
17	Then verify the field Stage of Completion	PASSED	0.181 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.100 s
	screenshot		
	 +		
18	Then verify the field Verified On	PASSED	0.253 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 s
	screenshot		



#	Step / Hook Details	Status	Duration
			
19	Then verify the field CLP	PASSED	0.252 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.121 s
	screenshot		
			
20	Then verify the field Flexi	FAILED	0.335 s
	<p>org.openqa.selenium.StaleElementReferenceException: stale element reference: element is not attached to the page document (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#stale_element_reference">https://selenium.dev/exceptions/#stale_element_reference</a> Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [271e80408995b9b50aa44143bc4dfd35, clickElement {id=c2a6f85d-ce19-4297-a5a0-a125ae39f702}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:64094}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64094/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (271e80408995b9b50aa44143bc4dfd35)] -&gt; xpath: //ion-label[contains(text(),'Yes')]/../ion-radio] Session ID: 271e80408995b9b50aa44143bc4dfd35</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor3.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at stepdefinitions.ProjectMaster.verify_the_field_flexi(ProjectMaster.java:232) at ?.verify the field Flexi(file:///C:/Users/inindc00089/git/repository6/Priyanka_AzentioULSFramework/src/test/java/features/ProjectMaster.feature:26) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.178 s
21	Then verify the field Installment Linked	SKIPPED	0.000 s
22	Then verify the field Down Payment Flag	SKIPPED	0.000 s
23	Then verify the field Subvention Flag	SKIPPED	0.000 s
24	Then verify the field CF Flag	SKIPPED	0.001 s
25	Then verify the field Negative Remarks	SKIPPED	0.000 s
26	Then verify the field Basic Sales Price	SKIPPED	0.000 s
27	Then verify the field Exposure Unit	SKIPPED	0.000 s
28	Then verify the field Overall Recommendations	SKIPPED	0.000 s
29	Then verify the field Construction Status	SKIPPED	0.000 s
30	Then verify the field RERA Registration	SKIPPED	0.000 s
31	Then verify the field RERA Registration Number	SKIPPED	0.000 s
32	Then verify the field Building Details Remark	SKIPPED	0.000 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Project Master bulding Fields  
validation

(F) Project Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Project Master bulding Fields  
validation

(F) Project Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Project Master bulding Fields  
validation

(F) Project Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Builder Master

Group Master

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

80,000,000

60,000,000

40,000,000

20,000,000

0

AHL

AAL

APL

CD

AFC

CC

TL

Productcode

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Project Master bulding Fields  
validation

(F) Project Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Project Master

Builder Master

Group Master

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Project Master bulding Fields  
validation

(F) Project Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

**Project Master**

Builder Master

Group Master

Config Manager

Sample Screens

Project Details

+

Q

Export

Action	Project Code	Project Name	Builder	Group	City	State	Maker Date	Checker Date	Status
<div><div></div><div></div></div>	kbn		0	0	0	1105474			Active
<div><div></div><div></div></div>	Tillu	tillu	7	7	0	1105518			Active
<div><div></div><div></div></div>	Sri2021	Sri1234	7	7	0	1105472			Active
<div><div></div><div></div></div>	MSK021	msk	7	7	0	1105518			Active
<div><div></div><div></div></div>	BASTI	HALLAUR	7	7	0	1105474			Active

Showing 1 to 5 of 38 entries

1

2

3

4

5

5

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Project Master bulding Fields  
validation

(F) Project Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

**Project Master**

Builder Master

Group Master

Config Manager

Sample Screens

Action

+

Q

Export

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Project Master building Fields  
validation

(F) Project Master Retail Functionality

**AZENTIO™**

Asset Collateral Config  
Business Rules  
Corporate Masters  
Misc Config  
Other Masters  
Product Definitions  
Product Setup  
Regulatory Product Defini...  
Project Setup  
**Project Master**  
Builder Master  
Group Master  
Config Manager  
Sample Screens

**Building Details**

Unit Type  
APARTMENT

Building Type  
Select  
APARTMENT  
BUILDER FLOOR  
COMMERCIAL SPACE  
PLOT  
RETAIL SHOP  
STUDIO APARTMENT  
VILLA

Total Floors \*  
Total Flats \*  
Tentative End Dates  
Exposed No Of Flats  
Stage Of Completion

Building Name \*  
Total Floors \*  
Tentative Start Dates  
Disbursement Amount  
Verified By  
Verified On  
Flexi  
CLP

mm/dd/yyyy  
mm/dd/yyyy  
mm/dd/yyyy  
mm/dd/yyyy  
mm/dd/yyyy  
Select

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Project Master building Fields  
validation

(F) Project Master Retail Functionality

**AZENTIO™**

Asset Collateral Config  
Business Rules  
Corporate Masters  
Misc Config  
Other Masters  
Product Definitions  
Product Setup  
Regulatory Product Defini...  
Project Setup  
**Project Master**  
Builder Master  
Group Master  
Config Manager  
Sample Screens

**Building Details**

Unit Type  
APARTMENT

Building Type  
Select

Total Floors \*  
Total Flats \*  
Tentative End Dates  
Exposed No Of Flats  
Stage Of Completion

Building Name \*  
Total Floors \*  
Tentative Start Dates  
Disbursement Amount  
Verified By  
Verified On  
Flexi  
CLP

Swarajya  
mm/dd/yyyy  
mm/dd/yyyy  
mm/dd/yyyy  
mm/dd/yyyy  
Select

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Project Master building Fields  
validation

(F) Project Master Retail Functionality

**AZENTIO™**

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Regulatory Product Defini...
- Project Setup
- Project Master**
- Builder Master
- Group Master
- Config Manager
- Sample Screens

### Building Details

Unit Type: APARTMENT

Building Type: RESIDENTIAL

Building Name: Swarajya

Total Floors:

Tentative Start Dates: mm/dd/yyyy

Disbursement Amount:

Verified By:

Verified On: mm/dd/yyyy

Flexi: Select

Exposed No Of Flats:

Stage Of Completion:

CLP: Select

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Project Master building Fields  
validation

(F) Project Master Retail Functionality

**AZENTIO™**

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Regulatory Product Defini...
- Project Setup
- Project Master**
- Builder Master
- Group Master
- Config Manager
- Sample Screens

### Building Details

Unit Type: APARTMENT

Building Type: RESIDENTIAL

Building Name: Swarajya

Total Floors: 3

Tentative Start Dates: mm/dd/yyyy

Disbursement Amount:

Verified By:

Verified On: mm/dd/yyyy

Flexi: Select

Exposed No Of Flats:


Stage Of Completion:

CLP: Select

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Project Master building Fields  
validation

(F) Project Master Retail Functionality




The screenshot shows the Azentio software interface with the Building Details form. The form is titled "Building Details" and has a back arrow icon on the left. The form contains several fields and sections:

- Unit Type:** A dropdown menu with "APARTMENT" selected.
- Building Type:** A dropdown menu with "RESIDENTIAL" selected.
- Total Flats \*:** A text input field with "3" entered.
- Tentative End Dates:** A text input field with "mm/dd/yyyy" and a calendar icon.
- Exposed No Of Flats:** A text input field.
- Stage Of Completion:** A text input field.
- CLP:** A dropdown menu with "Select" selected.
- Building Name \*:** A text input field with "Swarajya" entered.
- Total Floors \*:** A text input field with "3" entered.
- Tentative Start Dates:** A text input field with "mm/dd/yyyy" and a calendar icon.
- Disbursement Amount:** A text input field.
- Verified By:** A text input field.
- Verified On:** A text input field with "mm/dd/yyyy" and a calendar icon.
- Flexi:** A dropdown menu with "Select" selected.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Project Master building Fields  
validation

(F) Project Master Retail Functionality



The screenshot shows the Azentio software interface with the Building Details form. The form is titled "Building Details" and has a back arrow icon on the left. The form contains several fields and sections:


- Unit Type:** A dropdown menu with "APARTMENT" selected.
- Building Type:** A dropdown menu with "RESIDENTIAL" selected.
- Total Flats \*:** A text input field with "3" entered.
- Tentative End Dates:** A text input field with "mm/dd/yyyy" and a calendar icon.
- Exposed No Of Flats:** A text input field.
- Stage Of Completion:** A text input field.
- CLP:** A dropdown menu with "Select" selected.
- Building Name \*:** A text input field with "Swarajya" entered.
- Total Floors \*:** A text input field with "3" entered.
- Tentative Start Dates:** A text input field with "01/09/2023" and a calendar icon.
- Disbursement Amount:** A text input field.
- Verified By:** A text input field.
- Verified On:** A text input field with "mm/dd/yyyy" and a calendar icon.
- Flexi:** A dropdown menu with "Select" selected.



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Project Master building Fields  
validation


(F) Project Master Retail Functionality

The screenshot shows the Azentio software interface. At the top, there is a header bar with a hamburger menu, an envelope icon, language selection (English), location selection (LOS), software version (Azentio Software), a grid icon, a bell icon, a user profile (Puneet, 01-Sep-2023), and a notification icon. Below the header is the 'Building Details' form. The form has a left column with fields for Unit Type (APARTMENT), Building Type (RESIDENTIAL), Total Flats (3), Tentative End Dates (10/09/2023), Exposed No Of Flats, Stage Of Completion, CLP (Select), and a bottom section with icons. The right column has fields for Building Name (Swarajya), Total Floors (3), Tentative Start Dates (01/09/2023), Disbursement Amount, Verified By, Verified On (mm/dd/yyyy), Flexi (Select), and a bottom section with icons. A red notification icon is in the top right corner of the form.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Project Master building Fields  
validation


(F) Project Master Retail Functionality

The screenshot shows the Azentio software interface. At the top, there is a header bar with a hamburger menu, an envelope icon, language selection (English), location selection (LOS), software version (Azentio Software), a grid icon, a bell icon, a user profile (Puneet, 01-Sep-2023), and a notification icon. Below the header is the 'Building Details' form. The form has a left column with fields for Unit Type (APARTMENT), Building Type (RESIDENTIAL), Total Flats (3), Tentative End Dates (10/09/2023), Exposed No Of Flats, Stage Of Completion, CLP (Select), and a bottom section with icons. The right column has fields for Building Name (Swarajya), Total Floors (3), Tentative Start Dates (01/09/2023), Disbursement Amount (10000), Verified By, Verified On (mm/dd/yyyy), Flexi (Select), and a bottom section with icons. A red notification icon is in the top right corner of the form.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Project Master building Fields  
validation

(F) Project Master Retail Functionality




The screenshot shows the 'Building Details' form in the Azentio software. The form is divided into two columns. The left column contains fields for Unit Type (APARTMENT), Building Type (RESIDENTIAL), Total Flats (3), Tentative End Dates (10/09/2023), Exposed No Of Flats (3), Stage Of Completion, and CLP (Select). The right column contains fields for Building Name (Swarajya), Total Floors (3), Tentative Start Dates (01/09/2023), Disbursement Amount (10000), Verified By (Owner), Verified On (mm/dd/yyyy), and Flexi (Select). The form has a back arrow on the top left and a save icon on the top right.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Project Master building Fields  
validation

(F) Project Master Retail Functionality




The screenshot shows the 'Building Details' form in the Azentio software. The form is divided into two columns. The left column contains fields for Unit Type (APARTMENT), Building Type (RESIDENTIAL), Total Flats (3), Tentative End Dates (10/09/2023), Exposed No Of Flats (3), Stage Of Completion, and CLP (Select). The right column contains fields for Building Name (Swarajya), Total Floors (3), Tentative Start Dates (01/09/2023), Disbursement Amount (10000), Verified By (Owner), Verified On (mm/dd/yyyy), and Flexi (Select). The form has a back arrow on the top left and a save icon on the top right.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Project Master building Fields  
validation

(F) Project Master Retail Functionality



**Building Details**

Unit Type: APARTMENT

Building Type: RESIDENTIAL

Total Flats \*: 3

Tentative End Dates: 10/09/2023

Exposed No Of Flats: 3

Stage Of Completion: 2

CLP: Select

Building Name \*: Swarajya

Total Floors \*: 3

Tentative Start Dates: 01/09/2023

Disbursement Amount: 10000

Verified By: Owner


Verified On: mm/dd/yyyy

Flexi: Select

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Project Master building Fields  
validation

(F) Project Master Retail Functionality



**Building Details**

Unit Type: APARTMENT

Building Type: RESIDENTIAL

Total Flats \*: 3

Tentative End Dates: 10/09/2023

Exposed No Of Flats: 3

Stage Of Completion: 2

CLP: Select

Building Name \*: Swarajya

Total Floors \*: 3

Tentative Start Dates: 01/09/2023

Disbursement Amount: 10000

Verified By: Owner

Verified On: 03/09/2023

Flexi: Select

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Project Master building Fields  
validation

(F) Project Master Retail Functionality

The screenshot displays the Azentio Project Master form. The left sidebar contains a navigation menu with options: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Regulatory Product Defini..., Project Setup, Project Master (highlighted), Builder Master, Group Master, Config Manager, and Sample Screens. The main form area includes fields for: 2, 03/09/2023, Flexi (dropdown), Down Payment Flag (dropdown), CF Flag (dropdown), Basic Sales Price/Sq.Feet, Overall % Recommendations, RERA Registration (dropdown with 'No' selected), and Remarks. A dropdown menu for 'CLP' is open, showing options: Select, No, and Yes (checked).

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Project Master building Fields  
validation

(F) Project Master Retail Functionality

The screenshot displays the Azentio Project Master form. The left sidebar contains a navigation menu with options: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Regulatory Product Defini..., Project Setup, Project Master (highlighted), Builder Master, Group Master, Config Manager, and Sample Screens. The main form area includes fields for: 2, 03/09/2023, Flexi (dropdown), Down Payment Flag (dropdown), CF Flag (dropdown), Basic Sales Price/Sq.Feet, Overall % Recommendations, RERA Registration (dropdown with 'No' selected), and Remarks. A dropdown menu for 'Flexi' is open, showing options: Select, No, and Yes (checked).