


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Customer Address Details screen	1	0	1	0	20.510 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Customer	Verify the buttons are available on screen while modify the	12	8	1	3	20.506 s
	Address Details screen	Customer Address Information					

DETAILED SECTION

(F)- Check the functionality of Customer Address Details screen

FAILED	DURATION - 20.510 s	Scenarios		Steps	
		Total - 1		Total - 12	
/ 2:00:32.268 PI	M // 2:00:52.778 PM /	Pass - 0	1	Pass - 8	12
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	

(S)- Verify the buttons are available on screen while modify the Customer Address Information

FAILED DURATION - 20.506 s	5 Steps	
/ 2:00:32.272 PM // 2:00:52.778 PM /	3-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	
Check the functionality of Customer Address	2-	12
Details screen	1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	
@AT_CAD_005	1 2 3 4 5 6 7 8 9 10 11 12	

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	4.981 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.488 s
	screenshot		
	AZENTIO COMMITTE DE LA COMMITTE DE L		
2	And User Login as maker	PASSED	3.368 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s
	screenshot		
	AMENTO DO DE SERVICE DO DE SERVICE		

#	Step / Hook Details	Status	Duration
3	Then user should click on the menu toggle	PASSED	1.008 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.564 s
	screenshot		
	AZENTO O SE DE SE SE SE SE SE DE SE		
4	Then click on inbox to search for the Customer Address Details record	PASSED	0.166 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.381 s
	screenshot		
	ACENTO C C C C C C C C C C C C C C C C C C C		
5	Then click on search button to search the record of Customer Address Details	PASSED	0.257 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.258 s
	screenshot		
	## A PARTICLE 10 C		
6	Then enter the reference id of the Customer Address Details record	PASSED	0.082 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.314 s
	screenshot		
	## ATTIVITY Company Mark Company Mark Company Mark Ma		
7	Then click on the entitle button of the Customer Address Details record of that reference id	PASSED	0.105 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.210 s
	screenshot		
-	·		


#	Step / Hook Details	Status	Duration
	ASSETTO		
8	Then click on the Additional customer info tab in Customer Personal Information screen	PASSED	1.210 s
	AFTER STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.324 s
	screenshot	1	
	ASSUTIO DE SE		
9	Then select the Customer Address details record from the customer personal detail screen	FAILED	1.037 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath";"selector":"//iontitle[contains(text().'Address Details')]"} (Session info: chrome=100.0.4896.60) For documentation on this error, please visit: https://selenium.tev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511.6bda' System info: host: 'PG00x8kU', ip: '10.1.47.121', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [80ff1ce3457e291eb8d10t427df72f0e, findElement {using=xpath, value=//ion-title[contains(text(), Address Details')]}} Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, corne: {chromedriverVersion: 99.0.4844.51} (d537ec02474b5, userDataDir: C:\Users\NINDC-1\AppData\L), goog:chromeOptions: {debuggerAddress: localhost:51933}, javascriptEnabled: frue, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp. ws://localhost:51933/devtoo, se:cdp\version: 100.0.4896.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:vitualAuthenticators: true) Session ID: 80ff1ce3457e291eb8d10f427df72f0e at jdx.internal.reflect.DelegatingConstructorAccessorInpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Unknown Source) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:139) at org.openqa.selenium.remote.Service.DriverCommandExecut		


DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992) at java.base/java.util.Stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:478) at helper.JavascriptHelper.scrollIntoView(JavascriptHelper.java:48) at stepdefinitions.CustomerAddressDetails. select_the_customer_address_details_record_from_the_customer_personal_detail_screen(CustomerAddressDetails.java:98) at ?select the Customer Address details record from the customer personal_detail screen(file:///C://Users/inindc00091/git/Devesh_AzentioULS_FW/AzentioULSFrameworkCopy/src/test/java/features/CustomerAddressDetails.feature:51) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.192 s
	screenshot Comment C		
10	Then select the record of Address details from the customer identification screen	SKIPPED	0.001 s
11	Then verify Customer Address details screen should get open with mentioned Fields	SKIPPED	0.000 s
12	Then verify the functionality of Back button of customer address details screen	SKIPPED	0.000 s


EXPANDED SECTION -- 8 --

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) User ID (S) Verify the buttons are available on **AZENTIO** screen while modify the Customer **Address Information** CONTINUE (F) Check the functionality of Customer Address Details screen **AZENTIO**° (Step) AFTER_STEP - stepdefinitions. **ONE**Banking HooksClass.addScreenshot(io.cucumber. java.Scenario) Q 88 Ø (S) Verify the buttons are available on screen while modify the Customer 0 **Address Information** (F) Check the functionality of Customer Address Details screen





EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --

