

# Cucumber Report

11-Apr-2023, 3:20:28 pm

**Start : Apr 11, 3:18:57.693 pm**

**End : Apr 11, 3:20:26.939 pm**

**Duration : 1 m 29.246 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**



**FAILED - 1**

**SKIPPED - 0**

**PASSED - 3**


**FAILED - 1**

**SKIPPED - 22**







#	Feature Name	T	P	F	S	Duration
1	<u>To verify the Asset CD Master full flow</u>	1	0	1	0	1 m 29.246 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify the Asset CD Master full flow	To verify the Asset CD Master all flow	26	3	1	22	1 m 29.237 s


**(F)- To verify the Asset CD Master full flow**

<b>FAILED</b>	<b>DURATION - 1 m 29.246 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 26 Pass - 3 Fail - 1 Skip - 22	
/ 3:18:57.693 pm // 3:20:26.939 pm /					


**(S)- To verify the Asset CD Master all flow**

<div><div>FAILED</div><div>DURATION - 1 m 29.237 s</div></div>			<div>Steps</div> <div>Total - 26</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 22</div>	
/ 3:18:57.702 pm // 3:20:26.939 pm /				
To verify the Asset CD Master full flow				
@AT-ACD-T001				

#	Step / Hook Details	Status	Duration
1	And User get the testdata for Assert CD Master testcase001	PASSED	4.028 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.298 s
	screenshot		
			
2	Given User login as uls maker in asset CD master	PASSED	19.513 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.214 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	Then User click the Configurations in asset auto master	PASSED	0.200 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.229 s
	screenshot		
			
4	And User click the config manager in Bounce master	FAILED	1 m 0.414 s
	<p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //ion-label[contains(text(),'Config Manager')]' (tried for 60 second(s) with 5000 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)</p> <p>at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)</p> <p>at stepdefinitions.BounceMaster.user_click_the_config_manager_in_bounce_master(BounceMaster.java:52)</p> <p>at ?.User click the config manager in Bounce master(file:///C:/Users/ININDC00071/git/Azentio_ULS_Karthi_M_KULS/mKarthi_AzentioULSFramework4/src/test/java/features/Asset_CD_Master_FullBatch.feature:9)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-label[contains(text(),'Config Manager')]"}</p> <p>(Session info: chrome=112.0.5615.49) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a></p> <p>Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.163', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [35c1d7967d57177df6e6d8f5779935a9, findElement {using=xpath, value=//ion-label[contains(text(),'Config Manager')]}]</p> <p>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.49, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\ININDC~1\AppData\Local\...}, goog:chromeOptions: {debuggerAddress: localhost:52643}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52643/devtoo..., se:cdpVersion: 112.0.5615.49, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}</p> <p>Session ID: 35c1d7967d57177df6e6d8f5779935a9</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)</p>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.BounceMaster.user_click_the_config_manager_in_bounce_master(BounceMaster.java:52) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596)		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.235 s
5	And User click the edit icon in asset CD master	SKIPPED	0.000 s
6	And User click the add icon in asset CD master	SKIPPED	0.000 s
7	And User verify the save back help button in asset CD master	SKIPPED	0.001 s
8	And User verify the all mentioned fields in asset CD master	SKIPPED	0.000 s
9	Then User click the back button in asset CD master	SKIPPED	0.001 s
10	And User click the add icon in asset CD master	SKIPPED	0.000 s
11	Then User verify the asset category fields in asset CD master	SKIPPED	0.000 s
12	And User enter the value in asset category for asset CD master	SKIPPED	0.000 s
13	And User enter the value in asset type for asset CD master	SKIPPED	0.001 s
14	And User enter the value in manufacturer for asset CD master	SKIPPED	0.000 s
15	And User enter the value in model for asset CD master	SKIPPED	0.001 s
16	And User enter the value in year of manufacture for asset CD master	SKIPPED	0.000 s
17	And User enter the value in country for asset CD master	SKIPPED	0.000 s
18	And User enter the value in remarks for asset CD master	SKIPPED	0.000 s
19	And User click the save button for asset CD master	SKIPPED	0.000 s
20	Then User verify the confirmation message in asset CD master	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
21	Then User click the inboxmail icon in asset CD master	SKIPPED	0.000 s
22	And User click the search icon in asset CD master and get the reference id	SKIPPED	0.000 s
23	And User click the submit icon in asset CD master maker	SKIPPED	0.000 s
24	And User enter the popup remark and submit the asset CD master	SKIPPED	0.001 s
25	And User get confirmation message and checker id in asset CD master	SKIPPED	0.000 s
26	And User Logout from application	SKIPPED	0.000 s



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)


(S) To verify the Asset CD Master all flow

(F) To verify the Asset CD Master full flow

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify the Asset CD Master all flow


(F) To verify the Asset CD Master full flow



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify the Asset CD Master all flow

(F) To verify the Asset CD Master full flow



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify the Asset CD Master all flow

(F) To verify the Asset CD Master full flow

