

Cucumber Report

Jul 21, 2022, 4:23:16 PM

Start : Jul 21, 4:22:54.529 PM

End : Jul 21, 4:23:15.507 PM

Duration : 20.978 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 6
FAILED - 1
SKIPPED - 14







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of product master</u>	1	0	1	0	20.978 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the functionality of product master</u>	<u>Product Master - Modify records (approve, reject and return) at checker stage</u>	21	6	1	14	20.973 s



(F)- Check the functionality of product master


FAILED	DURATION - 20.978 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 21 Pass - 6 Fail - 1 Skip - 14	
/ 4:22:54.529 PM // 4:23:15.507 PM /					

(S)- Product Master - Modify records (approve, reject and return) at checker stage

<div>FAILED</div> <div>DURATION - 20.973 s</div>		<div></div>	<div>Steps</div> <div>Total - 21</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 14</div>	<div></div>
<div>/ 4:22:54.534 PM // 4:23:15.507 PM /</div>				
<div>Check the functionality of product master</div>				
<div>@M6</div>				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	6.424 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.477 s
	screenshot		
			
2	And User Login as checker	PASSED	4.789 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.137 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on menu button	PASSED	0.139 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.238 s
	screenshot		
			
4	Then click on inbox button	PASSED	0.323 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.333 s
	screenshot		
			
5	Then select the modified record to approve	PASSED	0.139 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.338 s
	screenshot		
			
6	Then select approve button	PASSED	1.200 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.385 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
7	<p>Then enter remark for approve</p> <pre>org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=100.0.4896.127) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7958f5f7a95e39112bc9186fbf142fb6, sendKeysToElement {id=48761559-a50d-44a6-b075-2a86ebbb6c10, value=[Ljava.lang.CharSequence;@79be91eb]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.127, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:51768}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51768/devtoo..., se:cdpVersion: 100.0.4896.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (7958f5f7a95e39112bc9186fbf142fb6)] -> xpath: //ion-textarea[1]/div[1]/textarea[1]] Session ID: 7958f5f7a95e39112bc9186fbf142fb6 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:107) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy45.sendKeys(Unknown Source) at stepdefinitions.ProductMaster_Retail.enter_remark_for_approve(ProductMaster_Retail.java:249) at ?.enter remark for approve(file:///C:/Users/inindc00091/git/Azentio_ULTS_04/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:45) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.929 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.180 s

#	Step / Hook Details	Status	Duration
	<p>screenshot</p> 		
8	Then click on approve button	SKIPPED	0.000 s
9	Then system should display confirmation message after approved	SKIPPED	0.000 s
10	Then click on inbox button	SKIPPED	0.000 s
11	Then select the modified record to reject	SKIPPED	0.001 s
12	Then select reject button	SKIPPED	0.000 s
13	Then enter remark for reject	SKIPPED	0.000 s
14	Then click on reject button	SKIPPED	0.001 s
15	Then system should display confirmation message after reject	SKIPPED	0.000 s
16	Then click on inbox button	SKIPPED	0.001 s
17	Then select the modified record to return	SKIPPED	0.000 s
18	Then click on return button	SKIPPED	0.000 s
19	Then enter remark for return	SKIPPED	0.000 s
20	Then click on return button	SKIPPED	0.000 s
21	Then system should display confirmation message after return	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at checker
stage


(F) Check the functionality of product
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at checker
stage


(F) Check the functionality of product
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at checker
stage

(F) Check the functionality of product
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at checker
stage


(F) Check the functionality of product
master











Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5612	SUB_PRD_MAST	CHECKER	LOSCHK	in01589	21-Jul-2022 16:21	TSW	
	5587	PRODUCT_MST	CHECKER	LOSCHK	in01589	21-Jul-2022 13:36	TSW	
	5598	PRODUCT_MST	CHECKER	LOSCHK	in01589	21-Jul-2022 13:9	TSW	
	42	FLOATING_RATE	CHECKER	LOSCHK	in01589	21-Jul-2022 12:27	TSW	
	35	FLOATING_RATE	CHECKER	LOSCHK	in01589	21-Jul-2022 11:25	TSW	
	5570	SUB_PRD_MAST	CHECKER	LOSCHK	in01589	21-Jul-2022 9:58	TSW	
	5566	PRODUCT_MST	CHECKER	LOSCHK	in01589	21-Jul-2022 9:29	TSW	
	42	SCHEME_MST	CHECKER	LOSCHK	in01589	21-Jul-2022 8:1	TSW	
	43	SCHEME_MST	CHECKER	LOSCHK	in01589	21-Jul-2022 8:0	TSW	
	5550	SUB_PRD_MAST	CHECKER	LOSCHK	in01589	20-Jul-2022 18:41	TSW	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at checker
stage

(F) Check the functionality of product
master




Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5612	SUB_PRD_MAST	CHECKER	LOCHK	in01589	21-Jul-2022 16:21	TSW	
	5587	PRODUCT_MST	CHECKER	LOCHK	in01589	21-Jul-2022 13:36	TSW	
	5598	PRODUCT_MST	CHECKER	LOCHK	in01589	21-Jul-2022 13:9	TSW	
	42	FLOATING_RATE	CHECKER	LOCHK	in01589	21-Jul-2022 12:27	TSW	
	35	FLOATING_RATE	CHECKER	LOCHK	in01589	21-Jul-2022 11:25	TSW	
	5570	SUB_PRD_MAST	CHECKER	LOCHK	in01589	21-Jul-2022 9:58	TSW	
	5566	PRODUCT_MST	CHECKER	LOCHK	in01589	21-Jul-2022 9:29	TSW	
	42	SCHEME_MST	CHECKER	LOCHK	in01589	21-Jul-2022 8:1	TSW	
	43	SCHEME_MST	CHECKER	LOCHK	in01589	21-Jul-2022 8:0	TSW	
	5550	SUB_PRD_MAST	CHECKER	LOCHK	in01589	20-Jul-2022 18:41	TSW	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at checker
stage

(F) Check the functionality of product
master



←


Product Master

Approve

Reject

Return

?



Product Master

Product Group *

Deposits

Product Code *

desc30

Product Description *

Retail/Corporate *

Retail

DM Code

desc30

Status

☒

Remarks

desc30

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at checker
stage

(F) Check the functionality of product
master

The screenshot displays the 'Product Master' application interface. At the top, there is a navigation bar with a menu icon, language selection (English), module mapping (No Module Mapped), software version (Azentio Software), and user information (Sagar, 01-Sep-2023). The main header shows 'Product Master' with a back arrow and an 'Approve' button. Below the header, the form contains fields for 'Product Group' (Deposits), 'Product Code' (desc30), 'Product Description', 'DM Code' (desc30), and 'Remarks' (desc30). An 'Action confirmation' modal is open in the center, titled 'APPROVE'. It has two buttons: 'approve' and 'on behalf'. Below these is a text input field labeled 'Please Enter Remarks *' and a blue 'Approve' button with a checkmark icon.