

Cucumber Report

Jul 20, 2022, 11:19:26 PM

Start : Jul 20, 11:18:53.652 PM

End : Jul 20, 11:19:24.642 PM

Duration : 30.990 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 15
FAILED - 1
SKIPPED - 1







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of product master</u>	1	0	1	0	30.990 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the functionality of product master</u>	<u>Product Master - Modify records (approve, reject and return) at maker stage</u>	17	15	1	1	30.985 s





(F)- Check the functionality of product master





FAILED	DURATION - 30.990 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 17 Pass - 15 Fail - 1 Skip - 1	
/ 11:18:53.652 PM // 11:19:24.642 PM /					




(S)- Product Master - Modify records (approve, reject and return) at maker stage



<div>FAILED</div> <div>DURATION - 30.985 s</div>		<div></div>	<div>Steps</div> <div>Total - 17</div> <div>Pass - 15</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 11:18:53.657 PM // 11:19:24.642 PM /</div>				
<div>Check the functionality of product master</div>				
<div>@M5</div>				


#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	11.771 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.594 s
	screenshot 		
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.426 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then user should navigate to product master	PASSED	0.154 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.234 s
	screenshot		
			
4	And click on edit view of product master	PASSED	0.200 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
	screenshot		
			
5	Then click on edit button of record2 to modify	PASSED	1.120 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.414 s
	screenshot		
			
6	Then verify system should modify the record before approved	PASSED	1.650 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.363 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then click on inbox button	PASSED	0.426 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.308 s
	screenshot		
			
8	And select the modified record from inbox to reject	PASSED	0.427 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.421 s
	screenshot		
			
9	Then click on submit button	PASSED	1.525 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.377 s
	screenshot		
			
10	Then system should display confirmation message after submit	PASSED	0.400 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.241 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	And click on edit view of product master	PASSED	0.258 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.367 s
	screenshot		
			
12	Then click on edit button of record3 to modify	PASSED	0.199 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.340 s
	screenshot		
			
13	Then verify system should modify the record before approved	PASSED	0.582 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.379 s
	screenshot		
			
14	Then click on inbox button	PASSED	0.316 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.238 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
15	And select the modified record from inbox to return	PASSED	0.303 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.389 s
	screenshot		
			
16	Then click on submit button	FAILED	1.255 s
	<p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (1253, 114). Other element would receive the click: <div role="alert" class="ng-tns-c143-12 toast-message ng-star-inserted" aria-label="Record APPROVED Successfully, and Current Stage is CHECKER with status PENDING from in01589." style="">...</div> (Session info: chrome=100.0.4896.127) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0225884297abc686e41b1477aa1c5860, clickElement {id=ccc78450-0af1-4d00-a373-36aed22313a9}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.127, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:63209}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63209/devtoo..., se:cdpVersion: 100.0.4896.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (0225884297abc686e41b1477aa1c5860)] -> xpath: //span[contains(text(),'Submit')]] Session ID: 0225884297abc686e41b1477aa1c5860</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor2.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at stepdefinitions.ProductMaster_Retail.click_on_submit_button(ProductMaster_Retail.java:155) at ?.click on submit button(file:///C:/Users/inindc00091/git/Azentio_ULS_04/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:36) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.206 s
17	Then system should display confirmation message after submit	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

AZENTIO™

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Regulatory Product Defini...
- Project Setup
- Config Manager
- Sample Screens

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

AZENTIO™

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Regulatory Product Defini...
- Project Setup
- Config Manager
- Sample Screens

Product wise Analysis

Product-wise Amount Financed

Productcode	Amount Financed
AHL	97.0M
AAL	23.0M
APL	26.0M
CD	5.0M
AFC	2.0M
CC	2.0M
TL	6.0M

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

AZENTIO™

🔧

📄

📁

① Asset Collateral Config

① Business Rules

① Corporate Masters

① Misc Config

① Other Masters

① Product Definitions

① Product Setup

① Regulatory Product Defini...

① Project Setup

① Config Manager

Product Setup

Asset CD Master

Product Master

Sub Product Master

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

🔧

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

AZENTIO™

🔧

📄

📁

① Asset Collateral Config

① Business Rules

① Corporate Masters

① Misc Config

① Other Masters

① Product Definitions

① Product Setup

🏠 Product master

🏠 Sub Product Master

① Regulatory Product Defini...

① Project Setup

① Config Manager

Asset Auto Master

Asset CD Master

Product master

Sub Product Master


Powered by Metabase

🔧


(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master



The screenshot shows the Azentio Software interface. The left sidebar contains a menu with options: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area is titled 'Product Master' and displays a table with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, Status, and Authorization Status. The table contains five rows of data, all with 'Active' status. A pagination bar at the bottom shows 'Showing 1 to 5 of 139 entries' and a page selector with '1' highlighted. A search bar and an 'Export' button are located at the top right of the table area.



The screenshot shows the Azentio Software interface with the same sidebar menu. The main content area is mostly blank, indicating that the product master data has been successfully modified or cleared. A green notification banner at the top right indicates 'Access' for the user 'Puneet' on '01-Sep-2023'. A search bar and an 'Export' button are still visible at the top right of the main area.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

The screenshot displays the Azentio software interface. On the left is a dark blue sidebar with the 'AZENTIO' logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main area shows an 'Inbox' table with columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, and Product. The table contains 12 rows of data. At the top right, there is a green 'Success' notification bar. A search icon is visible in the top right corner of the table area.

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5561	PRODUCT_MST	MAKER	LOSMKR	in00135	20-Jul-2022 23:19	TSW	
	5557	PRODUCT_MST	MAKER	LOSMKR	in00135	20-Jul-2022 23:4	TSW	
	5562	PRODUCT_MST	MAKER	LOSMKR	in00135	20-Jul-2022 22:39	TSW	
	5558	PRODUCT_MST	MAKER	LOSMKR	in00135	20-Jul-2022 20:52	TSW	
	43	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 19:56	TSW	
	42	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 19:33	TSW	
	40	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 19:8	TSW	
	39	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 19:5	TSW	
	38	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 19:3	TSW	
	37	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 18:59	TSW	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

The screenshot displays the Azentio software interface for the 'Product Master' form. The sidebar is the same as in the previous screenshot. The main area shows the 'Product Master' form with fields for Product Group, Product Code, Product Description, DM Code, Retail/Corporate, Status, and Remarks. The 'Product Code' field is filled with 'desc21'. The 'Status' field has a toggle switch. At the top right, there is a green 'Success' notification bar. The form has 'Submit' and 'Cancel' buttons at the top right.

Product Master

Product Group *

Product Code *

Product Description *

DM Code

Retail/Corporate *

Status

Remarks

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

The screenshot shows the Azentio Product Master form. The left sidebar contains a navigation menu with options like Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main form area has a header with 'Product Master' and a 'Product Master' section. The form fields include Product Group (Deposits), Product Code (desc21), Product Description (empty), Retail/Corporate (Retail), DM Code (desc21), Status (toggle), and Remarks (desc21). A green success message 'Success' is displayed at the top right. The bottom of the form shows an 'Action confirmation' bar with a 'Close' button.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

The screenshot shows the Azentio Product Master form, similar to the one above, but with an 'Inbox' table visible at the top. The table has columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, and Product. A green success message 'Success' is displayed at the top right. The form fields and layout are identical to the previous screenshot.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage


(F) Check the functionality of product
master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)


(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

(F) Check the functionality of product master



(F) Check the functionality of product master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

The screenshot shows the Azentio Product Master form. The left sidebar contains a menu with options like Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main form area has fields for Product Group (Select), Product Code (desc18), Product Description (empty), Retail/Corporate (Select), DM Code (desc18), Status (toggle), and Remarks (desc18). A green success message box in the top right corner reads: "Record APPROVED Successfully, and Current Stage is CHECKER with status PENDING from in01589."

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

The screenshot shows the Azentio Product Master form. The left sidebar is the same as in the first screenshot. The main form area has fields for Product Group (Deposits), Product Code (desc18), Product Description (empty), Retail/Corporate (Retail), DM Code (desc18), Status (toggle), and Remarks (desc18). A green success message box in the top right corner reads: "Success". Below the success message, there are buttons for Submit, Cancel, and a refresh icon. A red icon with a question mark is also visible in the bottom right corner.