

Cucumber Report

Sep 22, 2022, 2:11:33 PM

Start : Sep 22, 2:11:07.759 PM

End : Sep 22, 2:11:32.227 PM

Duration : 24.468 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 12
FAILED - 1
SKIPPED - 16







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of Customer Address Details screen</u>	1	0	1	0	24.468 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Customer Address Details screen	verify post clicking on Add button, the Customer Address Information screen is getting open with all valid fields	29	12	1	16	24.458 s

(F)- Check the functionality of Customer Address Details screen


FAILED	DURATION - 24.468 s	Scenarios		Steps	
/ 2:11:07.759 PM // 2:11:32.227 PM /		Total - 1		Total - 29	
		Pass - 0		Pass - 12	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 16	



(S)- verify post clicking on Add button, the Customer Address Information screen is getting open with all valid fields


<div>FAILED</div> <div>DURATION - 24.458 s</div>		<div></div>	<div>Steps</div> <div>Total - 29</div> <div>Pass - 12</div> <div>Fail - 1</div> <div>Skip - 16</div>	<div></div>
<div>/ 2:11:07.769 PM // 2:11:32.227 PM /</div>				
<div>Check the functionality of Customer Address Details screen</div>				
<div>@AT_CAD_01</div>				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	6.104 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.409 s
	screenshot		
			
2	And User Login as maker	PASSED	3.216 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.252 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And user click on Inbox Icon	PASSED	0.867 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.203 s
	screenshot		
			
4	And user click search icon	PASSED	0.268 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.187 s
	screenshot		
			
5	And user Enter Customer Address details Application ID	PASSED	0.195 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s
	screenshot		
			
6	And user click on First record of Appdata Entry	PASSED	0.119 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.201 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
7	And user click on Additional customer Info Tab	PASSED	1.081 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.502 s
	screenshot		
			
8	And user click on First Record Edit Icon	PASSED	0.131 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.466 s
	screenshot		
			
9	And user click on Address Information Add Icon	PASSED	0.373 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.789 s
	screenshot		
			
10	And user verify the Address Type field and Choose the value	PASSED	0.345 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.188 s
	screenshot		
			
11	And user verify the Address status field and choose the value	PASSED	0.369 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.272 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
12	And user verify the Residential status field and choose the value	PASSED	1.145 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
	screenshot		
			
13	And user verify the Address Line 1 field and Enter the Vaue	FAILED	1.158 s
	<p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <input class="native-input sc-ion-input-ios" aria-labelledby="ion-input-3-lbl" autocapitalize="off" autocomplete="off" autocorrect="off" name="ion-input-3" placeholder="" spellcheck="false" type="text"> is not clickable at point (391, 534). Other element would receive the click: <ion-radio class="sc-ion-select-popover-ios ios in-item interactive hydrated" aria-checked="false" aria-labelledby="ion-rb-10-lbl" role="radio" tabindex="-1"></ion-radio> (Session info: chrome=100.0.4896.60) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ac60898ddc054366d0bf23924611989d, clickElement {id=3ecfb418-5fe4-41bc-a3e5-c21e15b949e6}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\NININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:52512}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52512/devtoo..., se:cdpVersion: 100.0.4896.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (ac60898ddc054366d0bf23924611989d)] -> xpath: //ion-label[text()=' Address Line 1 ']/parent::ion-item//input] Session ID: ac60898ddc054366d0bf23924611989d</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at stepdefinitions.Customer_Address_Information. user_verify_the_address_line_1_field_and_enter_the_vaue(Customer_Address_Information.java:102) at ?.user verify the Address Line 1 field and Enter the Vaue(file:///C:/Users/inindc00091/git/Devesh_AzentioULS_FW/ AzentioULSFrameworkCopy/src/test/java/features/CustomerAddressDetails.feature:125) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.130 s
	screenshot		
			
14	And user verify the Address Line 2 field and Enter the Vaue	SKIPPED	0.000 s
15	And user verify the country field and choose the value	SKIPPED	0.000 s
16	And user verify the District Name field and Enter the value	SKIPPED	0.000 s
17	And user verify the Zip code field and Enter the value	SKIPPED	0.001 s
18	And user verify the PO Box Number field and Enter the value	SKIPPED	0.000 s
19	And user verify the Mobile Number primary field and Enter the value	SKIPPED	0.001 s
20	And user verify the Duration of stay field and Enter the value	SKIPPED	0.000 s
21	And user verify the Latitude details of the address field and Enter the Value	SKIPPED	0.000 s
22	And user verify the Longitude details of the address field and Enter the Value	SKIPPED	0.000 s
23	And user verify the LandMark field and Enter the Value	SKIPPED	0.000 s
24	And user verify the Occupancy date field and choose the date	SKIPPED	0.000 s
25	And user verify the Landlord name field and Enter the Value	SKIPPED	0.000 s
26	And user verify the Landlord Number field and Enter the value	SKIPPED	0.000 s
27	And user verify the Rent amount field and Enter the Value	SKIPPED	0.000 s
28	And user verify the Frequency of Rent field and choose the value	SKIPPED	0.001 s
29	And user click the Save the button	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields


(F) Check the functionality of Customer
Address Details screen



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen



(F) Check the functionality of Customer Address Details screen

AZENTIO[®]
ONEBanking

Engl... ▾

LOS ▾

Aze... ▾

Inbox

Action

C

Showing 0 to 0 of 0 entries << < > >>

10 ▾

(F) Check the functionality of Customer Address Details screen

Inbox											
Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	636	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 14:8	HLW	AHL		T	T
	620	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 13:35	HLW	AHL		T	T
	231	CHARGE_MST	MAKER	LOSMKR	in02040	22-Sep-2022 13:9	TSW			M	M
	631	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:53	HLW	AHL		T	T
	619	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	630	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	629	APP_CREATE	NEWAPP	BREXEC	in02040	22-Sep-2022 12:19	HLW	AHL		T	T
	628	APP_CREATE	NEWAPP	BREXEC	in02040	22-Sep-2022 12:19	HLW	AHL		T	T
	621	APP_CREATE	NEWAPP	BREXEC	in02040	22-Sep-2022	HLW	AHL		T	T

(F) Check the functionality of Customer Address Details screen

Inbox											
Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	636	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 14:8	HLW	AHL		T	T
	620	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 13:35	HLW	AHL		T	T
	231	CHARGE_MST	MAKER	LOSMKR	in02040	22-Sep-2022 13:9	TSW			M	M
	631	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:53	HLW	AHL		T	T
	619	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	630	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	629	APP_CREATE	NEWAPP	BREXEC	in02040	22-Sep-2022 12:19	HLW	AHL		T	T
	628	APP_CREATE	NEWAPP	BREXEC	in02040	22-Sep-2022 12:19	HLW	AHL		T	T
	621	APP_CREATE	NEWAPP	BREXEC	in02040	22-Sep-2022	HLW	AHL		T	T

(F) Check the functionality of Customer Address Details screen

Engl...

LOS

Aze...

Inbox

Action Entitle	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	506	APP_CREATE	APPDATAENT	CPUEXEC	in02040	15-Sep-2022 10:22	HLW	AHL		T	

Showing 1 to 1 of 1 entries

<<

<

1

>

>>

10



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen

The screenshot shows the AZENTIO ONEBanking interface. The top navigation bar includes a hamburger menu, a search icon, and a sidebar with icons for search, list, settings, and a clock. The main header displays the AZENTIO ONEBanking logo and user information (Engl..., LOS, Aze...). Below the header is a breadcrumb trail: Prev, Application Info, Customer details, Additional Customer Info (highlighted), Customer Financials, Facility Info, Document Details, Offering, Rep, Next. The main content area is titled "Customer Personal Information" and contains a form with several input fields and checkboxes. A blue circular button with a play icon is visible in the bottom right corner.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen

The screenshot shows the AZENTIO ONEBanking interface. The top navigation bar includes a hamburger menu, a search icon, and a sidebar with icons for search, list, settings, and a clock. The main header displays the AZENTIO ONEBanking logo and user information (Engl..., LOS, Aze...). Below the header is a breadcrumb trail: Prev, Application Info, Customer details, Additional Customer Info (highlighted), Customer Financials, Facility Info, Document Details, Offering, Rep, Next. The main content area is titled "Customer Identification" and contains a form with several input fields and checkboxes. A blue circular button with a play icon is visible in the bottom right corner.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen

The screenshot shows the AZENTIO ONEBanking interface. At the top, there are navigation tabs: Prev, Application Info, Customer details, Additional Customer Info (selected), Customer Financials, Facility Info, Document Details, Offering, and Next. Below the tabs, there are input fields for APPLICATION ID, APPLICANT NAME, and CUSTOMER ID. The main section is titled "Customer Address" and contains several form fields: Address Type (dropdown menu), Address Status (dropdown menu), Residential Or Occupancy Status (dropdown menu), Communication Address (toggle switch), Address Line 1 (text input), Address Line 2 (text input), Country (dropdown menu), and Province Id (dropdown menu). At the bottom right, there are buttons for Approve, Reject, Return, Eligibility Check, and Print.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen

This screenshot is similar to the one above, but with a dropdown menu open for the Address Type field. The dropdown menu lists the following options: Select, Factory Address, Head Quarter Address, Home (selected with a blue checkmark), Office, and Place of actual Residence. The rest of the form and the navigation tabs remain the same.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen

The screenshot shows the 'Customer Address' form in the AZENTIO ONEBanking application. The form is part of a multi-step process, with 'Additional Customer Info' currently selected. The form contains several fields: 'Address Type' (set to 'Home'), 'Residential Or Occupancy Status' (set to 'Select'), 'Address Line 1' (empty), 'Country' (set to 'Select'), 'Address Status' (set to 'Previous'), and 'Province Id' (set to 'Select'). A dropdown menu for 'Address Status' is open, showing options: 'Select', 'Current', and 'Previous' (which is selected with a blue checkmark). The form also has a 'Communication Address' toggle switch. At the top, there are tabs for 'Prev', 'Application Info', 'Customer details', 'Additional Customer Info', 'Customer Financials', 'Facility Info', 'Document Details', 'Offering', and 'Next'. On the right, there are buttons for 'Approve', 'Reject', 'Return', 'Eligibility Check', and 'Print'. The AZENTIO logo and 'ONEBanking' text are visible at the top left of the form area.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen

This screenshot is similar to the one above, showing the 'Customer Address' form. However, the 'Residential Or Occupancy Status' dropdown menu is open, showing options: 'Select', 'Commercial rent', and 'Dormitory'. The 'Address Status' dropdown is also open, showing 'Select', 'Current', and 'Previous' (selected). The form layout, including the top navigation tabs and the right-hand action buttons, remains the same. The AZENTIO logo and 'ONEBanking' text are visible at the top left.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen

The screenshot displays the 'Customer Address' form within the AZENTIO ONEBanking application. The interface includes a top navigation bar with the company logo, user profile, and language/region settings. Below this is a breadcrumb trail: 'Prev' > 'Application Info' > 'Customer details' > 'Additional Customer Info' (active) > 'Customer Financials' > 'Facility Info' > 'Document Details' > 'Offering' > 'Next'. A toolbar on the right contains buttons for 'Approve', 'Reject', 'Return', 'Eligibility Check', 'Print', and a help icon. The main form area is titled 'Customer Address' and contains several fields: 'Address Type' (dropdown menu with 'Home' selected), 'Residential Or Occupancy Status' (dropdown menu with 'Select' selected), 'Address Status' (dropdown menu with 'Previous' selected), 'Communication Address' (toggle switch), 'Address Line 2' (text input), and 'Province Id' (dropdown menu with 'Select' selected). A dropdown menu is open for 'Residential Or Occupancy Status', showing options: 'Select', 'Commercial rent', and 'Dormitory'.