

Cucumber Report

Sep 15, 2022, 11:54:15 AM

Start : Sep 15, 11:53:50.027 AM

End : Sep 15, 11:54:14.323 AM

Duration : 24.296 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 9

FAILED - 1

SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	Personal Details Disbursement Checker Functionality	1	0	1	0	24.296 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Personal Details Disbursement Checker Functionality</u>	<u>To check the functionality of Personal Details Disbursement Checker</u>	10	9	1	0	24.293 s





(F)- Personal Details Disbursement Checker Functionality





FAILED	DURATION - 24.296 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 10 Pass - 9 Fail - 1 Skip - 0	
/ 11:53:50.027 AM // 11:54:14.323 AM /					


(S)- To check the functionality of Personal Details Disbursement Checker

<div>FAILED</div> <div>DURATION - 24.293 s</div>	<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 9</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:53:50.030 AM // 11:54:14.323 AM /</div>			
<div>Personal Details Disbursement Checker</div> <div>Functionality</div>			
<div>@PDDC-002</div>			


#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	5.143 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.135 s
	screenshot		
			
2	And User Login as maker	PASSED	4.965 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.098 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on inbox	PASSED	0.241 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.149 s
	screenshot 		
4	Then click on inbox search icon	PASSED	0.152 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.122 s
	screenshot 		
5	Then search Personal Details Disbursement Checker record	PASSED	1.118 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.087 s
	screenshot 		
6	And maker user open the record from inbox	PASSED	1.155 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.111 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then click on Customer Details Segment button	PASSED	2.189 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.211 s
	screenshot 		
8	Then open Customer Details record	PASSED	2.162 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.135 s
	screenshot 		
9	Then Validate Personal Details Disbursement Checker Add button	PASSED	1.727 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.098 s
	screenshot 		
10	Then Validate Personal Details Disbursement Checker Back button	FAILED	1.120 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button_ngcontent-oqn-c720="" class="ios button button-clear in-toolbar button-has-icon-only ion-activatable ion-focusable hydrated">...</ion-button> is not clickable at point (275, 82). Other element would receive the click: <ion-button_ngcontent-oqn-c720="" class="ios button button-clear in-toolbar button-has-icon-only ion-activatable ion-focusable hydrated">...</ion-button> (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.		

#	Step / Hook Details	Status	Duration
	<p>version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [92e04909990f3749439e077413f694a1, clickElement {id=98e4e9a7-9b03-40d4-ab19-34c4763f181f}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local\Google\Chrome\User Data\Default\Profile 1\Extensions\chrome-extension:chrome on WINDOWS (92e04909990f3749439e077413f694a1)} Element: [[ChromeDriver: chrome on WINDOWS (92e04909990f3749439e077413f694a1)] -> xpath: //ion-toolbar[1]/ion-buttons[1]/ion-button[1]] Session ID: 92e04909990f3749439e077413f694a1</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at stepdefinitions.PersonalDetailsDisbursementChecker. validate_personal_details_disbursement_checker_back_button(PersonalDetailsDisbursementChecker.java:58) at ?.Validate Personal Details Disbursement Checker Back button(file:///C:/Users/inindc00089/git/ repository6/Priyanka_AzentioULSFramework/src/test/java/features/PersonalDetails_DisbursementChecker.feature:14) * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.095 s

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) To check the functionality of Personal Details Disbursement Checker</u></p>	
<p><u>(F) Personal Details Disbursement Checker Functionality</u></p>	

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) To check the functionality of Personal Details Disbursement Checker</u></p>	
<p><u>(F) Personal Details Disbursement Checker Functionality</u></p>	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Checker

(F) Personal Details Disbursement
Checker Functionality

AZENTIO
ONEBanking

Search the menu

Dashboard

Configurations

Config Manager

Sample Screens

Transactions

Reports

Inbox

Action

Showing 0 to 0 of 0 entries

10

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Checker

(F) Personal Details Disbursement
Checker Functionality

AZENTIO
ONEBanking

Search the menu

Dashboard

Configurations

Config Manager

Sample Screens

Transactions

Reports

Inbox

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	507	APP_CREATE	DISBMKR	OPEMKR	in02040	15-Sep-2022 11:36	HLW	AHL
	510	APP_CREATE	OFFERING	CREOFF	in02040	15-Sep-2022 11:28	HLW	AHL
	508	APP_CREATE	DISBMKR	OPEMKR	in02040	15-Sep-2022 11:24	HLW	AHL
	285	APP_CREATE	DISBMKR	OPEMKR	in02040	15-Sep-2022 10:39	HLW	AHL
	506	APP_CREATE	APPDATAENT	CPUEXEC	in02040	15-Sep-2022 10:22	HLW	AHL
	489	APP_CREATE	APPDATAENT	CPUEXEC	in02040	14-Sep-2022 20:59	HLW	AHL
	485	APP_CREATE	OFFERING	CREOFF	in02040	14-Sep-2022 20:34	HLW	AHL
	480	APP_CREATE	APPDATAENT	CPUEXEC	in02040	14-Sep-2022 17:28	HLW	AHL
	478	APP_CREATE	APPDATAENT	CPUEXEC	in02040	14-Sep-2022 16:54	HLW	AHL
	470	APP_CREATE	DISBMKR	OPEMKR	in02040	14-Sep-2022 14:51	HLW	AHL

Showing 1 to 10 of 58 entries

1 2 3 4 5 10

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Checker

(F) Personal Details Disbursement
Checker Functionality

AZENTIO
ONEBanking

Search the menu

Dashboard

Configurations

Config Manager

Sample Screens

Transactions

Reports

Inbox

313

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	313	APP_CREATE	DISBCKR	OPECHK	in02040	05-Sep-2022 15:3	HLW	AHL

Showing 1 to 1 of 1 entries

1

10

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Checker

(F) Personal Details Disbursement
Checker Functionality

AZENTIO
ONEBanking

Search the menu

Dashboard

Configurations

Config Manager

Sample Screens

Transactions

Reports

Inbox

313

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	313	APP_CREATE	DISBCKR	OPECHK	in02040	05-Sep-2022 15:3	HLW	AHL

Showing 1 to 1 of 1 entries

1

10

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Checker

(F) Personal Details Disbursement
Checker Functionality

The screenshot shows the AZENTIO ONEBanking application interface. The top navigation bar includes the AZENTIO logo, a search menu, and user profile information. The left sidebar contains a menu with options: Dashboard, Configurations, Config Manager, Sample Screens, Transactions, and Reports. The main content area displays the 'Application Details' screen, which includes a breadcrumb trail: Prev > Application Details > Customer details > Beneficiary Details > Payment Schedule > Drawdown > Drawdown details > Next. Below the breadcrumb trail, there are buttons for 'Approve', 'Reject', 'Return', and a circular icon. The title 'Application Details' is prominently displayed at the bottom of the main content area.

The screenshot shows the AZENTIO ONEBanking application interface. The top navigation bar includes the AZENTIO logo, a search menu, and user profile information. The left sidebar contains a menu with options: Dashboard, Configurations, Config Manager, Sample Screens, Transactions, and Reports. The main content area displays the 'Customer Personal Information' screen, which includes a breadcrumb trail: Prev > Application Details > Customer details > Beneficiary Details > Payment Schedule > Drawdown > Drawdown details > Next. Below the breadcrumb trail, there is a table with the following columns: Select, Action, CIF ID, First Name, Middle Name, Last Name, Customer Type, Applicant Type, and Status. The table contains one entry with the following data: Select (radio button), Action (edit and delete icons), CIF ID (testerA), First Name (mname), Middle Name (lname), Last Name (I), Customer Type (P), Applicant Type (Active), and Status (Active). Below the table, there is a pagination bar showing 'Showing 1 to 1 of 1 entries' and a page number '1'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Checker

(F) Personal Details Disbursement
Checker Functionality

The screenshot shows the AZENTIO ONEBanking interface. The top navigation bar includes the AZENTIO logo, a search menu, and user profile information (Engl..., LOS, Aze...). The main navigation sidebar on the left contains links to Dashboard, Configurations, Config Manager, Sample Screens, Transactions, and Reports. The main content area is titled 'Customers Information' and 'Personal Details'. It contains a form with the following fields: Customer Type (Individual Customer), Applicant Type (Primary Applicant), KYC Status, Salutation (Mr), First Name (testerA), Middle Name (mname), Last Name (lname), Father's First Name (Fname), Father's Middle Name (fmname), Father's Last Name (fname), Spouse's First Name, Spouse's Middle Name, Spouse's Last Name, No. Of Children (0), Spouse Status (Select), Date Of Birth (29-Jan-1991), Gender (MALE), Education Level (Graduate), Marital Status (Single), Nationality (Indian), Category (General), and Religion (HINDU). There are buttons for 'Initiate Video KYC' and a calendar icon for the Date Of Birth field.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Checker

(F) Personal Details Disbursement
Checker Functionality

This is an identical screenshot of the AZENTIO ONEBanking interface as shown above. It displays the 'Customers Information' and 'Personal Details' form with the same fields and values: Customer Type (Individual Customer), Applicant Type (Primary Applicant), KYC Status, Salutation (Mr), First Name (testerA), Middle Name (mname), Last Name (lname), Father's First Name (Fname), Father's Middle Name (fmname), Father's Last Name (fname), Spouse's First Name, Spouse's Middle Name, Spouse's Last Name, No. Of Children (0), Spouse Status (Select), Date Of Birth (29-Jan-1991), Gender (MALE), Education Level (Graduate), Marital Status (Single), Nationality (Indian), Category (General), and Religion (HINDU). Buttons for 'Initiate Video KYC' and a calendar icon are also present.