

Cucumber Report

09-Sep-2022, 6:01:48 pm

Start : Sep 09, 6:01:30.224 pm

End : Sep 09, 6:01:46.706 pm

Duration : 16.482 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 2
FAILED - 1
SKIPPED - 53







#	Feature Name	T	P	F	S	Duration
1	Check The functionality of the Personal Details App data Entry	1	0	1	0	16.482 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check The functionality of the Personal Details App data Entry	verify the availability of Add button and create a new Record of customer details tab	56	2	1	53	16.476 s


(F)- Check The functionality of the Personal Details App data Entry


FAILED	DURATION - 16.482 s	Scenarios		Steps	
/ 6:01:30.224 pm // 6:01:46.706 pm /		Total - 1		Total - 56	
		Pass - 0		Pass - 2	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 53	

(S)- verify the availability of Add button and create a new Record of customer details tab


<div>FAILED</div> <div>DURATION - 16.476 s</div>		<div>Steps</div> <div>Total - 56</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 53</div>	
<div>/ 6:01:30.230 pm // 6:01:46.706 pm /</div>			
<div>Check The functionality of the Personal Details App data Entry</div>			
<div>@AT_PDE_002</div>			


#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	10.154 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.251 s
	screenshot		
			
2	Then user click on Transaction Module	PASSED	0.111 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.180 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	<p>And user click on Application Details</p> <p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button _ngcontent-gwr-c334="" routerlinkactive="active" routerdirection="root" color="primary" ng-reflect-router-direction="root" ng-reflect-color="primary" ng-reflect-router-link-active="active" class="ion-color ion-color-primary md button button-small button-clear ion-activatable ion-focusable hydrated">...</ion-button> is not clickable at point (212, 402). Other element would receive the click: <ion-button _ngcontent-gwr-c334="" routerlinkactive="active" routerdirection="root" color="primary" ng-reflect-router-direction="root" ng-reflect-color="primary" ng-reflect-router-link-active="active" class="ion-color ion-color-primary md button button-small button-clear ion-activatable ion-focusable hydrated">...</ion-button> (Session info: chrome=105.0.5195.102) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os: name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4008b174f0e5e8e9fc1dcf0d909acc15, clickElement {id=e70914b9-8339-4c1c-a266-ed654b761f2e}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.102, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\Local\Temp\goog-chromeOptions: {debuggerAddress: localhost:52724}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52724/devtools, se:cdpVersion: 105.0.5195.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (4008b174f0e5e8e9fc1dcf0d909acc15)] -> xpath: //ion-label[contains(text(),'Application Details')]/parent::ion-item//ion-button[1]] Session ID: 4008b174f0e5e8e9fc1dcf0d909acc15</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) </pre>	FAILED	1.388 s

#	Step / Hook Details	Status	Duration
	<p>at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source)</p> <p>at stepdefinitions.PersonalDetails_AppDataEntry.user_click_on_application_details(PersonalDetails_AppDataEntry.java:63)</p> <p>at ?.user click on Application Details(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/PersonalDetails_AppDataEntry.feature:47)</p> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s
	screenshot		
			
4	And user click on Inbox Icon	SKIPPED	0.000 s
5	And user click search icon	SKIPPED	0.000 s
6	And user search Appdata Entry	SKIPPED	0.001 s
7	And user click on First record of Appdata Entry	SKIPPED	0.000 s
8	And user click on Customer Details Tab	SKIPPED	0.000 s
9	And user click the Add button annd verify it	SKIPPED	0.000 s
10	And user Choose customer Type	SKIPPED	0.000 s
11	And user Enter CIF ID	SKIPPED	0.001 s
12	And user Enter Application Number	SKIPPED	0.000 s
13	And user Enter Customer Name	SKIPPED	0.000 s
14	And user choose ID Type	SKIPPED	0.000 s
15	And user Enter ID Number	SKIPPED	0.000 s
16	And user Enter Mobile Number	SKIPPED	0.001 s
17	And user Choose Date of Birth	SKIPPED	0.000 s
18	And user Enter Email ID	SKIPPED	0.000 s
19	And user Click the search button	SKIPPED	0.000 s
20	And user click the Create New Record button	SKIPPED	0.001 s
21	And user Enter the customer Type field	SKIPPED	0.000 s
22	And user Enter the Applicant Type field	SKIPPED	0.000 s
23	And user Enter the Salutation field	SKIPPED	0.000 s
24	And user Enter the First Name field	SKIPPED	0.000 s
25	And user Enter the Middle Name filed	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
26	And user Enter the Last Name field	SKIPPED	0.000 s
27	And user Enter the Father First Name field	SKIPPED	0.000 s
28	And user Enter the Father Middle Name field	SKIPPED	0.000 s
29	And user Enter the Father Last Name Field	SKIPPED	0.001 s
30	And user Enter the spouse First Name field	SKIPPED	0.000 s
31	And user Enter the spouse Middle name field	SKIPPED	0.000 s
32	And user Enter the spouse Last Name field	SKIPPED	0.000 s
33	And user Enter the No of children field	SKIPPED	0.000 s
34	And user Enter the spouse status field	SKIPPED	0.000 s
35	And user Enter the Date of birth field	SKIPPED	0.001 s
36	And user Enter the gender field	SKIPPED	0.000 s
37	And user Enter the Education Level field	SKIPPED	0.000 s
38	And user Enter the Marital status field	SKIPPED	0.000 s
39	And user Enter the Nationality field	SKIPPED	0.000 s
40	And user Enter the Ethnicity field	SKIPPED	0.001 s
41	And user Enter the Religion field	SKIPPED	0.000 s
42	And user Enter the Residential status field	SKIPPED	0.000 s
43	And user Enter the Language field	SKIPPED	0.000 s
44	And user Enter the No Of dependents field	SKIPPED	0.000 s
45	And user Enter the Mothers maiden name field	SKIPPED	0.000 s
46	And user Enter the Type of Residence field	SKIPPED	0.000 s
47	And user Enter the category of client field	SKIPPED	0.000 s
48	And user Enter the Rating field	SKIPPED	0.000 s
49	And user Enter the Remark fields	SKIPPED	0.000 s
50	And user Enter the Phone Number in Contact Details	SKIPPED	0.001 s
51	And user Enter the Mobile Number Primary in Contact Details	SKIPPED	0.000 s
52	And user Enter the Mobile Number Secondary in Contact Details	SKIPPED	0.000 s
53	And user Enter the Email Address in Contact Details	SKIPPED	0.000 s
54	And user Select the Preferred contact Methods in Contact Details	SKIPPED	0.000 s
55	And user Enter the Preferred time for contact in Contact Details	SKIPPED	0.000 s
56	And user click the Save the button	SKIPPED	0.000 s

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	 <p>The screenshot shows the AZENTIO ONEBanking interface. The top navigation bar includes a hamburger menu, the logo, and user controls (language, location, name). The left sidebar contains a search bar and menu items: Dashboard, Configurations, Transactions, and Reports. The main content area is titled 'Product wise Analysis' and contains two sections: 'Product-wise Amount Financed' and 'Subproduct-wise Amount Financed', both with loading spinners. A palette icon is visible in the bottom right corner.</p>
<p><u>(S) verify the availability of Add button and create a new Record of customer details tab</u></p>	
<p><u>(F) Check The functionality of the Personal Details App data Entry</u></p>	

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	 <p>This screenshot is identical to the one above, showing the AZENTIO ONEBanking dashboard with the 'Product wise Analysis' section and loading indicators.</p>
<p><u>(S) verify the availability of Add button and create a new Record of customer details tab</u></p>	
<p><u>(F) Check The functionality of the Personal Details App data Entry</u></p>	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button
and create a new Record of customer
details tab

(F) Check The functionality of the
Personal Details App data Entry

