

Cucumber Report

09-Sep-2022, 6:04:33 pm

Start : Sep 09, 6:03:41.902 pm

End : Sep 09, 6:04:31.827 pm

Duration : 49.925 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 23
FAILED - 1
SKIPPED - 32







#	Feature Name	T	P	F	S	Duration
1	<u>Check The functionality of the Personal Details App data Entry</u>	1	0	1	0	49.925 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check The functionality of the Personal Details App data Entry	verify the availability of Add button and create a new Record of customer details tab	56	23	1	32	49.921 s

(F)- Check The functionality of the Personal Details App data Entry



FAILED	DURATION - 49.925 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 56 Pass - 23 Fail - 1 Skip - 32	
/ 6:03:41.902 pm // 6:04:31.827 pm /					





(S)- verify the availability of Add button and create a new Record of customer details tab




<div>FAILED</div> <div>DURATION - 49.921 s</div>		<div></div>	<div>Steps</div> <div>Total - 56</div> <div>Pass - 23</div> <div>Fail - 1</div> <div>Skip - 32</div>	<div></div>
/ 6:03:41.906 pm // 6:04:31.827 pm /				
Check The functionality of the Personal Details App data Entry				
@AT_PDE_002				





#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	11.453 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.434 s
	screenshot		
			
2	Then user click on Transaction Module	PASSED	0.125 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.289 s
	screenshot		




#	Step / Hook Details	Status	Duration
			
3	And user click on Application Details	PASSED	5.547 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.299 s
	screenshot		
			
4	And user click on Inbox Icon	PASSED	0.345 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.373 s
	screenshot		
			
5	And user click search icon	PASSED	0.182 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.207 s
	screenshot		
			
6	And user search Appdata Entry	PASSED	0.166 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.225 s


#	Step / Hook Details	Status	Duration
	<p>screenshot</p> 		
7	And user click on First record of Appdata Entry	PASSED	0.252 s
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.241 s
8	And user click on Customer Details Tab	PASSED	5.734 s
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.439 s
9	And user click the Add button and verify it	PASSED	0.237 s
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.284 s
10	And user Choose customer Type	PASSED	0.455 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.246 s
	screenshot		
			
11	And user Enter CIF ID	PASSED	0.282 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.263 s
	screenshot		
			
12	And user Enter Application Number	PASSED	0.251 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.277 s
	screenshot		
			
13	And user Enter Customer Name	PASSED	0.258 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.185 s
	screenshot		
			


#	Step / Hook Details	Status	Duration
14	And user choose ID Type	PASSED	0.284 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.239 s
	screenshot		
			
15	And user Enter ID Number	PASSED	0.333 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.253 s
	screenshot		
			
16	And user Enter Mobile Number	PASSED	0.259 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.205 s
	screenshot		
			
17	And user Choose Date of Birth	PASSED	0.898 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.235 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
18	And user Enter Email ID	PASSED	0.320 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.167 s
	screenshot		
			
19	And user Click the search button	PASSED	0.202 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.230 s
	screenshot		
			
20	And user click the Create New Record button	PASSED	10.324 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.742 s
	screenshot		
			
21	And user Enter the customer Type field	PASSED	0.330 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s

#	Step / Hook Details	Status	Duration
	<p>screenshot</p> 		
22	And user Enter the Applicant Type field	PASSED	0.316 s
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.200 s
23	And user Enter the Salutation field	PASSED	0.354 s
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.212 s
24	<p>And user Enter the First Name field</p> <p>org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=105.0.5195.102) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4a116f03f64b6a877336ddb8cfb79340, sendKeysToElement [id=21fec3cb-0c6b-4513-96d9-699b4aa0658d, value=[Ljava.lang.CharSequence;@7b332b23]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.102, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\NINDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:53013}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53013/devtoo..., se:cdpVersion: 105.0.5195.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (4a116f03f64b6a877336ddb8cfb79340)] -> xpath: //ion-label[text()=' First Name ']/following-sibling::ion-input[/input] Session ID: 4a116f03f64b6a877336ddb8cfb79340</p>	FAILED	0.187 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:107) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.sendKeys(Unknown Source) at stepdefinitions.PersonalDetails_AppDataEntry.user_enter_the_first_name_field(PersonalDetails_AppDataEntry.java:755) at ?.user Enter the First Name field(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/PersonalDetails_AppDataEntry.feature:68) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.244 s
25	And user Enter the Middle Name filed	SKIPPED	0.001 s
26	And user Enter the Last Name field	SKIPPED	0.000 s
27	And user Enter the Father First Name field	SKIPPED	0.000 s
28	And user Enter the Father Middle Name field	SKIPPED	0.001 s
29	And user Enter the Father Last Name Field	SKIPPED	0.000 s
30	And user Enter the spouse First Name field	SKIPPED	0.000 s
31	And user Enter the spouse Middle name field	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
32	And user Enter the spouse Last Name field	SKIPPED	0.000 s
33	And user Enter the No of children field	SKIPPED	0.000 s
34	And user Enter the spouse status field	SKIPPED	0.000 s
35	And user Enter the Date of birth field	SKIPPED	0.000 s
36	And user Enter the gender field	SKIPPED	0.001 s
37	And user Enter the Education Level field	SKIPPED	0.000 s
38	And user Enter the Marital status field	SKIPPED	0.000 s
39	And user Enter the Nationality field	SKIPPED	0.000 s
40	And user Enter the Ethnicity field	SKIPPED	0.001 s
41	And user Enter the Religion field	SKIPPED	0.000 s
42	And user Enter the Residential status field	SKIPPED	0.000 s
43	And user Enter the Language field	SKIPPED	0.001 s
44	And user Enter the No Of dependents field	SKIPPED	0.000 s
45	And user Enter the Mothers maiden name field	SKIPPED	0.000 s
46	And user Enter the Type of Residence field	SKIPPED	0.000 s
47	And user Enter the category of client field	SKIPPED	0.000 s
48	And user Enter the Rating field	SKIPPED	0.000 s
49	And user Enter the Remark fields	SKIPPED	0.000 s
50	And user Enter the Phone Number in Contact Details	SKIPPED	0.000 s
51	And user Enter the Mobile Number Primary in Contact Details	SKIPPED	0.000 s
52	And user Enter the Mobile Number Secondary in Contact Details	SKIPPED	0.001 s
53	And user Enter the Email Address in Contact Details	SKIPPED	0.000 s
54	And user Select the Preferred contact Methods in Contact Details	SKIPPED	0.000 s
55	And user Enter the Preferred time for contact in Contact Details	SKIPPED	0.000 s
56	And user click the Save the button	SKIPPED	0.000 s


<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) verify the availability of Add button and create a new Record of customer details tab</u></p>	
<p><u>(F) Check The functionality of the Personal Details App data Entry</u></p>	

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) verify the availability of Add button and create a new Record of customer details tab</u></p>	
<p><u>(F) Check The functionality of the Personal Details App data Entry</u></p>	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button
and create a new Record of customer
details tab


(F) Check The functionality of the
Personal Details App data Entry



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button
and create a new Record of customer
details tab

(F) Check The functionality of the
Personal Details App data Entry



Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	10725	APP_CREATE	OFFERING	CREOFF	in02040	01-Sep-2022 12:39	HLW	AHL
	10720	APP_CREATE	DUPAPPDEC	BRMANG	in02040	29-Aug-2022 13:37	HLW	AHL
	10739	APP_CREATE	NEWAPP	BREXEC	in02040	11-Aug-2022 10:29	HLW	AHL
	10738	APP_CREATE	APPDATAENT	CPUEXEC	in02040	10-Aug-2022 17:10	HLW	AHL
	10727	APP_CREATE	LEGVRFY	CPUEXEC	in02040	10-Aug-2022 13:50	HLW	AHL
	10734	APP_CREATE	APPDATAENT	CPUEXEC	in02040	08-Aug-2022 12:33	HLW	AHL
	159	FLOATING_RATE	MAKER	LOSMKR	in02040	08-Aug-2022 12:16	TSW	
	10728	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Aug-2022 13:12	HLW	AHL
	10733	APP_CREATE	LEGVRFY	CPUEXFC	in02040	06-Aug-	HLW	AHL

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button and create a new Record of customer details tab

(F) Check The functionality of the Personal Details App data Entry

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	10725	APP_CREATE	OFFERING	CREOFF	in02040	01-Sep-2022 12:39	HLW	AHL
	10720	APP_CREATE	DUPAPPDEC	BRMANG	in02040	29-Aug-2022 13:37	HLW	AHL
	10739	APP_CREATE	NEWAPP	BREXEC	in02040	11-Aug-2022 10:29	HLW	AHL
	10738	APP_CREATE	APPDATAENT	CPUEXEC	in02040	10-Aug-2022 17:10	HLW	AHL
	10727	APP_CREATE	LEGVRFY	CPUEXEC	in02040	10-Aug-2022 13:50	HLW	AHL
	10734	APP_CREATE	APPDATAENT	CPUEXEC	in02040	08-Aug-2022 12:33	HLW	AHL
	159	FLOATING_RATE	MAKER	LOSMKR	in02040	08-Aug-2022 12:16	TSW	
	10728	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Aug-2022 13:12	HLW	AHL
	10733	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Aug-2022 13:12	HLW	AHL

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button and create a new Record of customer details tab

(F) Check The functionality of the Personal Details App data Entry

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	10725	APP_CREATE	OFFERING	CREOFF	in02040	01-Sep-2022 12:39	HLW	AHL
	10720	APP_CREATE	DUPAPPDEC	BRMANG	in02040	29-Aug-2022 13:37	HLW	AHL
	10739	APP_CREATE	NEWAPP	BREXEC	in02040	11-Aug-2022 10:29	HLW	AHL
	10738	APP_CREATE	APPDATAENT	CPUEXEC	in02040	10-Aug-2022 17:10	HLW	AHL
	10727	APP_CREATE	LEGVRFY	CPUEXEC	in02040	10-Aug-2022 13:50	HLW	AHL
	10734	APP_CREATE	APPDATAENT	CPUEXEC	in02040	08-Aug-2022 12:33	HLW	AHL
	159	FLOATING_RATE	MAKER	LOSMKR	in02040	08-Aug-2022 12:16	TSW	
	10728	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Aug-2022 13:12	HLW	AHL
	10733	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Aug-2022 13:12	HLW	AHL

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button
and create a new Record of customer
details tab

(F) Check The functionality of the
Personal Details App data Entry

AZENTIO ONEBanking

Search the menu

Inbox

AppData

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	10738	APP_CREATE	APPDATAENT	CPUEXEC	in02040	10-Aug-2022 17:10	HLW	AHL
	10734	APP_CREATE	APPDATAENT	CPUEXEC	in02040	08-Aug-2022 12:33	HLW	AHL
	10703	APP_CREATE	APPDATAENT	CPUEXEC	in02040	03-Aug-2022 16:40	HLW	AHL
	10696	APP_CREATE	APPDATAENT	CPUEXEC	in02040	03-Aug-2022 14:22	HLW	AHL
	10653	APP_CREATE	APPDATAENT	CPUEXEC	in02040	03-Aug-2022 12:38	HLW	AHL
	10690	APP_CREATE	APPDATAENT	CPUEXEC	in02040	03-Aug-2022 11:4	HLW	AHL
	10689	APP_CREATE	APPDATAENT	CPUEXEC	in02040	02-Aug-2022 15:32	HLW	AHL
	10686	APP_CREATE	APPDATAENT	CPUEXEC	in02040	29-Jul-2022 16:8	HLW	AHL
	10683	APP_CREATE	APPDATAENT	CPUEXEC	in02040	28-Jul-2022 16:8	HLW	AHL

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button
and create a new Record of customer
details tab

(F) Check The functionality of the
Personal Details App data Entry

AZENTIO ONEBanking

Search the menu

Customer Personal Information

Prev Application Info Customer details Additional Customer Info Cust Next

+ Search Export

Select	Action	CIF ID	First Name	Middle Name	Last Name	Customer Type	Applicant Type	Status
<input type="radio"/>			Aakash		Patel	I	P	Active

Showing 1 to 1 of 1 entries << < 1 > >> 5

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button
and create a new Record of customer
details tab

(F) Check The functionality of the
Personal Details App data Entry

The screenshot displays the AZENTIO ONEBanking application interface. On the left is a blue sidebar menu with options: Dashboard, Configurations, Transactions, Application manager, Customer details (selected), Customer details islamic, Customer identification details, Customer address details, and Application Details. The main content area shows the 'Customer details' tab selected in a breadcrumb navigation: Prev > Application Info > Customer details > Additional Customer Info > Cust > Next. Below the breadcrumb is a table titled 'Customer Personal Information'. The table has columns: Select, Action, CIF ID, First Name, Middle Name, Last Name, Customer Type, Applicant Type, and Status. A single record is visible for 'Aakash Patel' with status 'Active'. Above the table are buttons for '+', a search icon, and an 'Export' dropdown. At the top of the application, there is a header bar with user profile, language (Engl...), and location (LOS) dropdowns.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button
and create a new Record of customer
details tab

(F) Check The functionality of the
Personal Details App data Entry

The screenshot displays the AZENTIO ONEBanking application interface, specifically the 'Search Customer' form. The sidebar menu is identical to the previous screenshot, with 'Customer details' selected. The main content area shows the 'Search Customer' form with fields for: Customer Type (dropdown, currently 'Individual Customer'), CIF ID, Application Number (dropdown, currently 'Corporate Customer'), Customer Name, ID Type (dropdown, currently 'Individual Customer'), ID Number, Mobile Number, Date Of Birth, and Email ID. There are 'Search' and 'Clear' buttons at the top right of the form. The breadcrumb navigation is: Prev > Application Info > Customer details > Additional Customer Info > C > Next. The top header bar is also consistent with the previous screenshot.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button
and create a new Record of customer
details tab

(F) Check The functionality of the
Personal Details App data Entry

AZENTIO
ONEBanking

Search the menu

Dashboard

Configurations

Transactions

Application manager

Customer details

Customer details islamic

Customer identification details

Customer address details

Application Details

Prev Application Info **Customer details** Additional Customer Info C Next

Search Customer

Search Clear

Customer Type * Individual Customer

CIF ID 165

Application Number

Customer Name

ID Type * Select

ID Number

Mobile Number

Date Of Birth

Email ID

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button
and create a new Record of customer
details tab

(F) Check The functionality of the
Personal Details App data Entry

AZENTIO
ONEBanking

Search the menu

Dashboard

Configurations

Transactions

Application manager

Customer details

Customer details islamic

Customer identification details

Customer address details

Application Details

Prev Application Info **Customer details** Additional Customer Info C Next

Search Customer

Search Clear

Customer Type * Individual Customer

CIF ID 165

Application Number 561

Customer Name

ID Type * Select

ID Number

Mobile Number

Date Of Birth

Email ID

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button
and create a new Record of customer
details tab

(F) Check The functionality of the
Personal Details App data Entry

AZENTIO
ONEBanking

Search the menu

Dashboard

Configurations

Transactions

Application manager

Customer details

Customer details islamic

Customer identification details

Customer address details

Application Details

Prev Application Info **Customer details** Additional Customer Info C Next

Search Customer

Search Clear

Customer Type * Individual Customer

CIF ID 165

Application Number 561

Customer Name Azentio

ID Type * Select

ID Number

Mobile Number

Date Of Birth

Email ID

Add

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button
and create a new Record of customer
details tab

(F) Check The functionality of the
Personal Details App data Entry

AZENTIO
ONEBanking

Search the menu

Dashboard

Configurations

Transactions

Application manager

Customer details

Customer details islamic

Customer identification details

Customer address details

Application Details

Prev Application Info **Customer details** Additional Customer Info C Next

Search Customer

Search Clear

Customer Type * Individual Customer

CIF ID 165

Application Number 561

Customer Name Azentio

ID Type * Aadhar

ID Number

Date Of Birth

Email ID

Add

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button
and create a new Record of customer
details tab

(F) Check The functionality of the
Personal Details App data Entry

The screenshot displays the AZENTIO ONEBanking application interface. On the left is a blue sidebar menu with options: Dashboard, Configurations, Transactions, Application manager, Customer details (selected), Customer details islamic, Customer identification details, Customer address details, and Application Details. The main content area is titled 'Search Customer' and contains a form for entering customer information. The form fields are: Customer Type (dropdown menu showing 'Individual Customer'), CIF ID (text input with '165'), Application Number (text input with '561'), Customer Name (text input with 'Azentio'), ID Type (dropdown menu showing 'Aadhar'), ID Number (text input with '789465132078'), Mobile Number (text input), Date Of Birth (text input with a calendar icon), and Email ID (text input). Navigation buttons 'Search' and 'Clear' are at the top right of the form. The top of the application shows a header with a hamburger menu, AZENTIO ONEBanking logo, and user profile information.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button
and create a new Record of customer
details tab

(F) Check The functionality of the
Personal Details App data Entry

This screenshot is identical to the one above, showing the AZENTIO ONEBanking application interface. The 'Customer details' form is visible, with the same sidebar menu and navigation elements. The form fields contain the same data as in the first screenshot: Customer Type (Individual Customer), CIF ID (165), Application Number (561), Customer Name (Azentio), ID Type (Aadhar), ID Number (789465132078), Mobile Number, Date Of Birth, and Email ID. The 'Search' and 'Clear' buttons are present at the top right of the form area.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button
and create a new Record of customer
details tab

(F) Check The functionality of the
Personal Details App data Entry

AZENTIO ONEBanking

Search the menu

- Dashboard
- Configurations
- Transactions
- Application manager
- Customer details
- Customer details islamic
- Customer identification details
- Customer address details
- Application Details

Search Customer

Customer Type *
Individual Customer

Application Number
561

ID Type *
Aadhar

Mobile Number
9865327410

Date of Birth
23-Nov-2001

Email ID

November 2001

Today Clear

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button
and create a new Record of customer
details tab

(F) Check The functionality of the
Personal Details App data Entry

AZENTIO ONEBanking

Search the menu

- Dashboard
- Configurations
- Transactions
- Application manager
- Customer details
- Customer details islamic
- Customer identification details
- Customer address details
- Application Details

Search Customer

Customer Type *
Individual Customer

Application Number
561

ID Type *
Aadhar

Mobile Number
9865327410

Date of Birth
23-Nov-2001

Email ID
arshath@gmail.com

CIF ID
165

Customer Name
Azentio

ID Number
789465132078

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button
and create a new Record of customer
details tab

(F) Check The functionality of the
Personal Details App data Entry

The screenshot displays the Azentio ONEBanking application interface. On the left is a blue sidebar menu with options: Dashboard, Configurations, Transactions, Application manager, Customer details (selected), Customer details islamic, Customer identification details, Customer address details, and Application Details. The main content area shows the 'Customer details' form. At the top, there's a navigation bar with 'Prev', 'Application Info', 'Customer details' (active), 'Additional Customer Info', and 'Next'. Below this is a 'Search Customer' section with 'Search' and 'Clear' buttons. The form contains several input fields: 'Customer Type *' (dropdown with 'Individual Customer'), 'CIF ID' (text box with '165'), 'Application Number' (text box with '561'), 'Customer Name' (text box with 'Azentio'), 'ID Type *' (dropdown with 'Aadhar'), 'ID Number' (text box with '789465132078'), 'Mobile Number' (text box with '9865327410'), 'Date Of Birth' (text box with '23-Nov-2001' and a calendar icon), and 'Email ID' (text box with 'arshath@gmail.com'). The top right of the application shows user profile information and language/region settings.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button
and create a new Record of customer
details tab

(F) Check The functionality of the
Personal Details App data Entry

This screenshot shows the same Azentio ONEBanking application interface as the first one, but with a blue circular button featuring a white icon in the bottom right corner of the main content area. The sidebar menu and the 'Customer details' form are identical to the previous screenshot, with the 'Customer details' tab selected in the navigation bar.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button
and create a new Record of customer
details tab

(F) Check The functionality of the
Personal Details App data Entry

AZENTIO ONEBanking

Search the menu

Dashboard

Configurations

Transactions

Application manager

Customer details

Customer details islamic

Customer identification details

Customer address details

Application Details

Customers Information

Personal Details

Customer Type *

Individual Customer

Select

Corporate Customer

Individual Customer ✓

Small Medium Ent...

Applicant Type *

Select

Salutation *

Select

First Name *

Father's First Name *

Spouse's First Name

Spouse's Last Name

Middle Name

Father's Middle Name *

Spouse's Middle Name

No. Of Children

Spouse Status

Select

Initiate Video KYC

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button
and create a new Record of customer
details tab

(F) Check The functionality of the
Personal Details App data Entry

AZENTIO ONEBanking

Search the menu

Dashboard

Configurations

Transactions

Application manager

Customer details

Customer details islamic

Customer identification details

Customer address details

Application Details

Customers Information

Personal Details

Customer Type *

Individual Customer

KYC Status

Last Name *

Father's Last Name *

Spouse's Last Name

Applicant Type *

Authorized Signato...

Co-Applicant 2

Co-Applicant

Guarantor

Primary Applicant ✓

Primary Applicant

Salutation *

Select

First Name *

Father's First Name *

Spouse's First Name

Spouse's Last Name

Middle Name

Father's Middle Name *

Spouse's Middle Name

No. Of Children

Spouse Status

Select

Initiate Video KYC

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button
and create a new Record of customer
details tab

(F) Check The functionality of the
Personal Details App data Entry

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button
and create a new Record of customer
details tab

(F) Check The functionality of the
Personal Details App data Entry