

Cucumber Report

Jul 27, 2022, 6:23:47 PM

Start : Jul 27, 6:22:19.584 PM

End : Jul 27, 6:23:45.893 PM

Duration : 1 m 26.309 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 7
FAILED - 1
SKIPPED - 5







| # | Feature Name | T | P | F | S | Duration |
|---|--|---|---|---|---|--------------|
| 1 | <u>Check the functionality of product master</u> | 1 | 0 | 1 | 0 | 1 m 26.309 s |






| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--|---|----|---|---|---|--------------|
| 1 | <u>Check the functionality of product master</u> | <u>Product Master Retail Field validation</u> | 13 | 7 | 1 | 5 | 1 m 26.304 s |





(F)- Check the functionality of product master



| | | | | | |
|--------------------------------------|--------------------------------|-----------|---|------------|---|
| FAILED | DURATION - 1 m 26.309 s | Scenarios |  | Steps |  |
| / 6:22:19.584 PM // 6:23:45.893 PM / | | Total - 1 | | Total - 13 | |
| | | Pass - 0 | | Pass - 7 | |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 5 | |

(S)- Product Master Retail Field validation


| | | | | |
|--|--|--|--|---|
| <div>FAILED</div> <div>DURATION - 1 m 26.304 s</div> | |  | <div>Steps</div> <div>Total - 13</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 5</div> |  |
| / 6:22:19.589 PM // 6:23:45.893 PM / | | | | |
| Check the functionality of product master | | | | |
| @ProductMaster_Retail | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User launch the kuls application | PASSED | 5.298 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.394 s |
| | screenshot | | |
| |  | | |
| 2 | And User Login as maker | PASSED | 5.121 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.193 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| |  | | |
| 3 | Then click on Product Setup | PASSED | 0.347 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.425 s |
| | screenshot | | |
| |  | | |
| 4 | Then click on Product Master eye icon | PASSED | 0.220 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.368 s |
| | screenshot | | |
| |  | | |
| 5 | Then click on Product Master add button | PASSED | 2.193 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.467 s |
| | screenshot | | |
| |  | | |
| 6 | Then verify functionality and asterik mark of the field Product Group | PASSED | 2.601 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.234 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|-------------|
| |  | | |
| 7 | Then verify functionality and asterik mark of the field Product Code | PASSED | 0.339 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.124 s |
| | screenshot  | | |
| 8 | Then verify functionality and asterik mark of the field Product Description org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //ion-grid[1]/form[1]/ion-input[1]/input[1]' (tried for 60 second(s) with 2000 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:104) at stepdefinitions.ProductMaster_Retail.verify_functionality_and_asterik_mark_of_the_field_product_description(ProductMaster_Retail.java:875) at ?.verify_functionality_and_asterik_mark_of_the_field_Product_Description(file:///C:/Users/inindc00091/git/Devesh_AzentioULS_FW/AzentioULSFrameworkCopy/src/test/java/features/ProductMaster_Retail.feature:161) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-grid[1]/form[1]/ion-input[1]/input[1]"} (Session info: chrome=100.0.4896.127) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os: name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [47af23d06a80b6567ae0a635ed79be41, findElement {using=xpath, value=//ion-grid[1]/form[1]/ion-input[1]/input[1]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.127, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppDataL..., goog:chromeOptions: {debuggerAddress: localhost:60626}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:60626/devtoo..., se.cdpVersion: 100.0.4896.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 47af23d06a80b6567ae0a635ed79be41 at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | FAILED | 1 m 0.799 s |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:104) at stepdefinitions.ProductMaster_Retail.verify_functionality_and_asterik_mark_of_the_field_product_description(ProductMaster_Retail.java:875) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | <pre> at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'.</p> | | |
| | <p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>  | PASSED | 0.157 s |
| 9 | Then verify functionality and asterik mark of the field RetailCorporate | SKIPPED | 0.000 s |
| 10 | Then verify functionality of the field DM Code | SKIPPED | 0.001 s |
| 11 | Then verify the field Remarks | SKIPPED | 0.000 s |
| 12 | Then verify the functionality of Back button | SKIPPED | 0.000 s |
| 13 | Then user logout from the application | SKIPPED | 0.000 s |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation


(F) Check the functionality of product
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation


(F) Check the functionality of product
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Check the functionality of product master




The screenshot displays the Azentio Software interface. The left sidebar contains a navigation menu with the following items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup (highlighted), Asset Auto Master, Asset CD Master, Product master, Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area shows the 'Product wise Analysis' dashboard with three charts: 'Product-wise Amount Financed', 'Subproduct-wise Amount Financed', and 'Scheme wise Amount Financed'. The top header includes a language dropdown (English), a location dropdown (LOS), a software dropdown (Azentio Software), a user profile (Puneet), and the date (01-Sep-2023). The bottom of the dashboard indicates it is 'Powered by Metabase'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Check the functionality of product master




The screenshot displays the Azentio Software interface. The left sidebar contains a navigation menu with the following items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area is mostly blank. The top header includes a language dropdown (English), a location dropdown (LOS), a software dropdown (Azentio Software), a user profile (Puneet), and the date (01-Sep-2023). The bottom of the dashboard indicates it is 'Powered by Metabase'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Check the functionality of product
master




The screenshot shows the Azentio Product Master application. The left sidebar contains a menu with the following items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area is titled 'Product Master' and is currently empty.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Check the functionality of product
master




The screenshot shows the Azentio Product Master application with the form for creating a new product. The left sidebar is the same as in the previous screenshot. The main content area is titled 'Product Master' and contains the following form fields:

- Product Group * (Dropdown menu with 'Lending' selected)
- Product Code * (Text input field)
- Product Description * (Text input field with 'Select' placeholder)
- DM Code (Dropdown menu with 'Lending' selected)
- Retail/Corporate * (Dropdown menu with 'Select' placeholder)
- Remarks (Text input field)

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation


(F) Check the functionality of product
master

The image shows the Azentio Product Master form. At the top, there's a header with a back arrow, the title 'Product Master', and a save icon with a red notification bubble. Below the header, the form has several fields: 'Product Group' with a dropdown menu showing 'Lending'; 'Product Code' with a text input field containing 'PR26'; 'Product Description' with a text input field and a plus icon; 'Retail/Corporate' with a dropdown menu showing 'Select'; 'DM Code' with a text input field; and 'Remarks' with a large text area. The form is styled with a clean, modern design using blue and grey colors.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Check the functionality of product
master

The image shows the Azentio Product Master form. At the top, there's a header with a back arrow, the title 'Product Master', and a save icon with a red notification bubble. Below the header, the form has several fields: 'Product Group' with a dropdown menu showing 'Lending'; 'Product Code' with a text input field containing 'PR26'; 'Product Description' with a text input field and a plus icon; 'Retail/Corporate' with a dropdown menu showing 'Select'; 'DM Code' with a text input field; and 'Remarks' with a large text area. The form is styled with a clean, modern design using blue and grey colors.