

Cucumber Report

Jul 21, 2022, 4:11:37 PM

Start : Jul 21, 4:11:14.301 PM

End : Jul 21, 4:11:36.482 PM

Duration : 22.181 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 6
FAILED - 1
SKIPPED - 14







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of product master</u>	1	0	1	0	22.181 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the functionality of product master</u>	<u>Product Master - Modify records (approve, reject and return) at checker stage</u>	21	6	1	14	22.173 s





(F)- Check the functionality of product master


FAILED	DURATION - 22.181 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 21 Pass - 6 Fail - 1 Skip - 14	
/ 4:11:14.301 PM // 4:11:36.482 PM /					

(S)- Product Master - Modify records (approve, reject and return) at checker stage

<div>FAILED</div> <div>DURATION - 22.173 s</div>		<div></div>	<div>Steps</div> <div>Total - 21</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 14</div>	<div></div>
<div>/ 4:11:14.309 PM // 4:11:36.482 PM /</div>				
<div>Check the functionality of product master</div>				
<div>@M6</div>				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	7.506 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.395 s
	screenshot		
			
2	And User Login as checker	PASSED	4.902 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.153 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on menu button	PASSED	0.108 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.208 s
	screenshot 		
4	Then click on inbox button	PASSED	0.216 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.295 s
	screenshot 		
5	Then select the modified record to approve	PASSED	0.095 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.341 s
	screenshot 		
6	Then select approve button	PASSED	1.186 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.239 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
7	<p>Then enter remark for approve</p> <pre>org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=100.0.4896.127) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5cd36064fde10c81d765b5ffcd4d87eb, sendKeysToElement {id=652eea39-9ead-4566-99a4-dfcbdefb11c0, value=[Ljava.lang.CharSequence;@2bba35ef}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.127, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:51706}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51706/devtoo..., se:cdpVersion: 100.0.4896.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (5cd36064fde10c81d765b5ffcd4d87eb)] -> xpath: //ion-textarea[1]/div[1]/textarea[1]] Session ID: 5cd36064fde10c81d765b5ffcd4d87eb at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:107) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy45.sendKeys(Unknown Source) at stepdefinitions.ProductMaster_Retail.enter_remark_for_approve(ProductMaster_Retail.java:248) at ?.enter remark for approve(file:///C:/Users/inindc00091/git/Azentio_ULTS_04/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:45) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.089 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.399 s

#	Step / Hook Details	Status	Duration
	<p>screenshot</p> 		
8	Then click on approve button	SKIPPED	0.000 s
9	Then system should display confirmation message after approved	SKIPPED	0.000 s
10	Then click on inbox button	SKIPPED	0.001 s
11	Then select the modified record to reject	SKIPPED	0.000 s
12	Then select reject button	SKIPPED	0.001 s
13	Then enter remark for reject	SKIPPED	0.000 s
14	Then click on reject button	SKIPPED	0.000 s
15	Then system should display confirmation message after reject	SKIPPED	0.000 s
16	Then click on inbox button	SKIPPED	0.000 s
17	Then select the modified record to return	SKIPPED	0.000 s
18	Then click on return button	SKIPPED	0.001 s
19	Then enter remark for return	SKIPPED	0.000 s
20	Then click on return button	SKIPPED	0.001 s
21	Then system should display confirmation message after return	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at checker
stage


(F) Check the functionality of product
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at checker
stage


(F) Check the functionality of product
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at checker
stage

(F) Check the functionality of product
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at checker
stage


(F) Check the functionality of product
master

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5594	PRODUCT_MST	CHECKER	LOCHK	in01589	21-Jul-2022 13:36	TSW	
	5587	PRODUCT_MST	CHECKER	LOCHK	in01589	21-Jul-2022 13:36	TSW	
	5598	PRODUCT_MST	CHECKER	LOCHK	in01589	21-Jul-2022 13:9	TSW	
	5590	SUB_PRD_MAST	CHECKER	LOCHK	in01589	21-Jul-2022 12:50	TSW	
	42	FLOATING_RATE	CHECKER	LOCHK	in01589	21-Jul-2022 12:27	TSW	
	35	FLOATING_RATE	CHECKER	LOCHK	in01589	21-Jul-2022 11:25	TSW	
	5570	SUB_PRD_MAST	CHECKER	LOCHK	in01589	21-Jul-2022 9:58	TSW	
	5566	PRODUCT_MST	CHECKER	LOCHK	in01589	21-Jul-2022 9:29	TSW	
	42	SCHEME_MST	CHECKER	LOCHK	in01589	21-Jul-2022 8:1	TSW	
	43	SCHEME_MST	CHECKER	LOCHK	in01589	21-Jul-2022 8:0	TSW	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at checker
stage

(F) Check the functionality of product
master




Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5594	PRODUCT_MST	CHECKER	LOCHK	in01589	21-Jul-2022 13:36	TSW	
	5587	PRODUCT_MST	CHECKER	LOCHK	in01589	21-Jul-2022 13:36	TSW	
	5598	PRODUCT_MST	CHECKER	LOCHK	in01589	21-Jul-2022 13:9	TSW	
	5590	SUB_PRD_MAST	CHECKER	LOCHK	in01589	21-Jul-2022 12:50	TSW	
	42	FLOATING_RATE	CHECKER	LOCHK	in01589	21-Jul-2022 12:27	TSW	
	35	FLOATING_RATE	CHECKER	LOCHK	in01589	21-Jul-2022 11:25	TSW	
	5570	SUB_PRD_MAST	CHECKER	LOCHK	in01589	21-Jul-2022 9:58	TSW	
	5566	PRODUCT_MST	CHECKER	LOCHK	in01589	21-Jul-2022 9:29	TSW	
	42	SCHEME_MST	CHECKER	LOCHK	in01589	21-Jul-2022 8:1	TSW	
	43	SCHEME_MST	CHECKER	LOCHK	in01589	21-Jul-2022 8:0	TSW	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at checker
stage

(F) Check the functionality of product
master



Product Master

Product Group * Deposits

Product Code * desc30

Product Description *

Retail/Corporate * Retail

DM Code desc30

Status

Remarks desc30

Approve Reject Return

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at checker
stage

(F) Check the functionality of product
master

The screenshot displays the 'Product Master' application interface. At the top, there is a navigation bar with a menu icon, language selection (English), module mapping (No Module Mapped), software version (Azentio Software), and user information (Sagar, 01-Sep-2023). Below the navigation bar, the 'Product Master' title is shown with a back arrow and a document icon. The main form contains fields for 'Product Group' (Deposits), 'Product Code' (desc30), 'Product Description', 'DM Code' (desc30), and 'Remarks' (desc30). On the right side of the form, there are buttons for 'Approve', 'Reject', and 'Return', along with an information icon. An 'Action confirmation' modal is open in the center, titled 'APPROVE'. It has two buttons: 'approve' and 'on behalf'. Below these buttons is a text input field labeled 'Please Enter Remarks *' and a blue button with a checkmark and the text 'Approve'. A 'Close X' button is located in the top right corner of the modal.