

Cucumber Report

Aug 12, 2022, 5:19:44 PM

Start : Aug 12, 5:19:04.316 PM

End : Aug 12, 5:19:43.233 PM

Duration : 38.917 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 9
FAILED - 1
SKIPPED - 12







#	Feature Name	T	P	F	S	Duration
1	<u>UnderWriter Offset Control Functionality</u>	1	0	1	0	38.917 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>UnderWriter Offset Control Functionality</u>	<u>System should display the proper validation post entering the invalid data and clicking on save button</u>	22	9	1	12	38.913 s





(F)- UnderWriter Offset Control Functionality





FAILED	DURATION - 38.917 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 22 Pass - 9 Fail - 1 Skip - 12	
/ 5:19:04.316 PM // 5:19:43.233 PM /					


(S)- System should display the proper validation post entering the invalid data and clicking on save button

<div>FAILED</div> <div>DURATION - 38.913 s</div>		<div></div>	<div>Steps</div> <div>Total - 22</div> <div>Pass - 9</div> <div>Fail - 1</div> <div>Skip - 12</div>	<div></div>
<div>/ 5:19:04.320 PM // 5:19:43.233 PM /</div>				
<div>UnderWriter Offset Control Functionality</div>				
<div>@UnderWriter_Offset_Control</div>				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	9.035 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.786 s
	screenshot		
			
2	And User Login as maker	PASSED	6.087 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on the Business Rule	PASSED	0.195 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.211 s
	screenshot		
			
4	Then click on the UnderWriter Offset Control eye icon	PASSED	0.313 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.351 s
	screenshot		
			
5	Then Modify the UnderWriter Offset Control approved record	PASSED	3.207 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.107 s
	screenshot		
			
6	Then save the record	PASSED	1.915 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.306 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then click on the inbox	PASSED	0.578 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.136 s
	<p>screenshot</p> 		
8	And search UnderWriter Offset Control record from inbox	PASSED	0.627 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
	<p>screenshot</p> 		
9	Then maker user open the UnderWriter record from inbox	PASSED	0.275 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.428 s
	<p>screenshot</p> 		
10	And maker user submit the UnderWriter record	FAILED	0.924 s
	<p>org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e954bfd9500f2ed422b9f6355a2a0f70, sendKeysToElement {id=62fa71c5-e888-4e5c-9845-6dd68423ce79, value=[Ljava.lang.CharSequence;@7ad889be]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80</p>		


#	Step / Hook Details	Status	Duration
	<p>(7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:51568}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51568/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (e954bfd9500f2ed422b9f6355a2a0f70)] -> xpath: (//span[contains(text(),'Submit')])[2]] Session ID: e954bfd9500f2ed422b9f6355a2a0f70</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:107) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy45.sendKeys(Unknown Source) at stepdefinitions.UnderWriter_Offset_Control.maker_user_submit_the_underwriter_record(UnderWriter_Offset_Control.java:134) at ?.maker user submit the UnderWriter record(file:///C:/Users/inindc00089/git/repository6/Priyanka_AzentioULSFramework/src/test/java/features/UnderWriter_Offset_Control.feature:14) * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.181 s
11	Then user logout from the application	SKIPPED	0.001 s
12	And User Login as Checker	SKIPPED	0.000 s
13	Then click on the inbox	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
14	And search UnderWriter Offset Control record from inbox	SKIPPED	0.000 s
15	Then checker open the record from inbox	SKIPPED	0.000 s
16	Then checker approve the record	SKIPPED	0.001 s
17	Then user logout from the application	SKIPPED	0.000 s
18	And User Login as maker	SKIPPED	0.000 s
19	Then click on the Business Rule	SKIPPED	0.000 s
20	Then click on the UnderWriter Offset Control eye icon	SKIPPED	0.000 s
21	Then Validate the aapproved record	SKIPPED	0.000 s
22	Then user logout from the application	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should display the proper
validation post entering the invalid data
and clicking on save button


(F) UnderWriter Offset Control
Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should display the proper
validation post entering the invalid data
and clicking on save button


(F) UnderWriter Offset Control
Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should display the proper
validation post entering the invalid data
and clicking on save button


(F) UnderWriter Offset Control
Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should display the proper
validation post entering the invalid data
and clicking on save button

(F) UnderWriter Offset Control
Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should display the proper
validation post entering the invalid data
and clicking on save button

(F) UnderWriter Offset Control
Functionality

AZENTIO ONEBanking

Underwriter Offset Control

Minimum Value * 55554

Maximum Value * 5555555

Status

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should display the proper
validation post entering the invalid data
and clicking on save button

(F) UnderWriter Offset Control
Functionality

AZENTIO ONEBanking

Underwriter Offset Control - List

SUCCESS

Action	Minimum Value	Maximum Value	Status	Current Stage
	55554	5555555	Active	
	8888	888888	Active	MAKER
	3000	300000	Active	MAKER
	500	5000	Active	CHECKER
	8888	888888	Active	CHECKER

Showing 1 to 5 of 152 entries

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should display the proper
validation post entering the invalid data
and clicking on save button

(F) UnderWriter Offset Control
Functionality

The screenshot shows the AZENTIO ONEBanking application interface. On the left is a blue sidebar menu with options: Dashboard, Configurations (expanded), Asset Collateral Config, Business Rules, UnderwriterOffsetControl (checked), Approval Reviewer Level Matrix (checked), Checklist Master (checked), Corporate Masters, Misc Config, Other Masters, Product Definitions, and Transactions. The main area is titled 'Inbox' and shows 'Action' with a search bar. Below the search bar, it says 'Showing 0 to 0 of 0 entries' with pagination controls. A blue circular button with a gear icon is visible in the bottom right corner.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should display the proper
validation post entering the invalid data
and clicking on save button

(F) UnderWriter Offset Control
Functionality

The screenshot shows the AZENTIO ONEBanking application interface with the 'Inbox' section populated. The sidebar menu is the same as in the previous screenshot. The 'Inbox' section has a search bar with the text 'UW_OFFSET_CONTROL'. Below the search bar, it says 'Showing 1 to 10 of 1073 entries' with pagination controls. A blue circular button with a gear icon is visible in the bottom right corner.

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	259	UW_OFFSET_CONTROL	MAKER	LOSMKR	in00135	12-Aug-2022 17:18	TSW	
	420	DEPOSIT_ACC_MST	MAKER	LOSMKR	in00135	12-Aug-2022 17:8	TSW	
	419	DEPOSIT_ACC_MST	MAKER	LOSMKR	in00135	12-Aug-2022 17:7	TSW	
	92	PROJECT_MST	MAKER	LOSMKR	in00135	12-Aug-2022 17:6	TSW	
	91	PROJECT_MST	MAKER	LOSMKR	in00135	12-Aug-2022 16:58	TSW	
	412	DEPOSIT_ACC_MST	MAKER	LOSMKR	in00135	12-Aug-2022 16:40	TSW	
	408	DEPOSIT_ACC_MST	MAKER	LOSMKR	in00135	12-Aug-2022 16:29	TSW	
	406	DEPOSIT_ACC_MST	MAKER	LOSMKR	in00135	12-Aug-2022 16:25	TSW	
	405	DEPOSIT_ACC_MST	MAKER	LOSMKR	in00135	12-Aug-2022 16:22	TSW	
	402	DEPOSIT_ACC_MST	MAKER	LOSMKR	in00135	12-Aug-2022 16:11	TSW	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should display the proper
validation post entering the invalid data
and clicking on save button

(F) UnderWriter Offset Control
Functionality

AZENTIO ONEBanking

Search the menu

Inbox

UW_OFFSET_CONTROL

Underwriter Offset Control

Minimum Value * 55554 Maximum Value * 5555555 Status

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should display the proper
validation post entering the invalid data
and clicking on save button

(F) UnderWriter Offset Control
Functionality

AZENTIO ONEBanking

Search the menu

Underwriter Offset Control

Minimum Value * 55554 Maximum Value * 5555555 Status

Submit Cancel

Action confirmation

Close X

SUBMIT

ok immediate new record modified before on behalf

Please Enter Remarks *

ok

Submit