

Cucumber Report

Jul 25, 2022, 3:42:40 PM

Start : Jul 25, 3:42:17.344 PM

End : Jul 25, 3:42:40.082 PM

Duration : 22.738 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 9
FAILED - 1
SKIPPED - 3







#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	0	1	0	22.738 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	Product Master Retail Field validation	13	9	1	3	22.735 s


(F)- Product Master Retail Functionality




FAILED	DURATION - 22.738 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 13 Pass - 9 Fail - 1 Skip - 3	
/ 3:42:17.344 PM // 3:42:40.082 PM /					


(S)- Product Master Retail Field validation

<div>FAILED</div> <div>DURATION - 22.735 s</div>		<div></div>	<div>Steps</div> <div>Total - 13</div> <div>Pass - 9</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 3:42:17.347 PM // 3:42:40.082 PM /				
Product Master Retail Functionality				
@ProductMaster_Retail				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	9.948 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
	screenshot		
			
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.108 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on Product Setup	PASSED	0.247 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.196 s
	screenshot		
			
4	Then click on Product Master eye icon	PASSED	0.119 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.199 s
	screenshot		
			
5	Then click on Product Master add button	PASSED	2.146 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.176 s
	screenshot		
			
6	Then verify functionality and asterik mark of the field Product Group	PASSED	4.242 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.170 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then verify functionality and asterik mark of the field Product Code	PASSED	0.255 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.099 s
	screenshot		
			
8	Then verify functionality and asterik mark of the field Product Description	PASSED	0.663 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
	screenshot		
			
9	Then verify functionality and asterik mark of the field RetailCorporate	PASSED	0.293 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.120 s
	screenshot		
			
10	Then verify functionality of the field DM Code	FAILED	0.124 s
	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [396b442cdfb75cb2e61956ec23e5e298, sendKeysToElement {id=ea49bad2-544f-4c97-b218-405e3a8d328f, value=[Ljava.lang.CharSequence;@c497a55]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome:		

#	Step / Hook Details	Status	Duration
	<pre>{chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local..., goog:chromeOptions: {debuggerAddress: localhost:61280}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61280/devtools..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (396b442cdfb75cb2e61956ec23e5e298)] -> xpath: //ion-row[1]/ion-col[6]/ion-item[1]/ion-input[1]/input] Session ID: 396b442cdfb75cb2e61956ec23e5e298</pre> <pre>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:107) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy45.sendKeys(Unknown Source) at stepdefinitions.ProductMaster_Retail.verify_functionality_of_the_field_dm_code(ProductMaster_Retail.java:162) at ?.verify functionality of the field DM Code(file:///C:/Users/inindc00089/git/Azentio_ULSFramework/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:14) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.112 s
11	Then verify the field Remarks	SKIPPED	0.000 s
12	Then verify the functionality of Back button	SKIPPED	0.000 s
13	Then user logout from the application	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

The screenshot displays the Azentio software interface. On the left, a dark blue sidebar contains a menu with the following items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup (highlighted in orange), Regulatory Product Defini..., Project Setup, and Config Manager. The main content area is titled "Product wise Analysis" and features three charts: "Product-wise Amount Financed" (a bar chart showing values for AHIL (97.0M), AAL (23.0M), APL (26.0M), CD (5.0M), AFC (2.0M), CC (2.0M), and TL (6.0M)), "Subproduct-wise Amount Financed" (a placeholder for a chart), and "Scheme wise Amount Financed" (a placeholder for a chart). The top navigation bar includes a hamburger menu, language (English), LOS, Azentio Software, a grid icon, a bell icon, a user profile (Puneet, 01-Sep-2023), and a dark blue circular button with a white gear icon. The bottom of the main area says "Powered by Metabase".

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

The screenshot displays the Azentio software interface. On the left, a dark blue sidebar contains a menu with the following items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted in orange), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area is mostly blank, with a dark blue circular button with a white gear icon in the bottom right corner. The top navigation bar includes a hamburger menu, language (English), LOS, Azentio Software, a grid icon, a bell icon, a user profile (Puneet, 01-Sep-2023), and a dark blue circular button with a white gear icon.

(F) Product Master Retail Functionality

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Asset Auto Master
- Asset CD Master
- Product master**
- Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product Master

+

Q

Export

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
	98303249	PR07	Loan	R	Active
	98303249	PR04	Loan	R	Active
	98303249	PR11	Loan	R	Active
	98303249	PR01	Loan	R	Active
	98303249	A	OK	R	Active

Showing 1 to 5 of 115 entries

<<

<

1

2

3

4

5

>

>>

5

▼

(F) Product Master Retail Functionality

☰

✉

English ▼

LOS ▼

Azentio Software ▼

⚙

🔔

Puneet
 01-Sep-2023

⚙ 📄 📁

- ① Asset Collateral Config
- ① Business Rules
- ① Corporate Masters
- ① Misc Config
- ① Other Masters
- ① Product Definitions
- ① Product Setup
- 🏠 Asset Auto Master 📄 👁
- 🏠 Asset CD Master 📄 👁
- 🏠 **Product master** 📄 👁
- 🏠 Sub Product Master 📄 👁
- ① Regulatory Product Defini...
- ① Project Setup
- ① Config Manager

←

Product Master

📄 ⓘ

Product Group *

Lending ▼

Product Description *

Select

Deposits ⊕

DM Code

Lending ✔

Trade

Remarks

Treasury

Product Code *

Retail/Corporate *

Select ▼

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form. The sidebar on the left lists various configuration options, with 'Product master' highlighted. The main form area contains fields for 'Product Group' (set to 'Lending'), 'Product Code' (set to 'PR10'), 'Product Description' (empty), 'Retail/Corporate' (set to 'Select'), 'DM Code' (empty), and 'Remarks' (empty). The top navigation bar includes the Azentio logo, a hamburger menu, and user information for 'Puneet' on '01-Sep-2023'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

This screenshot shows the same Azentio Product Master form as above, but with a modal open for editing the 'Product Description'. The modal has a title bar 'Product Description' and a close button 'X'. It contains five text input fields: 'Description(English)' (with 'Loan' entered), 'Description(French)' (with 'd'accord' entered), 'Description(German)' (with 'OK' entered), 'Description(Arabic)' (with 'موافق' entered), and an empty field for 'Description(Other)'. The background form is dimmed, showing the same fields as in the previous screenshot.

