

# Cucumber Report

Jul 22, 2022, 1:41:19 AM

Start : Jul 22, 1:40:50.596 AM

End : Jul 22, 1:41:18.133 AM

Duration : 27.537 s

Features

Scenarios

Steps

PASSED - 1  
FAILED - 0  
SKIPPED - 0

PASSED - 1  
FAILED - 0  
SKIPPED - 0

PASSED - 8  
FAILED - 0  
SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	Check the functionality of product master	1	1	0	0	27.537 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the functionality of product master</u>	<u>Product Master - to check the functionality of status(active/deactive) and back button</u>	8	8	0	0	27.527 s

**(F)- Check the functionality of product master**




<b>PASSED</b>	<b>DURATION - 27.537 s</b>	Scenarios		Steps	
/ 1:40:50.596 AM // 1:41:18.133 AM /		Total - 1		Total - 8	
		Pass - 1		Pass - 8	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

**(S)- Product Master - to check the functionality of status(active/deactive) and back button**

<div>PASSED</div> <div>DURATION - 27.527 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:40:50.606 AM // 1:41:18.133 AM /</div>				
<div>Check the functionality of product master</div>				
<div>@M9</div>				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	5.075 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.456 s
	screenshot		
			
2	And User Login as maker	PASSED	4.772 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.298 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
3	Then user should navigate to product master	PASSED	0.234 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.237 s
	screenshot		
			
4	And click on edit view of product master	PASSED	0.470 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.788 s
	screenshot		
			
5	Then verify the functionality of status of the record	PASSED	0.841 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.141 s
	screenshot		
			
6	Then verify user can able to change the status from active to deactivate	PASSED	3.563 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.187 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then verify user can able to change the status from deactivate to active	PASSED	3.564 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.171 s
	screenshot		
			
8	Then verify the functionality of back button	PASSED	1.359 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.246 s
	screenshot		
			

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - to check the  
functionality of status(active/deactive) and  
back button


(F) Check the functionality of product  
master





(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)



(S) Product Master - to check the  
functionality of status(active/deactive) and  
back button

(F) Check the functionality of product  
master



<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	 <ul style="list-style-type: none"><li>Asset Collateral Config</li><li>Business Rules</li><li>Corporate Masters</li><li>Misc Config</li><li>Other Masters</li><li>Product Definitions</li><li><b>Product Setup</b></li><li>Regulatory Product Defini...</li><li>Project Setup</li><li>Config Manager</li></ul>	
<p>(S) Product Master - to check the functionality of status(active/deactive) and back button</p>		
<p>(F) Check the functionality of product master</p>		

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	 <ul style="list-style-type: none"><li>Asset Collateral Config</li><li>Business Rules</li><li>Corporate Masters</li><li>Misc Config</li><li>Other Masters</li><li>Product Definitions</li><li>Product Setup</li><li>Asset Auto Master</li><li>Asset CD Master</li><li><b>Product master</b></li><li>Sub Product Master</li><li>Regulatory Product Defini...</li><li>Project Setup</li><li>Config Manager</li></ul>	
<p>(S) Product Master - to check the functionality of status(active/deactive) and back button</p>		
<p>(F) Check the functionality of product master</p>		



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - to check the  
functionality of status(active/deactive) and  
back button

(F) Check the functionality of product  
master

The screenshot shows the Azentio Software interface. The left sidebar contains a menu with 'Product master' highlighted. The main area displays a table titled 'Product Master' with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, Status, and Authorization Status. The table lists five products, all with a status of 'Active'. A pagination bar at the bottom shows 'Showing 26 to 30 of 124 entries' and a page number '5'.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status	Authorization Status
[Edit][Eye]	98303275	depo31	Ok	R	Active	
[Edit][Eye]	98303275	depo30	desc11	R	Active	
[Edit][Eye]	98303249	122		C	Active	
[Edit][Eye]	98303249	dd		R	Active	
[Edit][Eye]	98303249	A		R	Active	

The screenshot shows the Azentio Software interface with a green 'Success' message at the top. The 'Product Master' table is identical to the first screenshot, but the status of the second product (depo30) has changed to 'In-active'.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status	Authorization Status
[Edit][Eye]	98303275	depo31	Ok	R	Active	
[Edit][Eye]	98303275	depo30	desc11	R	In-active	
[Edit][Eye]	98303249	122		C	Active	
[Edit][Eye]	98303249	dd		R	Active	
[Edit][Eye]	98303249	A		R	Active	

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - to check the  
functionality of status(active/deactive) and  
back button

(F) Check the functionality of product  
master

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status	Authorization Status
	98303275	depo31	Ok	R	Active	
	98303275	depo30	desc11	R	Active	
	98303249	122		C	Active	
	98303249	dd		R	Active	
	98303249	A		R	Active	

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - to check the  
functionality of status(active/deactive) and  
back button

(F) Check the functionality of product  
master

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status	Authorization Status
	98303275	depo31	Ok	R	Active	
	98303275	depo30	desc11	R	Active	
	98303249	122		C	Active	
	98303249	dd		R	Active	
	98303249	A		R	Active	