

Cucumber Report

Jul 20, 2022, 10:10:34 AM

Start : Jul 20, 10:09:59.073 AM

End : Jul 20, 10:10:33.611 AM

Duration : 34.538 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 5
FAILED - 1
SKIPPED - 1







| # | Feature Name | T | P | F | S | Duration |
|---|-------------------------------------|---|---|---|---|----------|
| 1 | Product Master Retail Functionality | 1 | 0 | 1 | 0 | 34.538 s |






| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|-------------------------------------|--|---|---|---|---|----------|
| 1 | Product Master Retail Functionality | Product Master Retail Field validation | 7 | 5 | 1 | 1 | 34.534 s |





(F)- Product Master Retail Functionality


| | | | | | |
|--|----------------------------|-----------|---|-----------|---|
| FAILED | DURATION - 34.538 s | Scenarios |  | Steps |  |
| / 10:09:59.073 AM // 10:10:33.611 AM / | | Total - 1 | | Total - 7 | |
| | | Pass - 0 | | Pass - 5 | |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 1 | |

(S)- Product Master Retail Field validation

| | | | | |
|--|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 34.534 s</div> | |  | <div>Steps</div> <div>Total - 7</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 1</div> |  |
| / 10:09:59.077 AM // 10:10:33.611 AM / | | | | |
| Product Master Retail Functionality | | | | |
| @ProductMaster_Retail | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User launch the kuls application | PASSED | 8.984 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.121 s |
| | screenshot | | |
| |  | | |
| 2 | And User Login as maker | PASSED | 0.000 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.107 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| |  | | |
| 3 | Then click on Product Setup | PASSED | 0.231 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.166 s |
| | screenshot | | |
| |  | | |
| 4 | Then click on Product Master eye icon | PASSED | 0.118 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.246 s |
| | screenshot | | |
| |  | | |
| 5 | Then click on Product Master add button | PASSED | 5.192 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.228 s |
| | screenshot | | |
| |  | | |
| 6 | Then verify all the fields are available on the screen | FAILED | 16.166 s |
| | <p>org.openqa.selenium.NoAlertPresentException: no such alert (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [fae9bd743cf9f1b133f1c4d466aac6b, getAlertText {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppDataL..., goog:chromeOptions: {debuggerAddress: localhost:52937},</p> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <p>javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52937/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: fae9bd743cf9ff1b133f1c4d466aac6b</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.alert(RemoteWebDriver.java:1042) at helper.AlertHelper.getAlert(AlertHelper.java:25) at helper.AlertHelper.getAlertText(AlertHelper.java:45) at stepdefinitions.ProductMaster_Retail.verify_all_the_fields_are_available_on_the_screen(ProductMaster_Retail.java:137) at ?.verify all the fields are available on the screen(file:///C:/Users/inindc00089/git/Azentio_ULSFramework/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:14) * Not displayable characters are replaced by '?'. </p> | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.120 s |
| | <p>screenshot</p>  | | |
| 7 | Then click on Product Master back button | SKIPPED | 0.001 s |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

The screenshot displays the Azentio Software interface. The top navigation bar includes the Azentio logo, a hamburger menu, and user information (Puneet, 01-Sep-2023). The left sidebar lists various configuration options: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Regulatory Product Defini..., Project Setup, Config Manager, and Sample Screens. The main content area is a large, empty white box with a blue circular icon in the bottom right corner.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

The screenshot displays the Azentio Software interface with the 'Product wise Analysis' section active. The top navigation bar and left sidebar are identical to the previous screenshot. The main content area shows three charts: 'Product-wise Amount Financed', 'Subproduct-wise Amount Financed', and 'Scheme wise Amount Financed'. Each chart is represented by a large white box with a blue circular icon in the center. The bottom of the page features the text 'Powered by Metabase'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

The screenshot displays the AZENTIO software interface. On the left, a dark blue sidebar contains a menu with the following items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, **Product Setup** (highlighted in orange), Regulatory Product Defini..., Project Setup, and Config Manager. Below the menu, there are icons for Asset Auto Master, Asset CD Master, and Product master (highlighted in orange), along with Sub Product Master. The main content area on the right is titled "Product wise Analysis" and features three charts: "Product-wise Amount Financed" (a bar chart showing values for AHL, AAL, APL, CD, AFC, CC, and TL), "Subproduct-wise Amount Financed" (a circular progress indicator), and "Scheme wise Amount Financed" (a circular progress indicator). The top of the interface includes a header with a hamburger menu, language selection (English), location selection (LOS), software version (Azentio Software), and user information (Puneet, 01-Sep-2023). A "Powered by Metabase" logo is visible at the bottom left of the main content area.

| Productcode | Amount Financed |
|-------------|-----------------|
| AHL | 97.0M |
| AAL | 23.0M |
| APL | 26.0M |
| CD | 5.0M |
| AFC | 2.0M |
| CC | 2.0M |
| TL | 6.0M |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

This screenshot shows the AZENTIO software interface with the same sidebar menu as the previous image. The main content area is currently blank, indicating that the data or charts from the previous view are not present. The top header and bottom footer elements remain consistent with the previous image.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master interface. On the left is a dark blue sidebar with the Azentio logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area has a top bar with a hamburger menu, language (English), location (LOS), software (Azentio Software), and user profile (Puneet, 01-Sep-2023). Below this is a 'Product Master' header with a search icon and an 'Export' button. The main area contains a table with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, and Status. The table lists five entries, all with 'Active' status. At the bottom, there is a pagination bar showing 'Showing 1 to 5 of 68 entries' and a page selector with '1' highlighted. A blue circular icon with a gear symbol is visible in the bottom right corner.

| Action | Product Group | Product Code | Product Description | Retail/Corporate | Status |
|--------|---------------|--------------|---------------------------|------------------|--------|
| | 98303249 | PMR | Standard home loan - kuls | R | Active |
| | 98303249 | AHL | Standard Home Loan - KUBS | R | Active |
| | 98303249 | HL3 | Home Loan - Standard | R | Active |
| | 98303249 | HFL | Housing Finance LTD | R | Active |
| | 98303249 | TTM | Corporate TTM | R | Active |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form view. The sidebar is identical to the previous screenshot. The main content area has a top bar with the same navigation and user information. Below this is a 'Product Master' header with a back arrow and a help icon. The form contains several fields: 'Product Group' (dropdown menu with 'Lending' selected), 'Product Code' (text input with 'LO'), 'Product Description' (text input with 'OK'), 'Retail/Corporate' (dropdown menu with 'Retail' selected), 'DM Code' (text input with 'Loan'), and 'Remarks' (text area with 'Loan'). A blue banner at the bottom of the form states 'Alphanumeric characters allowed'. At the very bottom, there is a grey button labeled 'Please fill all the details'.