

Cucumber Report

Jul 25, 2022, 2:07:19 PM

Start : Jul 25, 2:06:26.950 PM

End : Jul 25, 2:07:17.913 PM

Duration : 50.963 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 10


FAILED - 1

SKIPPED - 5







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of product master</u>	1	0	1	0	50.963 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the functionality of product master</u>	<u>Product Master - to check the functionality of list view buttons of approved records</u>	16	10	1	5	50.957 s

(F)- Check the functionality of product master

FAILED	DURATION - 50.963 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 16 Pass - 10 Fail - 1 Skip - 5	
/ 2:06:26.950 PM // 2:07:17.913 PM /					


(S)- Product Master - to check the functionality of list view buttons of approved records

FAILED	DURATION - 50.957 s		Steps Total - 16 Pass - 10 Fail - 1 Skip - 5	
/ 2:06:26.956 PM // 2:07:17.913 PM /				
Check the functionality of product master				
@M10				


#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	7.455 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.442 s
	screenshot		
			
2	And User Login as maker	PASSED	5.293 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.274 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then user should navigate to product master	PASSED	0.458 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.471 s
	screenshot		
			
4	And click on eye icon of product master	PASSED	0.215 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.387 s
	screenshot		
			
5	Then verify product master details list view fields should display all the fields	PASSED	1.637 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.159 s
	screenshot		
			
6	Then values in list view should not be editable	PASSED	0.061 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then verify add button should allow to create new record	PASSED	1.530 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.239 s
	screenshot		
			
8	Then verify search box should display matching record with matched data	PASSED	2.713 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.106 s
	screenshot		
			
9	Then verify search box should not display any record with mismatched data	PASSED	1.382 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.125 s
	screenshot		
			
10	Then click on export to pdf button system should download Pdf file	PASSED	0.985 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.567 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	<p>Then click on export to excel button system should download Excel file</p> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //li[@aria-label='XLS']' (tried for 20 second(s) with 1000 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:93) at stepdefinitions.ProductMaster_Retail.click_on_export_to_excel_button_system_should_download_excel_file(ProductMaster_Retail.java:595) at ?.click on export to excel button system should download Excel file(file:///C:/Users/inindc00091/git/Devesh_AzentioULS_FW/AzentioULSFrameworkCopy/src/test/java/features/ProductMaster_Retail.feature:98)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//li[@aria-label='XLS']"} (Session info: chrome=100.0.4896.127) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5b56a750ced05be6bcb24f6124b1a5f7, findElement {using=xpath, value= //li[@aria-label='XLS']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.127, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\Local\Temp\goog-chromeOptions: {debuggerAddress: localhost:62426}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:62426/devtoo..., se.cdpVersion: 100.0.4896.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5b56a750ced05be6bcb24f6124b1a5f7 atjdk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</p>	FAILED	20.485 s


#	Step / Hook Details	Status	Duration
	<pre> at jdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:93) at stepdefinitions.ProductMaster_Retail.click_on_export_to_excel_button_system_should_download_excel_file(ProductMaster_Retail.java:595) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.270 s
12	Then system should show product group field and the field will display only	SKIPPED	0.001 s
13	Then system should show product code field and the field will display only	SKIPPED	0.000 s
14	Then system should show product description field and the field will display only	SKIPPED	0.000 s
15	Then system should show retail or corporate field and the field will display only	SKIPPED	0.000 s
16	Then system should show status field and the field will display only	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - to check the
functionality of list view buttons of
approved records


(F) Check the functionality of product
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - to check the
functionality of list view buttons of
approved records


(F) Check the functionality of product
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - to check the
functionality of list view buttons of
approved records


(F) Check the functionality of product
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - to check the
functionality of list view buttons of
approved records

(F) Check the functionality of product
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - to check the
functionality of list view buttons of
approved records

(F) Check the functionality of product
master

AZENTIO™

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Asset Auto Master
- Asset CD Master
- Product master**
- Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

Product Master

Search Export

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
	98303249	PR07	Loan	R	Active
	98303249	PR04	Loan	R	Active
	98303249	PR11	Loan	R	Active
	98303249	PR01	Loan	R	Active
	98303249	A	OK	R	Active

Showing 1 to 5 of 115 entries

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - to check the
functionality of list view buttons of
approved records

(F) Check the functionality of product
master

AZENTIO™

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Asset Auto Master
- Asset CD Master
- Product master**
- Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

Product Master

Search Export

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
	98303249	PR07	Loan	R	Active
	98303249	PR04	Loan	R	Active
	98303249	PR11	Loan	R	Active
	98303249	PR01	Loan	R	Active
	98303249	A	OK	R	Active

Showing 1 to 5 of 115 entries

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - to check the
functionality of list view buttons of
approved records

(F) Check the functionality of product
master

The screenshot shows the Azentio Product Master interface. On the left is a dark blue sidebar with the Azentio logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area has a top header with a hamburger menu, language (English), location (LOS), software (Azentio Software), and user profile (Puneet, 01-Sep-2023). Below the header is a 'Product Master' section with a '+ Add' button and a search bar. A table lists products with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, and Status. The table contains five rows of data, all with 'Active' status. Below the table is a 'Product Master' form with fields for Product Group and Product Code, both marked with a red asterisk. A red 'Save' button is in the top right corner.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
	98303249	PR07	Loan	R	Active
	98303249	PR04	Loan	R	Active
	98303249	PR11	Loan	R	Active
	98303249	PR01	Loan	R	Active
	98303249	A	OK	R	Active

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - to check the
functionality of list view buttons of
approved records

(F) Check the functionality of product
master

The screenshot shows the Azentio Product Master interface after a search. The sidebar is the same as in the previous screenshot. The main content area has the same top header. The 'Product Master' section now shows a search bar with 'desc30' entered. Below the search bar, a single product is displayed in a table row: Product Group 98303275, Product Code desc30, Product Description, Retail/Corporate R, and Status Active. Below the table, it says 'Showing 1 to 1 of 1 entries' with pagination controls. A red 'Save' button is in the top right corner.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
	98303275	desc30		R	Active

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - to check the
functionality of list view buttons of
approved records

(F) Check the functionality of product
master











The screenshot shows the Azentio Product Master interface. The left sidebar contains a menu with options like Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main area displays the Product Master table with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, and Status. The table is currently empty, showing "Showing 0 to 0 of 0 entries". The top navigation bar includes a hamburger menu, language (English), LOS, Azentio Software, a grid icon, a bell icon, and a user profile (Puneet, 01-Sep-2023).

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - to check the
functionality of list view buttons of
approved records

(F) Check the functionality of product
master

The screenshot shows the Azentio Product Master interface with a table containing 5 entries. The table has columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, and Status. The entries are as follows:


Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
 	98303249	PR07	Loan	R	Active
 	98303249	PR04	Loan	R	Active
 	98303249	PR11	Loan	R	Active
 	98303249	PR01	Loan	R	Active
 	98303249	A	OK	R	Active




The table shows "Showing 1 to 5 of 115 entries". The bottom navigation bar includes a hamburger menu, language (English), LOS, Azentio Software, a grid icon, a bell icon, and a user profile (Puneet, 01-Sep-2023).

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - to check the
functionality of list view buttons of
approved records

(F) Check the functionality of product
master





Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup


Asset Auto Master

Asset CD Master

Product master

Sub Product Master


Regulatory Product Defini...





English


LOS


Azentio Software
















 **Puneet**
01-Sep-2023





Export

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
 	98303249	PR07	Loan	R	Active
 	98303249	PR04	Loan	R	Active
 	98303249	PR11	Loan	R	Active
 	98303249	PR01	Loan	R	Active
 	98303249	A	OK	R	Active



Showing 1 to 5 of 115 entries

<<

<

1

2

3

4

5

>

>>

5