

Cucumber Report

15-Nov-2022, 12:50:54 pm

Start : Nov 15, 12:50:07.910 pm

End : Nov 15, 12:50:51.684 pm

Duration : 43.774 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 12
FAILED - 1
SKIPPED - 7







| # | Feature Name | T | P | F | S | Duration |
|---|--|---|---|---|---|----------|
| 1 | <u>Check the functionality of Living Expenses Master</u> | 1 | 0 | 1 | 0 | 43.774 s |







| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|--|----|----|---|---|----------|
| 1 | Check the functionality of Living Expenses Master | To verify user can able to update the living expense with invalid inputs | 20 | 12 | 1 | 7 | 43.768 s |



(F)- Check the functionality of Living Expenses Master


| | | | | | |
|--|----------------------------|--|---|--|---|
| FAILED | DURATION - 43.774 s | Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0 |  | Steps Total - 20 Pass - 12 Fail - 1 Skip - 7 |  |
| / 12:50:07.910 pm // 12:50:51.684 pm / | | | | | |



(S)- To verify user can able to update the living expense with invalid inputs

| | | | | |
|--|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 43.768 s</div> | | <div></div> | <div>Steps</div> <div>Total - 20</div> <div>Pass - 12</div> <div>Fail - 1</div> <div>Skip - 7</div> | <div></div> |
| <div>/ 12:50:07.916 pm // 12:50:51.684 pm /</div> | | | | |
| <div>Check the functionality of Living Expenses Master</div> | | | | |
| <div>@AT_LE_018</div> | | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given user log in as uls application maker | PASSED | 14.903 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.584 s |
| | screenshot | | |
| |  | | |
| 2 | Then user click on configurations Tab | PASSED | 0.709 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.408 s |
| | screenshot | | |
| |  | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 3 | When user click Config Manager menu | PASSED | 0.161 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.440 s |
| | screenshot | | |
| |  | | |
| 4 | And click on view button in living expense module | PASSED | 0.548 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.717 s |
| | screenshot | | |
| |  | | |
| 5 | And select the approved record of living expense | PASSED | 0.285 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.565 s |
| | screenshot | | |
| |  | | |
| 6 | And go to living expese parameter tab | PASSED | 0.305 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.618 s |
| | screenshot | | |
| |  | | |
| 7 | And user click on Add Icon for Living Expenses | PASSED | 1.072 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.650 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| |  | | |
| 8 | And user Pass the Exceldata value for ParaMeter Creation | PASSED | 0.147 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.291 s |
| | screenshot | | |
| |  | | |
| 9 | And user Enter value in Description and verify it | PASSED | 0.533 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.220 s |
| | screenshot | | |
| |  | | |
| 10 | And user select the code value | PASSED | 0.437 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.407 s |
| | screenshot | | |
| |  | | |
| 11 | And user Enter the value | PASSED | 0.196 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.224 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| |  | | |
| 12 | And user save the Record in Living Expenses | PASSED | 2.504 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.330 s |
| | screenshot | | |
| |  | | |
| 13 | And select the living expense parameter approved record | FAILED | 10.234 s |
| | <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: (//button[@ng-reflect-text='Edit'])[1]' (tried for 10 second(s) with 1000 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)</p> <p>at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)</p> <p>at stepdefinitions.ULS_LivingExpenseSteps.select_the_living_expense_parameter_approved_record(ULS_LivingExpenseSteps.java:75)</p> <p>at ?.select the living expense parameter approved record(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzenzioULSFramework/src/test/java/features/MDM_LivingExp_Master.feature:497)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//button[@ng-reflect-text='Edit'])[1]"} (Session info: chrome=106.0.5249.119) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVDAP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e2a0227c4d672c0553d8e58ed096e461, findElement {using=xpath, value=(//button[@ng-reflect-text='Edit'])[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 106.0.5249.119, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:61935}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61935/devtoo..., se:cdpVersion: 106.0.5249.119, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: e2a0227c4d672c0553d8e58ed096e461</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor43.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.ULS_LivingExpenseSteps.select_the_living_expense_parameter_approved_record(ULS_LivingExpenseSteps.java:75) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| | <pre> at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p> | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.242 s |
| | screenshot | | |
| |  | | |
| 14 | And clear all the input fields of living expense approved record | SKIPPED | 0.000 s |
| 15 | And click on save button in living expense record | SKIPPED | 0.000 s |
| 16 | Then verify system should through the validation for blank field | SKIPPED | 0.000 s |
| 17 | And enter invalid special charecter in input box | SKIPPED | 0.000 s |
| 18 | Then verify system should through the validation in living expense parameter screen | SKIPPED | 0.001 s |
| 19 | And click on back button in living expense parameter screen | SKIPPED | 0.000 s |
| 20 | Then verify living expense parameter screen should get navigate to previous screen | SKIPPED | 0.000 s |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can able to update the
living expense with invalid inputs


(F) Check the functionality of Living
Expenses Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can able to update the
living expense with invalid inputs


(F) Check the functionality of Living
Expenses Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can able to update the
living expense with invalid inputs


(F) Check the functionality of Living
Expenses Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can able to update the
living expense with invalid inputs

(F) Check the functionality of Living
Expenses Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can able to update the
living expense with invalid inputs

(F) Check the functionality of Living
Expenses Master

The screenshot displays the AZENTIO ONEBOOKING application interface. On the left is a blue sidebar menu with options: Dashboard, Configurations (Living Expense, Builder Master, Subvention Master, Incentive master, Checklist Master, Group Master, QuestionnaireMaster, TemplateMaster, CorporateDocument Master, Document Lodgement Master, Commodity Master), Transactions, and Reports. The main content area is titled 'List of Living Expense Model' and contains a table with the following data:

| Action | Description | Rule ID | Effective Date | Status |
|--------|--------------|----------|----------------|--------|
| | Test | 98303335 | 2022-10-15 | Active |
| | yugydyugc | 98303256 | 2022-10-25 | Active |
| | Descr1 | 98303254 | 2022-10-16 | Active |
| | Test expense | 98303254 | 2022-10-04 | Active |

At the bottom of the table, it says 'Showing 1 to 4 of 4 entries' with pagination controls. The top right of the application shows the date '15-Nov-2022', language 'Engl...', location 'LOS', and user 'Aze...'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can able to update the
living expense with invalid inputs


(F) Check the functionality of Living
Expenses Master

The screenshot displays the AZENTIO ONEBOOKING application interface, specifically the 'Living Expense Parameter List' section. The sidebar menu is identical to the previous screenshot. The main content area has tabs for 'Living Expense Definition', 'Living Expense Parameter' (which is active), and 'Living Expense Location'. Below the tabs is a table with multiple rows of parameter data, each starting with a small square icon. The top right of the application shows the date '15-Nov-2022', language 'Engl...', location 'LOS', and user 'Aze...'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can able to update the
living expense with invalid inputs


(F) Check the functionality of Living
Expenses Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can able to update the
living expense with invalid inputs

(F) Check the functionality of Living
Expenses Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can able to update the
living expense with invalid inputs

(F) Check the functionality of Living
Expenses Master

AZENTIO
ONEBanking

15-Nov-2022

Engl... LOS Aze...

Search the menu

Dashboard

Configurations

- Living Expense
- Builder Master
- Subvention Master
- Incentive master
- Checklist Master
- Group Master
- QuestionnaireMaster
- TemplateMaster
- CorporateDocument Master
- Document Lodgement Master
- Commodity Master

Transactions

Reports

Living Expense Definition Living Expense Parameter Living Expense Location

Living Expense Parameter

Description * Expenses

Code * Select

Value *

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can able to update the
living expense with invalid inputs

(F) Check the functionality of Living
Expenses Master

AZENTIO
ONEBanking

15-Nov-2022

Engl... LOS Aze...

Search the menu

Dashboard

Configurations

- Living Expense
- Builder Master
- Subvention Master
- Incentive master
- Checklist Master
- Group Master
- QuestionnaireMaster
- TemplateMaster
- CorporateDocument Master
- Document Lodgement Master
- Commodity Master

Transactions

Reports

Living Expense Definition Living Expense Parameter Living Expense Location

Living Expense Parameter

Description * Expenses

Code * LIVEXP

Value *

Select

AVGINC

LIVEXP

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can able to update the
living expense with invalid inputs

(F) Check the functionality of Living
Expenses Master

The screenshot shows the AZENTIO ONEBOOKING application interface. On the left is a blue sidebar menu with options: Dashboard, Configurations (Living Expense, Builder Master, Subvention Master, Incentive master, Checklist Master, Group Master, QuestionnaireMaster, TemplateMaster, CorporateDocument Master, Document Lodgement Master, Commodity Master), Transactions, and Reports. The main content area is titled 'Living Expense Parameter' and contains three tabs: 'Living Expense Definition', 'Living Expense Parameter' (active), and 'Living Expense Location'. The form has three input fields: 'Description' with the value 'Expenses', 'Code' with a dropdown menu showing 'LIVEXP', and 'Value' with the value '200'. The top right of the application shows the date '15-Nov-2022', language 'Engl...', and other settings.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can able to update the
living expense with invalid inputs

(F) Check the functionality of Living
Expenses Master

The screenshot shows the AZENTIO ONEBOOKING application interface. On the left is the same blue sidebar menu as in the previous screenshot. The main content area is titled 'Living Expense Parameter List' and contains three tabs: 'Living Expense Definition', 'Living Expense Parameter' (active), and 'Living Expense Location'. Below the tabs is a table with columns: Action, Description, Code, Comparator Value, and Status. The table is currently empty, showing 'No Records found' at the bottom. A green success message banner at the top right says 'Success! Record created with ID: 600'. The top right of the application shows the date '15-Nov-2022', language 'Engl...', and other settings.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can able to update the
living expense with invalid inputs

(F) Check the functionality of Living
Expenses Master

The screenshot displays the AZENTIO ONEBOOKING application interface. The top navigation bar includes the date '15-Nov-2022', a calendar icon, an email icon, a grid icon, language and location dropdowns ('Engl...', 'LOS', 'Aze...'), and a user profile icon. The left sidebar menu is blue and contains the following items: Dashboard, Configurations (with a sub-menu arrow), Living Expense (selected), Builder Master, Subvention Master, Incentive master, Checklist Master, Group Master, QuestionnaireMaster, TemplateMaster, CorporateDocument Master, Document Lodgement Master, and Commodity Master. Below these are Transactions and Reports, each with a dropdown arrow. The main content area is titled 'Living Expense Parameter List' and features a search bar with a magnifying glass icon. Below the search bar is a table with columns: Action, Description, Code, Comparator Value, and Status. The table is currently empty, and a message at the bottom right of the table area states 'No Records found'. A pagination control at the bottom right shows '5' and a dropdown arrow. A blue circular icon with a white gear symbol is located in the bottom right corner of the application area.