

# Cucumber Report

20-Sep-2022, 3:00:43 pm

Start : Sep 20, 2:58:50.698 pm

End : Sep 20, 3:00:42.330 pm

Duration : 1 m 51.632 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 11  
FAILED - 1  
SKIPPED - 13







#	Feature Name	T	P	F	S	Duration
1	To verify the functional flow for customer entity layout facility details	1	0	1	0	1 m 51.632 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify the functional flow for customer entity layout facility details	To verify the functional flow for customer entity layout facility details	25	11	1	13	1 m 51.628 s





**(F)- To verify the functional flow for customer entity layout facility details**

<b>FAILED</b>	<b>DURATION - 1 m 51.632 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 25 Pass - 11 Fail - 1 Skip - 13	
/ 2:58:50.698 pm // 3:00:42.330 pm /					


**(S)- To verify the functional flow for customer entity layout facility details**

<div>FAILED</div> <div>DURATION - 1 m 51.628 s</div>			<div>Steps</div> <div>Total - 25</div> <div>Pass - 11</div> <div>Fail - 1</div> <div>Skip - 13</div>	
/ 2:58:50.702 pm // 3:00:42.330 pm /				
To verify the functional flow for customer entity layout facility details				
@AT-FD-001				

#	Step / Hook Details	Status	Duration
1	Given User login as uls maker in transaction	PASSED	11.552 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.250 s
	screenshot		
			
2	And User click the inbox mail icon in application detail offering	PASSED	0.282 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.288 s
	screenshot		
			


#	Step / Hook Details	Status	Duration
3	And User click the action edit icon in customer entity layout facility details	PASSED	2.300 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.207 s
	screenshot		
			
4	And User click the facility info tab in customer entity layout facility details	PASSED	5.196 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.286 s
	screenshot		
			
5	And User click the add icon in customer entity layout facility details	PASSED	0.375 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.320 s
	screenshot		
			
6	And User click the back button in customer entity layout facility details	PASSED	0.120 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.246 s
	screenshot		
			
7	And User click the add icon in customer entity layout facility details	PASSED	21.486 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.176 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	And User enter the primary product in customer entity layout facility details	PASSED	2.380 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.242 s
	screenshot		
			
9	And User enter the primary sub product in customer entity layout facility details	PASSED	1.185 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.226 s
	screenshot		
			
10	And User enter the scheme in customer entity layout facility details	PASSED	0.273 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.218 s
	screenshot		
			
11	And User enter the program code in customer entity layout facility details	PASSED	0.285 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
12	<p><b>And User enter the facility type in customer entity layout facility details</b></p> <pre> org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //ion-label[contains(text(),'Facility Type')]/following-sibling::ion-input//child::input' (tried for 60 second(s) with 5000 milliseconds interval)   at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)   at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)   at stepdefinitions.KULS_CustomerEntityLayout_FacilityDetails. user_enter_the_facility_type_in_customer_entity_layout_facility_details(KULS_CustomerEntityLayout_FacilityDetails.java:199)   at ?.User enter the facility type in customer entity layout facility details(file:///C:/Users/inindc00071/git/repositoryKarthiM/mKarthi_AzenioULSFramework3/src/test/java/features/Customer_Entity_Layout_FacilityDetails.feature:16) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-label[contains(text(),'Facility Type')]/following-sibling::ion-input//child::input"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016574', ip: '10.1.47.116', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8bd7de785494f0e7541e88e386b4d742, findElement {using=xpath, value=//ion-label[contains(text(),'Facility Type')]/following-sibling::ion-input//child::input}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppDataL..}, goog:chromeOptions: {debuggerAddress: localhost:55314}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55314/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8bd7de785494f0e7541e88e386b4d742   at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)   at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) </pre>	FAILED	1 m 0.213 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.KULS_CustomerEntityLayout_FacilityDetails. user_enter_the_facility_type_in_customer_entity_layout_facility_details(KULS_CustomerEntityLayout_FacilityDetails.java:199) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		




#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.185 s
13	And User enter the servicing branch in customer entity layout facility details	SKIPPED	0.001 s
14	And User enter the pricing or interest indicator in customer entity layout facility details	SKIPPED	0.000 s
15	And User enter the declared asset value in customer entity layout facility details	SKIPPED	0.000 s
16	And User enter the declared down payment amount in customer entity layout facility details	SKIPPED	0.000 s
17	And User enter the requested amount in customer entity layout facility details	SKIPPED	0.000 s
18	And User enter the currency in customer entity layout facility details	SKIPPED	0.000 s
19	And User enter the expiry date in customer entity layout facility details	SKIPPED	0.000 s
20	And User enter the loan tenure month in customer entity layout facility details	SKIPPED	0.000 s
21	And User click the save icon in customer entity layout facility details	SKIPPED	0.000 s
22	And User get the save confirmation messege in customer entity layout facility details	SKIPPED	0.000 s
23	Then User click the action edit icon in conventional facility details	SKIPPED	0.000 s
24	And User verify the primary product field should be non editable in customer entity layout facility details	SKIPPED	0.000 s
25	And User verify the primary sub product field should be non editable in customer entity layout facility details	SKIPPED	0.000 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify the functional flow for  
customer entity layout facility details


(F) To verify the functional flow for  
customer entity layout facility details



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify the functional flow for  
customer entity layout facility details

(F) To verify the functional flow for  
customer entity layout facility details



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify the functional flow for  
customer entity layout facility details

(F) To verify the functional flow for  
customer entity layout facility details

The screenshot displays the AZENTIO ONE Banking interface. On the left is a blue sidebar menu with options: Dashboard, Configurations, Transactions, and Reports. The main area shows an 'Inbox' table with the following columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, and Product. The table contains 10 rows of data, all with 'APP\_CREATE' as the Event Code and 'APPDATAENT' as the Stage Code. The Role Code for all entries is 'CPUEXEC'. The Employee Name is 'in02040'. The Created Date ranges from 14-Sep-2022 to 16-Sep-2022. The Workflow Code is 'HLW' and the Product is 'AHL'. At the bottom right, there is a pagination bar showing 'Showing 1 to 10 of 37 entries' and a dropdown menu set to '10'.

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
[Icon]	551	APP_CREATE	APPDATAENT	CPUEXEC	in02040	16-Sep-2022 10:53	HLW	AHL
[Icon]	546	APP_CREATE	APPDATAENT	CPUEXEC	in02040	15-Sep-2022 19:12	HLW	AHL
[Icon]	539	APP_CREATE	APPDATAENT	CPUEXEC	in02040	15-Sep-2022 17:7	HLW	AHL
[Icon]	517	APP_CREATE	APPDATAENT	CPUEXEC	in02040	15-Sep-2022 13:2	HLW	AHL
[Icon]	512	APP_CREATE	APPDATAENT	CPUEXEC	in02040	15-Sep-2022 11:58	HLW	AHL
[Icon]	506	APP_CREATE	APPDATAENT	CPUEXEC	in02040	15-Sep-2022 10:22	HLW	AHL
[Icon]	489	APP_CREATE	APPDATAENT	CPUEXEC	in02040	14-Sep-2022 20:59	HLW	AHL
[Icon]	480	APP_CREATE	APPDATAENT	CPUEXEC	in02040	14-Sep-2022 17:28	HLW	AHL
[Icon]	478	APP_CREATE	APPDATAENT	CPUEXEC	in02040	14-Sep-2022 16:54	HLW	AHL
[Icon]	468	APP_CREATE	APPDATAENT	CPUEXEC	in02040	14-Sep-2022 13:42	HLW	AHL

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify the functional flow for  
customer entity layout facility details

(F) To verify the functional flow for  
customer entity layout facility details

The screenshot displays the AZENTIO ONE Banking interface. On the left is a blue sidebar menu with options: Dashboard, Configurations, Transactions, and Reports. The main area shows a customer details view with a tabbed interface. The tabs are: Prev, Application Info, Customer details, Additional Customer Info, Customer Financials, Facility Info (selected), Document Details, Offering, Repayment Schedule, Policy Check, Fee Details, and Next. The 'Facility Info' tab is active, showing a large empty space. At the bottom right, there is a pagination bar showing 'Showing 1 to 10 of 37 entries' and a dropdown menu set to '10'.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify the functional flow for  
customer entity layout facility details

(F) To verify the functional flow for  
customer entity layout facility details

The screenshot displays the AZENTIO ONE Banking interface. On the left is a blue sidebar with a search bar and a menu containing 'Dashboard', 'Configurations', 'Transactions', and 'Reports'. The top navigation bar includes tabs for 'Prev', 'Application Info', 'Customer details', 'Additional Customer Info', 'Customer Financials', 'Facility info' (which is active), 'Document Details', 'Offering', 'Repayment Schedule', 'Policy Check', 'Fee Details', and 'Next'. The main content area is titled 'Conventional Facility List' and features a table with the following columns: Action, Product, Sub product, Tenure, Expiry date, Requested Amount, and Status. A single entry is visible with Product 'AHL', Sub product 'HOMEXT', Tenure '18', Expiry date '22-Sep-2022', Requested Amount '2222', and Status 'Active'. Below the table, it indicates 'Showing 1 to 1 of 1 entries' with pagination controls. A bottom navigation bar mirrors the top one.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify the functional flow for  
customer entity layout facility details

(F) To verify the functional flow for  
customer entity layout facility details

The screenshot shows the 'Facility Details' form in the AZENTIO ONE Banking application. The interface is consistent with the previous screenshot, including the sidebar and top navigation bar. The main content area is titled 'Facility Details' and contains a form with two columns of fields. The left column includes: 'Primary Product' (dropdown), 'Scheme' (dropdown), 'Facility Type' (dropdown), 'Pricing Or Interest Indicator' (dropdown), 'Declared Down Payment Amount' (dropdown with 'INR' selected), 'Currency' (dropdown), and 'Loan Tenure(Months)' (text input). The right column includes: 'Primary Sub Product' (dropdown), 'Program Code' (dropdown), 'Servicing Branch' (dropdown with 'East Zone' selected), 'Declared Asset Value' (dropdown with 'INR' selected), 'Requested Amount' (dropdown with 'INR' selected), and 'Expiry Date' (text input). A blue button with a plus icon is located at the bottom right of the form.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify the functional flow for  
customer entity layout facility details

(F) To verify the functional flow for  
customer entity layout facility details

**AZENTIO ONE Banking**

Search the menu

Dashboard

Configurations

Transactions

Reports

Facility Details

Primary Product \*

Select

Scheme \*

Select

Facility Type \*

Select

Pricing Or Interest Indicator \*

Select

Declared Down Payment Amount \*

INR

Currency \*

Select

Loan Tenure(Months) \*

Primary Sub Product \*

Select

Program Code \*

Select

Servicing Branch \*

East Zone

Declared Asset Value \*

INR

Requested Amount \*

INR

Expiry Date

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify the functional flow for  
customer entity layout facility details

(F) To verify the functional flow for  
customer entity layout facility details

**AZENTIO ONE Banking**

Search the menu

Dashboard

Configurations

Transactions

Reports

Facility Details

Primary Product \*

Home Loan

Scheme \*

Select

Facility Type \*

Home Loan

Pricing Or Interest Indicator \*

AACD

Declared Down Payment Amount \*

FDR

Currency \*

INR

Loan Tenure(Months) \*

Primary Sub Product \*

Select

Program Code \*

Select

Servicing Branch \*

East Zone

Declared Asset Value \*

INR

Requested Amount \*

INR

Expiry Date

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify the functional flow for  
customer entity layout facility details

(F) To verify the functional flow for  
customer entity layout facility details

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify the functional flow for  
customer entity layout facility details

(F) To verify the functional flow for  
customer entity layout facility details

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify the functional flow for  
customer entity layout facility details

(F) To verify the functional flow for  
customer entity layout facility details

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify the functional flow for  
customer entity layout facility details

(F) To verify the functional flow for  
customer entity layout facility details