

# Cucumber Report

Jul 26, 2022, 1:36:03 AM

Start : Jul 26, 1:33:45.134 AM

End : Jul 26, 1:36:02.947 AM

Duration : 2 m 17.813 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 16  
FAILED - 1  
SKIPPED - 10







#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	0	1	0	2 m 17.813 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	verify Checker user is able to Approve the record	27	16	1	10	2 m 17.809 s




**(F)- Product Master Retail Functionality**

<b>FAILED</b>	<b>DURATION - 2 m 17.813 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 27 Pass - 16 Fail - 1 Skip - 10	
/ 1:33:45.134 AM // 1:36:02.947 AM /					





**(S)- verify Checker user is able to Approve the record**




<div>FAILED</div> <div>DURATION - 2 m 17.809 s</div>			<div>Steps</div> <div>Total - 27</div> <div>Pass - 16</div> <div>Fail - 1</div> <div>Skip - 10</div>	
/ 1:33:45.138 AM // 1:36:02.947 AM /				
Product Master Retail Functionality				
@ProductMaster_Retail_Approve_Reject_Return				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	9.567 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.167 s
	screenshot		
			
2	And User Login as maker	PASSED	0.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.201 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on Product Setup	PASSED	0.166 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
	screenshot		
			
4	Then click on Product Master eye icon	PASSED	0.124 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.167 s
	screenshot		
			
5	Then click on Product Master add button	PASSED	1.635 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.224 s
	screenshot		
			
6	Then verify functionality and asterik mark of the field Product Group	PASSED	2.340 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.127 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then verify functionality and asterik mark of the field Product Code	PASSED	1.159 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.106 s
	screenshot		
			
8	Then Enter Product Description	PASSED	0.168 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.116 s
	screenshot		
			
9	Then verify functionality and asterik mark of the field RetailCorporate	PASSED	2.217 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.119 s
	screenshot		
			
10	Then verify the field Remarks	PASSED	1.167 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.106 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then click on save button	PASSED	0.127 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.196 s
	screenshot		
			
12	Then validate Success pop up	PASSED	5.108 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.167 s
	screenshot		
			
13	Then click on inbox	PASSED	0.154 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.149 s
	screenshot		
			
14	And open record for Approve	PASSED	2.157 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
15	Then submit the Record	PASSED	9.532 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.110 s
	screenshot		
			
16	Then user logout from the application	PASSED	0.205 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.115 s
	screenshot		
			
17	And User Login as Checker	FAILED	1 m 23.672 s
	<p>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3238ca56052ea68f3fe761a1ae9662e0, findElement {using=xpath, value=//ion-input[@ng-reflect-name='username']/input}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:57342}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57342/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3238ca56052ea68f3fe761a1ae9662e0</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p>		



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.toString(Unknown Source) at java.base/java.lang.String.valueOf(String.java:4215) at java.base/java.lang.StringBuilder.append(StringBuilder.java:169) at org.openqa.selenium.support.ui.ExpectedConditions\$10.toString(ExpectedConditions.java:298) at java.base/java.lang.String.valueOf(String.java:4215) at java.base/java.lang.StringBuilder.append(StringBuilder.java:169) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.KULS_Application_Login.ulSApplicationLoginAsAChecker1(KULS_Application_Login.java:84) at stepdefinitions.KULS_Login.user_login_as_checker(KULS_Login.java:53) at ?.User Login as Checker(file:///C:/Users/inindc00089/git/Azentio_ULSFramework/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:87) * Not displayable characters are replaced by '?'. </pre>		
	<p><b>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</b></p> <pre> org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3238ca56052ea68f3fe761a1ae9662e0, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:57342}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57342/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3238ca56052ea68f3fe761a1ae9662e0 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) </pre>	FAILED	12.178 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)		
18	Then click on Menu	SKIPPED	0.000 s
19	Then click on inbox	SKIPPED	0.000 s
20	Then Open the record to approve it	SKIPPED	0.000 s
21	Then approve the record	SKIPPED	0.000 s
22	And User Login as maker	SKIPPED	0.000 s
23	Then click on Product Setup	SKIPPED	0.000 s
24	Then click on Product Master eye icon	SKIPPED	0.000 s
25	Then click on search icon	SKIPPED	0.000 s
26	Then search approved record	SKIPPED	0.000 s
27	Then user logout from the application	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.289 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3238ca56052ea68f3fe761a1ae9662e0, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:57342}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57342/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3238ca56052ea68f3fe761a1ae9662e0 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

Loading...

Powered by Metabase

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

Loading...

Powered by Metabase

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Asset Auto Master

Asset CD Master

Product master

Sub Product Master

Regulatory Product Defini...

Project Setup

Config Manager

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master interface. On the left is a dark blue sidebar with the Azentio logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area has a top header with a hamburger menu, language (English), LOS, Azentio Software, and user profile (Puneet, 01-Sep-2023). Below the header is the 'Product Master' title and a table. The table has columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, and Status. It displays five rows of loan records, all with 'Active' status. At the bottom, it shows 'Showing 1 to 5 of 127 entries' and a pagination control.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
	98303249	PR19	Loan	R	Active
	98303249	PR16	Loan	R	Active
	98303249	PR16	Loan	R	Active
	98303249	PR16	Loan	R	Active
	98303249	PR16	Loan	R	Active


(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record


(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form view. The sidebar is identical to the previous screenshot. The main content area has a top header with the same navigation and user information. Below the header is the 'Product Master' title and a form. The form has fields for Product Group (Lending), Product Code, Product Description (with a dropdown menu open showing options: Deposits, Lending (selected), Trade, Treasury), and Retail/Corporate (Select). There is also a Remarks field. A red notification icon is visible in the top right corner of the form area.

## (F) Product Master Retail Functionality



## (F) Product Master Retail Functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form. The left sidebar contains a navigation menu with options like Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main form area has fields for Product Group (Lending), Product Code (PR19), Product Description (Loan), and Retail/Corporate (Retail). A dropdown menu is open for the Retail/Corporate field, showing options: Select, Corporate, and Retail (which is selected with a checkmark). The Remarks field is empty.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record

(F) Product Master Retail Functionality


This screenshot shows the same Azentio Product Master form as the previous one, but with the text 'HomeLoan' entered in the Remarks field. The other fields (Product Group, Product Code, Product Description, and Retail/Corporate) remain the same. The dropdown menu for Retail/Corporate is no longer open.



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record

(F) Product Master Retail Functionality




The screenshot shows the 'Product Master' form in the Azentio software. The form has a header bar with a back arrow, the title 'Product Master', and a save icon. Below the header, there are several input fields: 'Product Group' (dropdown menu with 'Lending' selected), 'Product Code' (text input with 'PR19'), 'Product Description' (text input with 'Loan'), 'Retail/Corporate' (dropdown menu with 'Retail' selected), 'DM Code' (text input), and 'Remarks' (text input with 'HomeLoan').






(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record

(F) Product Master Retail Functionality



The screenshot shows the 'Product Master' table in the Azentio software. The table has a header bar with a search icon, the title 'Product Master', and an 'Export' button. Below the header, there is a table with 7 columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, Status, and Authorization Status. The table contains 5 rows of data. At the bottom of the table, there is a pagination bar showing 'Showing 1 to 5 of 186 entries' and a dropdown menu for the number of entries per page (currently set to 5).

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status	Authorization Status
	98303249	PR19	Loan	R	Active	
	98303249	PR21	Loan	R	Active	
	98303249	PR20	Loan	R	Active	CHECKER
	98303249	PR18	Loan	R	Active	CHECKER
	98303249	PR17	Loan	R	Active	

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record

(F) Product Master Retail Functionality

**AZENTIO™**

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Asset Auto Master
- Asset CD Master
- Product master**
- Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

**Inbox**

Action

Showing 0 to 0 of 0 entries

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5820	PRODUCT_MST	MAKER	LOSMKR	in00135	26-Jul-2022 1:33	TSW	
	5815	PRODUCT_MST	MAKER	LOSMKR	in00135	26-Jul-2022 0:40	TSW	
	5803	PRODUCT_MST	MAKER	LOSMKR	in00135	26-Jul-2022 0:28	TSW	
	5801	PRODUCT_MST	MAKER	LOSMKR	in00135	25-Jul-2022 23:47	TSW	
	5797	PRODUCT_MST	MAKER	LOSMKR	in00135	25-Jul-2022 23:39	TSW	
	5790	SUB_PRD_MAST	MAKER	LOSMKR	in00135	25-Jul-2022 21:54	TSW	
	5779	SUB_PRD_MAST	MAKER	LOSMKR	in00135	25-Jul-2022 19:44	TSW	
	5778	SUB_PRD_MAST	MAKER	LOSMKR	in00135	25-Jul-2022 19:12	TSW	
	5777	SUB_PRD_MAST	MAKER	LOSMKR	in00135	25-Jul-2022 18:59	TSW	
	5776	SUB_PRD_MAST	MAKER	LOSMKR	in00135	25-Jul-2022 18:56	TSW	

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record

(F) Product Master Retail Functionality

**AZENTIO™**

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Asset Auto Master
- Asset CD Master
- Product master**
- Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

**Inbox**

Action

Showing 0 to 0 of 0 entries

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5820	PRODUCT_MST	MAKER	LOSMKR	in00135	26-Jul-2022 1:33	TSW	
	5815	PRODUCT_MST	MAKER	LOSMKR	in00135	26-Jul-2022 0:40	TSW	
	5803	PRODUCT_MST	MAKER	LOSMKR	in00135	26-Jul-2022 0:28	TSW	
	5801	PRODUCT_MST	MAKER	LOSMKR	in00135	25-Jul-2022 23:47	TSW	
	5797	PRODUCT_MST	MAKER	LOSMKR	in00135	25-Jul-2022 23:39	TSW	
	5790	SUB_PRD_MAST	MAKER	LOSMKR	in00135	25-Jul-2022 21:54	TSW	
	5779	SUB_PRD_MAST	MAKER	LOSMKR	in00135	25-Jul-2022 19:44	TSW	
	5778	SUB_PRD_MAST	MAKER	LOSMKR	in00135	25-Jul-2022 19:12	TSW	
	5777	SUB_PRD_MAST	MAKER	LOSMKR	in00135	25-Jul-2022 18:59	TSW	
	5776	SUB_PRD_MAST	MAKER	LOSMKR	in00135	25-Jul-2022 18:56	TSW	

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record

(F) Product Master Retail Functionality

The screenshot displays the AZENTIO software interface. On the left is a dark blue sidebar with a menu. The 'Product master' option is highlighted in orange. The main area shows an 'Inboxes' table with columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, and Product. The table contains 10 rows of data. A green notification box in the top right corner states: 'Record APPROVED Successfully, and Current Stage is CHECKER with status PENDING from in01951.' A blue circular icon with a gear symbol is visible in the bottom right corner of the interface.

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5815	PRODUCT_MST	MAKER	LOSMKR	in00135	26-Jul-2022 0:40	TSW	
	5803	PRODUCT_MST	MAKER	LOSMKR	in00135	26-Jul-2022 0:28	TSW	
	5801	PRODUCT_MST	MAKER	LOSMKR	in00135	25-Jul-2022 23:47	TSW	
	5797	PRODUCT_MST	MAKER	LOSMKR	in00135	25-Jul-2022 23:39	TSW	
	5790	SUB_PRD_MAST	MAKER	LOSMKR	in00135	25-Jul-2022 21:54	TSW	
	5779	SUB_PRD_MAST	MAKER	LOSMKR	in00135	25-Jul-2022 19:44	TSW	
	5778	SUB_PRD_MAST	MAKER	LOSMKR	in00135	25-Jul-2022 19:12	TSW	
	5777	SUB_PRD_MAST	MAKER	LOSMKR	in00135	25-Jul-2022 18:59	TSW	
	5776	SUB_PRD_MAST	MAKER	LOSMKR	in00135	25-Jul-2022 18:56	TSW	
	167	SCHEME_MST	MAKER	LOSMKR	in00135	25-Jul-2022 18:35	TSW	

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record

(F) Product Master Retail Functionality