

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of the Allocation Masater	1	1	0	0	57.074 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of the Allocation	To verify make user can not able to update the allocation	15	15	0	0	57.068 s
	Masater	master record with invalid inputs and blank field					

(F)- Check the functionality of the Allocation Masater

PASSED	DURATION - 57.074 s	Scenarios		Steps	
		Total - 1		Total - 15	
/ 2:58:02.374 pm	// 2:58:59.448 pm /	Pass - 1	1	Pass - 15	15
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- To verify make user can not able to update the allocation master record with invalid inputs and blank field



#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS application	PASSED	32.637 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.774 s
	screenshot		
	A AZENTIO U V V V V V V V V V V V V V V V V V V		
2	Then user click on configurations Tab	PASSED	0.365 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.793 s
	screenshot		
	TO SECURITY OF THE SECURITY OF		


3 When user click Config Manager menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 1.140 s	
screenshot	S
AZENTO # # 90 90 90 90 \$	
4 And click on view icon near by allocation master screen PASSED 0.445 s	S
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.534 s	S
screenshot	
*** **********************************	
5 And select the approved record in allocation master list view PASSED 0.503 s	 S
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.954 s	S
screenshot	
6 And clear the input field of description PASSED 1.878 s	S
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.236 s	S
screenshot	
7 And clear the input field of allocation code PASSED 0.352 s	S
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.217 stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	S
screenshot	


#	Step / Hook Details	Status	Duration
	ATENTO # # 900 000 000 000 000 # # 900 000 000 # # 900 000 # # 900 000 # #		
8	And click on save button with out data in mandatory field in allocation master	PASSED	0.240 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.404 s
	screenshot		
	AZENTO SERVICE SERV		
9	Then verify mandatory field are showing validation in allocation master screen	PASSED	0.135 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
	screenshot		
	ACCOUNTS B		
10	And enter the special character input in description field	PASSED	1.498 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.270 s
	screenshot		
	AZENTO SERVICE SERVIC		
11	And enter the special character input in allocation code field	PASSED	0.516 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.256 s
	screenshot		
	And enter the special character input in description field AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) screenshot And enter the special character input in allocation code field AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)	PASSED	0.270 s 0.516 s

#	Step / Hook Details	Status	Duration
	TOTAL		
12	Then verify description field show the validation for special characecter	PASSED	0.043 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.213 s
	screenshot		
13	Then verify allocation code field show the validation for special characecter	PASSED	0.054 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.188 s
	screenshot		
	Address of the state of the sta		
14	And click on back buttonin allocation master updation screen	PASSED	0.196 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.329 s
	screenshot]	
	## 1 10 10 10 10 10 10 10 10 10 10 10 10 1		
15	Then verify back button is working as we expected	PASSED	0.052 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.222 s
	screenshot		


DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	AZENTO U II NO		
	Table Tabl		







EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --

