

Cucumber Report

3 Aug 2023, 3:51:41 PM

Start : Aug 03, 3:51:32.485 PM

End : Aug 03, 3:51:39.336 PM

Duration : 6.851 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 0
SKIPPED - 13







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of Property Details screen</u>	1	0	1	0	6.851 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the functionality of Property Details screen</u>	<u>Verify the functionality of Activate/Deactivate button of Property Details screen</u>	13	0	0	13	6.844 s

(F)- Check the functionality of Property Details screen

FAILED	DURATION - 6.851 s	Scenarios		Steps	
/ 3:51:32.485 PM // 3:51:39.336 PM /		Total - 1		Total - 13	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 13	

(S)- Verify the functionality of Activate/Deactivate button of Property Details screen

<div>FAILED</div> <div>DURATION - 6.844 s</div>			Steps		
/ 3:51:32.492 PM // 3:51:39.336 PM /			Total - 13		
Check the functionality of Property Details screen			Pass - 0		
@AT_PD_006			Fail - 0		
			Skip - 13		

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario) org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 110 Current browser version is 115.0.5790.111 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.248', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}, desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:166) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:89) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:99)	FAILED	6.770 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:86) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:75) at resources.BaseClass.initializeDriver(BaseClass.java:31) at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		
1	Given User launch the kuls application	SKIPPED	0.001 s
2	And User Login as maker	SKIPPED	0.000 s
3	Then user should click on the menu toggle from maker stage	SKIPPED	0.000 s
4	Then click on inbox to search for the Property Details record	SKIPPED	0.001 s
5	Then click on search button to search the record of Property Details in inbox	SKIPPED	0.001 s
6	Then enter the reference id of the Property Details record	SKIPPED	0.001 s
7	Then click on the entitle button of the Property Details record of that reference id	SKIPPED	0.001 s
8	Then click on the Property Details tab	SKIPPED	0.001 s
9	Then open the record of Property Details to modify	SKIPPED	0.000 s
10	Then verify on clicking toggle button system should allow user to change the status of the record as Activate or Deactivate	SKIPPED	0.003 s
11	Then verify the Label on button if the status of property details record is Active	SKIPPED	0.001 s
12	Then verify the Label on button if the status of property details record is Deactive	SKIPPED	0.001 s
13	Then verify the functionality of Back button on property details screen	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		