


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To verify the functionalities of report master	1	0	1	0	48.157 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify the functionalities of report	To verify system allow user to do a modification on already	28	8	1	19	48.149 s
	master	approved record					

## **(F)-** To verify the functionalities of report master

FAILED	DURATION - 48.157 s	Scenarios		Steps	
		Total - 1		Total - 28	
/ 2:32:37.087 F	PM // 2:33:25.244 PM /	Pass - 0	1	Pass - 8	28
		Fall - 1		Fail - 1	
		Skip - 0		Skip - 19	

## (S)- To verify system allow user to do a modification on already approved record



#	Step / Hook Details	Status	Duration
1	Given Navigate to ULS application URL	PASSED	13.801 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.741 s
	screenshot		
	AZENTIO		
2	Then login with valid maker credentials	PASSED	8.684 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.555 s
	screenshot		
	TOTAL STATE OF THE PROPERTY OF		

AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  AA And click on config Manager main module  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  AA Click the Eye icon of report master  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  AA d click on approved records button of report master  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)	#	Step / Hook Details	Status	Duration
And click on config Manager main module  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AATER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AATER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  ATER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.200 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.000 s	3	And go to configuration main menu	PASSED	0.169 s
4 And click on config Manager main module AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario)  5 And Click the Eye icon of report master AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.200 s  PASSED  0.431 s  2.009 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.617 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.236 s
4 And click on config Manager main module  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And Click the Eye icon of report master  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And click on approved records button of report master  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.200 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.200 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.617 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot  And Click the Eye icon of report master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot  AGTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  2.009 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.617 s				
screenshot  After_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  2.009 s  After_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.617 s	4	And click on config Manager main module	PASSED	0.200 s
5 And Click the Eye icon of report master  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And Click on approved records button of report master  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.230 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.431 s  Then click on edit button of report master record to modify  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  2.009 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.617 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.300 s
5 And Click the Eye icon of report master  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And click on approved records button of report master  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.230 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  7 Then click on edit button of report master record to modify  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  2.009 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.617 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And click on approved records button of report master  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.585 s  0.230 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  7 Then click on edit button of report master record to modify  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.617 s				
screenshot  And click on approved records button of report master  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.230 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  7 Then click on edit button of report master record to modify  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.617 s	5	And Click the Eye icon of report master	PASSED	0.268 s
And click on approved records button of report master  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then click on edit button of report master record to modify  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  2.009 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.617 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.585 s
And click on approved records button of report master  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then click on edit button of report master record to modify  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  2.009 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.617 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  7 Then click on edit button of report master record to modify  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  2.009 s  PASSED  0.431 s				
Then click on edit button of report master record to modify  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  PASSED  0.617 s	6	And click on approved records button of report master	PASSED	0.230 s
7 Then click on edit button of report master record to modify  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 2.009 s  0.617 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.431 s
7 Then click on edit button of report master record to modify AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.009 s 0.617 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.617 s				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.617 s	7	Then click on edit button of report master record to modify	PASSED	2.009 s
screenshot				+
Out-out-out-out-out-out-out-out-out-out-o		screenshot	7	

#	Step / Hook Details	Status	Duration
	TABLETO  TRACE OF THE CONTROL OF THE		
8	Then verify system allow user to do a modification on already approved report master record	PASSED	4.319 s
	AFTER STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.576 s
	screenshot		
	PARTO		
9	Then verify system display the confirmation message in the report master screen post clicking on save button	FAILED	10.377 s
	org.openga.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator "By.xpath: (//body/div/div/div/div/[1])[1]" (tried for 10 second(s) with 500 milliseconds interval) at org.openga.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openga.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:231) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:91) at stepdefinitions ULS. ReportMasterSteps. verify_system_display_the_confirmation_message_in_the_report_master_screen_post_clicking_on_save_button(ULS_ReportMasterSteps. java:2313) at ?.verify system_display the confirmation message in the report master screen post_clicking on save button(file://IC:/Users/ININDC00076/git/Azentio_ULS/AzentioULSFramework_Anandh/src/test/java/features/ReportMaster.feature:181.) Caused by: org.openga.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath"; "selector":"(//body/div/div/div/li/1])[1]") (Session info: chrome=110.0.5481.104) For documentation on this error, please visit: https://selenium.dev/exceptions/ino_such_element Build info: version: '4.0-or-c-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.56', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openga.selenium.chrome.ChromeDriver Command: [d82c77b278d9847b1eeac0681e5e0e95, findElement [using=xpath, value=(//body/div/div/div/div/li/1])] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.104, chrome: (chromedriverVersion: 110.0.5481.77 (65ed616c68e, userDataDir: C:Users\NNDC-1AppDataL), goog:chromeOptions: {debuggerAddresss: localhost:54094/, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WNDOWS, platformName: WNDOWS, proxy: Proxy(), se:cdp: ws://localhost:54094/devtoo, se:cdpVersion: 110.0.5481.104, setWindowRect: true, strictFlieInteractabilit		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openga.selenium.support.ui.FluentWait.until(FluentWait.java:208)		
	at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:91)		
	at stepdefinitions.ULS_ReportMasterSteps.		
	verify_system_display_the_confirmation_message_in_the_report_master_screen_post_clicking_on_save_button(ULS_ReportMasterSteps.		
	java:2313)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:578)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:578)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		

#	Step / Hook Details	Status	Duration
	at org.testng.internal.MethodRunner.runlnSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestMethodWorker.invokeTestMethodS(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunner.worker.run(SuiteRunner.yava:276) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1114) at org.testng.TestNG.runSuitesCocally(TestNG.java:1134) at org.testng.TestNG.runSuitesCocally(TestNG.java:1103) at org.testng.TestNG.runSuitesCotally(TestNG.java:1063) at org.testng.TestNG.runFuitesTestNG.java:1063) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.min(AmentoeTestNG.java:77) *Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.401 s
	screenshot		
10	Then confirmation message displays in the report master screen with reference id	SKIPPED	0.000 s
11	Then click on inbox button to select the record of report master	SKIPPED	0.001 s
12	And select the record of report master from inbox to submit	SKIPPED	0.000 s
13	Then click on submit button to submit the record of report master	SKIPPED	0.001 s
14	Then system should display confirmation message after submit report master record	SKIPPED	0.000 s
15	Then capture checker ID of report master	SKIPPED	0.001 s
16	Then logout user from maker stage	SKIPPED	0.000 s
17	And User Login as checker to approve report master record	SKIPPED	0.001 s
1 1 1	This con Login do director to deprete report master record		


DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
19	Then select the record of report master to approve	SKIPPED	0.000 s
20	Then select approve button for approve the report master record	SKIPPED	0.001 s
21	Then enter remark for approve the record of report master	SKIPPED	0.000 s
22	Then click on approve button of the report master record	SKIPPED	0.000 s
23	Then system should display confirmation message after approve the report master record	SKIPPED	0.001 s
24	Then logout user from checker stage	SKIPPED	0.000 s
25	And User Login as maker	SKIPPED	0.000 s
26	Then user should navigate to report master	SKIPPED	0.000 s
27	And click on approved records button of report master	SKIPPED	0.000 s
28	Then verify all the captured modified data of report master from makers side should be saved and stored in the system	SKIPPED	0.001 s

(Step) AFTER\_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify system allow user to do a modification on already approved record


 $\frac{\text{(F) To verify the functionalities of report}}{\text{master}}$ 




(Step) AFTER\_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)


(S) To verify system allow user to do a modification on already approved record

 $\frac{\mbox{(F) To verify the functionalities of report}}{\mbox{master}}$ 






EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --

