

# Cucumber Report

18-Oct-2022, 2:57:50 pm

**Start : Oct 18, 2:56:58.921 pm**

**End : Oct 18, 2:57:45.290 pm**

**Duration : 46.369 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 1**

**FAILED - 0**

**SKIPPED - 0**

**PASSED - 1**

**FAILED - 0**

**SKIPPED - 0**

**PASSED - 8**

**FAILED - 0**

**SKIPPED - 0**







| # | Feature Name                                      | T | P | F | S | Duration |
|---|---|---|---|---|---|----------|
| 1 | Check the functionality of the Allocation Masater | 1 | 1 | 0 | 0 | 46.369 s |






| # | Feature Name                                      | Scenario Name   | T | P | F | S | Duration |
|---|---|---|---|---|---|---|----------|
| 1 | Check the functionality of the Allocation Masater | To verify the when user keep any mandatory field blank and invalid the system should not allow to save the record | 8 | 8 | 0 | 0 | 46.364 s |

**(F)- Check the functionality of the Allocation Masater**




|                                      |                            |           |   |           |   |
|--------------------------------------|----------------------------|-----------|---|-----------|---|
| <b>PASSED</b>                        | <b>DURATION - 46.369 s</b> | Scenarios |  | Steps     |  |
| / 2:56:58.921 pm // 2:57:45.290 pm / |                            | Total - 1 |   | Total - 8 |   |
|                                      |                            | Pass - 1  |   | Pass - 8  |   |
|                                      |                            | Fail - 0  |   | Fail - 0  |   |
|                                      |                            | Skip - 0  |   | Skip - 0  |   |

**(S)- To verify the when user keep any mandatory field blank and invalid the system should not allow to save the record**

|  |  |   |   |  |
|--|--|---|---|--|
| <div>PASSED</div> <div>DURATION - 46.364 s</div>             |  | <div></div> | <div>Steps</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 2:56:58.926 pm // 2:57:45.290 pm /</div>              |  |   |   |  |
| <div>Check the functionality of the Allocation Masater</div> |  |   |   |  |
| <div>@Allocation_Master_M5</div>                             |  |   |   |  |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given User Launch the KULS application  | PASSED | 22.970 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 2.075 s  |
|   | screenshot  |        |          |
|   |  |        |          |
| 2 | Then user click on configurations Tab   | PASSED | 0.104 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.527 s  |
|   | screenshot  |        |          |


| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   |    |        |          |
| 3 | When user click Config Manager menu   | PASSED | 0.393 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.324 s  |
|   | screenshot  |        |          |
|   |    |        |          |
| 4 | And Click the eye icon of the alloction master                                      | PASSED | 0.211 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.568 s  |
|   | screenshot  |        |          |
|   |    |        |          |
| 5 | Then Click the add button in the allocation master                                  | PASSED | 0.680 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.558 s  |
|   | screenshot  |        |          |
|   |  |        |          |
| 6 | Then Save the record in allocation master   | PASSED | 0.736 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.312 s  |
|   | screenshot  |        |          |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   |               |        |          |
| 7 | And keep the mandatory field as blank and save the record and validate it in allocation master | PASSED | 2.636 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)               | PASSED | 0.226 s  |
|   | screenshot   |        |          |
|   |               |        |          |
| 8 | Then Validate the save button by filling invalid data  | PASSED | 0.744 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)               | PASSED | 0.298 s  |
|   | screenshot   |        |          |
|   |               |        |          |

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify the when user keep any  
mandatory field blank and invalid the  
system should not allow to save the record


(F) Check the functionality of the  
Allocation Masater



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify the when user keep any  
mandatory field blank and invalid the  
system should not allow to save the record


(F) Check the functionality of the  
Allocation Masater



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify the when user keep any  
mandatory field blank and invalid the  
system should not allow to save the record


(F) Check the functionality of the  
Allocation Masater



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify the when user keep any  
mandatory field blank and invalid the  
system should not allow to save the record

(F) Check the functionality of the  
Allocation Masater





(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify the when user keep any  
mandatory field blank and invalid the  
system should not allow to save the record

(F) Check the functionality of the  
Allocation Masater

The screenshot shows the AZENTIO ONE Banking Allocation Master interface. On the left is a blue sidebar menu with options: Dashboard, Configurations master, Due master, Product master, Pricing indicator master, Floating rate master, Employer master, Sub Product Master, SchemeMaster, BP Master, Bounce Master, Covenant Master, Allocation Master, Transactions, and Reports. The main area is titled 'Allocation Master' and contains a table with columns 'Action', 'Description', and 'Status'. The table lists five entries, all with a status of 'Active'. At the bottom right, it says 'Showing 1 to 5 of 22 entries' with pagination controls.

| Action | Description | Status |
|--------|-------------|--------|
|        | 1           | Active |
|        | Done12      | Active |
|        | Done12      | Active |
|        | Done12      | Active |
|        | Allocation  | Active |

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify the when user keep any  
mandatory field blank and invalid the  
system should not allow to save the record

(F) Check the functionality of the  
Allocation Masater

The screenshot shows the AZENTIO ONE Banking Allocation Master interface in form mode. The sidebar menu is the same as in the previous screenshot. The main area is titled 'Allocation Master' and contains two input fields: 'Discription' and 'Allocation Code'. Both fields have a red asterisk indicating they are required. Below the fields are blue labels that say 'Required field'. At the bottom of the form, there is a blue button with a white plus icon. A blue message box at the bottom of the screen says 'Please fill all the details'.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify the when user keep any  
mandatory field blank and invalid the  
system should not allow to save the record

(F) Check the functionality of the  
Allocation Masater

**AZENTIO** ONEBanking

Search the menu

Dashboard

Configurations master

Due master

Product master

Pricing indicator master

Floating rate master

Employer master

Sub Product Master

SchemeMaster

BP Master

Bounce Master

Covenant Master

Allocation Master

Transactions

Reports

Allocation Master

Discription \*

Allocation Code \*

Required field

Required field

Alphanumeric characters allowed

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify the when user keep any  
mandatory field blank and invalid the  
system should not allow to save the record

(F) Check the functionality of the  
Allocation Masater

**AZENTIO** ONEBanking

Search the menu

Dashboard

Configurations master

Due master

Product master

Pricing indicator master

Floating rate master

Employer master

Sub Product Master

SchemeMaster

BP Master

Bounce Master

Covenant Master

Allocation Master

Transactions

Reports

Allocation Master

Discription \*

Allocation Code \*

Required field

Required field

Alphanumeric characters allowed