Duration: 1 m 27.557 s Start: Jan 30, 4:12:43.208 PM End: Jan 30, 4:14:10.765 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 13 SKIPPED - 0 SKIPPED - 0 SKIPPED - 11 25 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 52 % 100 100


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To verify the functionality of fee master	1	0	1	0	1 m 27.557 s

SCENARIOS SUMMARY

-- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify the functionality of fee master	To verify user is able to add new Fee record in Fee Master	25	13	1	11	1 m 27.541 s

DETAILED SECTION

(F)- To verify the functionality of fee master

FAILED	DURATION - 1 m 27.557 s	Scenarios		Steps	
		Total - 1		Total - 25	
/ 4:12:43.208 PI	M // 4:14:10.765 PM /	Pass - 0	1	Pass - 13	25
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 11	

(S)- To verify user is able to add new Fee record in Fee Master



#	Step / Hook Details	Status	Duration
1	Given Get the URL and login as maker	PASSED	28.102 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.290 s
	screenshot		
	ASSETTE AND SET AS AND		
2	And Click the configuration	PASSED	0.163 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.294 s
	screenshot		
	ASSETTION AND SET OF THE PROPERTY OF THE PROPE		


State Click the config Manager PASSED AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED PASSE	#	Step / Hook Details	Status	Duration
screenshot And Click the eyeicon of the fee master AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) Then Click the add button in fee master AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) Screenshot AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) Screenshot AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Sce	3	Then Click the config Manager	PASSED	0.164 s
And Click the eyeicon of the fee master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 Then Click the add button in fee master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 Then Click the add button in fee master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 Screenshot 6 And then print the fields avilable in charge tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 6 And then print the fields avilable in charge tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 Screenshot			PASSED	0.428 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then Click the add button in fee master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot		The state of the		
screenshot Then Click the add button in fee master AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot And then print the fields avilable in charge tab AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot	4	And Click the eyeicon of the fee master	PASSED	0.235 s
Then Click the add button in fee master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And then print the fields avilable in charge tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot DASSED 5.773 s PASSED 0.376 s			PASSED	0.523 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 And then print the fields avilable in charge tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 5.773 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot				
screenshot 6 And then print the fields avilable in charge tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.376 s	5	Then Click the add button in fee master	PASSED	6.382 s
6 And then print the fields avilable in charge tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 5.773 s O.376 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.800 s
6 And then print the fields avilable in charge tab AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 5.773 s PASSED 0.376 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.376 s				
screenshot	6	And then print the fields avilable in charge tab	PASSED	5.773 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.376 s
ATANIO STANIO STANIO		screenshot		
The state of the		A SECTION Name of Section		
7 Then To verify the red astriek mark on all the mandatory fields in fee master PASSED 0.563 s	7	Then To verify the red astriek mark on all the mandatory fields in fee master	PASSED	0.563 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.343 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.343 s
screenshot		screenshot		

#	Step / Hook Details	Status	Duration
	AZENTO		
8	Then Check the functinality of charge description in charge tab	PASSED	2.050 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.293 s
	screenshot		
	ASSETTE		
9	And Select the charge type in charge tab	PASSED	3.298 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.403 s
	screenshot		
10	Then select the charge flag in charge tab	PASSED	0.541 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.524 s
	screenshot		
	ASENDO Sende II		
11	And select the Due code in charge tab	PASSED	0.931 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.303 s
	screenshot]	


#	Step / Hook Details	Status	Duration
	ASSETTED Second 20 10 10 10 10 10 10 10 10 10 10 10 10 10		
12	Then Enter the legacy code1	PASSED	11.258 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.355 s
	screenshot	1	
	ASSETTION SEARCH ST.		
13	And Enter the legacy code2	PASSED	11.163 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.335 s
	screenshot		
	# ALEHTO Second of T 800 800 800 \$0 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		
14	Then Choose the GST applicable state	FAILED	1.152 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-select_ngcontent-njx-c177="" aria-haspopup="listbox" aria-label="Select, GST Applicable State " class="ng-untouched ng-pristine ng-valid ios in-item hydrated ion-untouched ion-pristine ion-valid" ng-reflect-cancel-text="CANCEL" ng-reflect-disabled="false" ng-reflect-interface="popover" ng-reflect-jase"="" ng-reflect-multiple="false" ng-reflect-oktext="OK" ng-reflect-placeholder="Select" role="button"> is not clickable at point (668, 414). Other element would receive the click: <ion-popover aria-modal="true" class="select-popover ios popover-desktop popover-side-bottom hydrated" id="ion-overlay-5" no-router="" style="z-index: 20005;width:792.016px;" tabindex="-1"> //ion-popover> (Session info: chrome=108.0.5359.126) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.60', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [99858484727ace450353d5da06233646, clickElement {id=7da12ac0-ff28-4fe1-bc29-6437b0c25faf}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.126, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06, userDataDir: C:\Users\IninDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:60595}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadstrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60595/devtoo, se:cdpVersion: 108.0.5359.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (99858484727ace450353d5da06233646)] -> xpath: //ion-select[@aria-label='Select, GST Applicable St</ion-popover></ion-select_ngcontent-njx-c177="">		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:251) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:277) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.FeeMaster.choose_the_gst_applicable_state(FeeMaster.java:179) at ?Choose the GST applicable state(file:///C:/Users/ININDC00073/git/Azentio_ULS/Kamala_Priya_AzentioULSFramework3/src/test/java/features/FeeMaster.feature:20) * Not displayable characters are replaced by '?'. AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.307 s
	SCREENSHOT ASTOTIO ASTOTIO	_	
15	And click the is tax allowed button	SKIPPED	0.001 s
16	Then select the tax calculation method	SKIPPED	0.000 s
17	And click the include in apr button	SKIPPED	0.000 s
18	Then choose the amortize field in charge tab	SKIPPED	0.000 s
19	And choose the deduct field in charge tab	SKIPPED	0.000 s
20	Then select the upfront filed in charge tab	SKIPPED	0.000 s
21	And Select the amort rate method	SKIPPED	0.000 s
22	Then Choose the fee amort tenure method	SKIPPED	0.001 s
23	And Select the charge amount recovery	SKIPPED	0.001 s
24	Then Choose the fee amort frequency	SKIPPED	0.000 s
25	Then Save the record in charge tab	SKIPPED	0.001 s


EXPANDED SECTION -- 9 --




EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --

