

Cucumber Report

09-Sep-2022, 5:17:55 pm

Start : Sep 09, 5:17:33.260 pm

End : Sep 09, 5:17:53.837 pm

Duration : 20.577 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 2


FAILED - 1

SKIPPED - 53







#	Feature Name	T	P	F	S	Duration
1	Check The functionality of the Personal Details App data Entry	1	0	1	0	20.577 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check The functionality of the Personal Details App data Entry	verify the availability of Add button and create a new Record of customer details tab	56	2	1	53	20.565 s


(F)- Check The functionality of the Personal Details App data Entry


FAILED	DURATION - 20.577 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 56 Pass - 2 Fail - 1 Skip - 53	
/ 5:17:33.260 pm // 5:17:53.837 pm /					

(S)- verify the availability of Add button and create a new Record of customer details tab


FAILED	DURATION - 20.565 s		Steps Total - 56 Pass - 2 Fail - 1 Skip - 53	
/ 5:17:33.272 pm // 5:17:53.837 pm /				
Check The functionality of the Personal Details App data Entry				
@AT_PDE_002				


#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	11.749 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.292 s
	screenshot 		
2	Then user click on Transaction Module	PASSED	0.094 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.242 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	<p>And user click on Application Details</p> <p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button _ngcontent-amf-c334="" routerlinkactive="active" routerdirection="root" color="primary" ng-reflect-router-direction="root" ng-reflect-color="primary" ng-reflect-router-link-active="active" class="ion-color ion-color-primary md button button-small button-clear ion-activatable ion-focusable hydrated">...</ion-button> is not clickable at point (212, 430). Other element would receive the click: <ion-item _ngcontent-amf-c334="" lines="none" ng-reflect-lines="none" class="item md item-lines-none item-fill-none in-list ion-focusable hydrated item-label" role="listitem">...</ion-item> (Session info: chrome=105.0.5195.102) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os: name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23d98425c482e8641268cb099752c13b, clickElement {id=f07d2db8-06e2-458d-9479-262158d718be}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.102, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\NINDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:65045}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65045/devtoo..., se:cdpVersion: 105.0.5195.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (23d98425c482e8641268cb099752c13b)] -> xpath: //ion-label[contains(text(),'Application Details')]/parent::ion-item/ion-button[1]] Session ID: 23d98425c482e8641268cb099752c13b</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) </pre>	FAILED	1.457 s

#	Step / Hook Details	Status	Duration
	<p>at stepdefinitions.PersonalDetails_AppDataEntry.user_click_on_application_details(PersonalDetails_AppDataEntry.java:61) at ?.user click on Application Details(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/PersonalDetails_AppDataEntry.feature:47) * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.158 s
4	And user click on Inbox Icon	SKIPPED	0.001 s
5	And user click search icon	SKIPPED	0.000 s
6	And user search Appdata Entry	SKIPPED	0.000 s
7	And user click on First record of Appdata Entry	SKIPPED	0.001 s
8	And user click on Customer Details Tab	SKIPPED	0.000 s
9	And user click the Add button annd verify it	SKIPPED	0.000 s
10	And user Choose customer Type	SKIPPED	0.000 s
11	And user Enter CIF ID	SKIPPED	0.000 s
12	And user Enter Application Number	SKIPPED	0.001 s
13	And user Enter Customer Name	SKIPPED	0.000 s
14	And user choose ID Type	SKIPPED	0.000 s
15	And user Enter ID Number	SKIPPED	0.000 s
16	And user Enter Mobile Number	SKIPPED	0.000 s
17	And user Choose Date of Birth	SKIPPED	0.000 s
18	And user Enter Email ID	SKIPPED	0.000 s
19	And user Click the search button	SKIPPED	0.000 s
20	And user click the Create New Record button	SKIPPED	0.000 s
21	And user Enter the customer Type field	SKIPPED	0.000 s
22	And user Enter the Applicant Type field	SKIPPED	0.001 s
23	And user Enter the Salutation field	SKIPPED	0.000 s
24	And user Enter the First Name field	SKIPPED	0.000 s
25	And user Enter the Middle Name filed	SKIPPED	0.000 s
26	And user Enter the Last Name field	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
27	And user Enter the Father First Name field	SKIPPED	0.000 s
28	And user Enter the Father Middle Name field	SKIPPED	0.000 s
29	And user Enter the Father Last Name Field	SKIPPED	0.000 s
30	And user Enter the spouse First Name field	SKIPPED	0.000 s
31	And user Enter the spouse Middle name field	SKIPPED	0.000 s
32	And user Enter the spouse Last Name field	SKIPPED	0.000 s
33	And user Enter the No of children field	SKIPPED	0.000 s
34	And user Enter the spouse status field	SKIPPED	0.000 s
35	And user Enter the Date of birth field	SKIPPED	0.001 s
36	And user Enter the gender field	SKIPPED	0.001 s
37	And user Enter the Education Level field	SKIPPED	0.000 s
38	And user Enter the Marital status field	SKIPPED	0.001 s
39	And user Enter the Nationality field	SKIPPED	0.000 s
40	And user Enter the Ethnicity field	SKIPPED	0.000 s
41	And user Enter the Religion field	SKIPPED	0.000 s
42	And user Enter the Residential status field	SKIPPED	0.000 s
43	And user Enter the Language field	SKIPPED	0.000 s
44	And user Enter the No Of dependents field	SKIPPED	0.000 s
45	And user Enter the Mothers maiden name field	SKIPPED	0.001 s
46	And user Enter the Type of Residence field	SKIPPED	0.000 s
47	And user Enter the category of client field	SKIPPED	0.001 s
48	And user Enter the Rating field	SKIPPED	0.001 s
49	And user Enter the Remark fields	SKIPPED	0.000 s
50	And user Enter the Phone Number in Contact Details	SKIPPED	0.001 s
51	And user Enter the Mobile Number Primary in Contact Details	SKIPPED	0.000 s
52	And user Enter the Mobile Number Secondary in Contact Details	SKIPPED	0.000 s
53	And user Enter the Email Address in Contact Details	SKIPPED	0.000 s
54	And user Select the Preferred contact Methods in Contact Details	SKIPPED	0.000 s
55	And user Enter the Preferred time for contact in Contact Details	SKIPPED	0.000 s
56	And user click the Save the button	SKIPPED	0.000 s

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	 <p>The screenshot shows the AZENTIO ONEBanking interface. The top navigation bar includes a hamburger menu, the AZENTIO ONEBanking logo, and user controls (language, location, name). The left sidebar contains a search bar and menu items: Dashboard, Configurations, Transactions, and Reports. The main content area is titled 'Product wise Analysis' and displays two sections: 'Product-wise Amount Financed' and 'Subproduct-wise Amount Financed', both containing a large loading spinner. A vertical scrollbar is visible on the right side of the main content area.</p>
<p><u>(S) verify the availability of Add button and create a new Record of customer details tab</u></p>	
<p><u>(F) Check The functionality of the Personal Details App data Entry</u></p>	

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	 <p>This screenshot is identical to the one above, but the 'Transactions' menu item in the left sidebar is highlighted with a blue background and a right-pointing arrow. The main content area remains the same, showing the 'Product wise Analysis' section with loading spinners.</p>
<p><u>(S) verify the availability of Add button and create a new Record of customer details tab</u></p>	
<p><u>(F) Check The functionality of the Personal Details App data Entry</u></p>	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button
and create a new Record of customer
details tab

(F) Check The functionality of the
Personal Details App data Entry

