


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Customer Address Details	1	0	1	0	33.267 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Customer	verify the functionality of save button post entering all valid	21	14	1	6	33.264 s
	Address Details	details and clicking on save button					

DETAILED SECTION -- 4 --

## (F)- Check the functionality of Customer Address Details

FAILED	DURATION - 33.267 s	Scenarios		Steps	
		Total - 1		Total - 21	
/ 1:48:15.973 Al	M // 1:48:49.240 AM /	Pass - 0	1	Pass - 14	21
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 6	

## (S)- verify the functionality of save button post entering all valid details and clicking on save button




#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	5.112 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.313 s
	screenshot		
	AZENTIO  Miles as 1  Grad		
2	And User Login as maker	PASSED	4.916 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.109 s
	screenshot		


A SENTIO  OF THE PROPERTY OF T	
11	
3 Then click on inbox PASS	ED 0.178 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASS	ED 0.152 s
screenshot	
ACRITIC OF SECURITY OF SECURIT	
4 Then click on inbox search icon PASS	ED 0.176 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASS	ED 0.164 s
Screenshot  If a \$ 10 to \$ 10	
5 Then search Customer Address Details record PASS	ED 0.104 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  I THE STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASS	ED 0.098 s
6 And maker user open the record from inbox PASS	ED 1.136 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASS	ED 0.122 s
screenshot	

#	Step / Hook Details	Status	Duration
	ALTERIOR OF STATE OF		
7	Then click on Additional customer info Segment button	PASSED	1.177 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.370 s
	screenshot		
	CONTRACTOR OF STATE O		
8	Then click on Action button of Customer Personal Information	PASSED	0.248 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.489 s
	Screenshot    Autority   Autority	_	
9	Then from customer identification screen click on add button of Address details	PASSED	0.220 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  **Texamology**	PASSED	0.309 s
10	Then select Address Type	PASSED	1.449 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
	screenshot	]	


11 Then select Address Status  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  1.244 s  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  AFTER_STEP_STEP_Stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  AFTER_STEP_STEP_Stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  AFTER_STEP_STEP_Stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  AFTER_STEP_STEP_Stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  AFTER_STEP_STEP_STEP_STEP_STEP_STEPDEFINITIONSHOTATIO	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  12 Then select Residential or Occupancy Status  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  13 Then Enter Address Line1  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 Then Enter Address Line2  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.138 s  0.505 s  0.144 s  0.145 s  0.095 s  0.095 s		ADDRESS OF STATE OF S		
screenshot  12 Then select Residential or Occupancy Status  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  screenshot  13 Then Enter Address Line1  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  screenshot  14 Then Enter Address Line2  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.326 s  PASSED  0.326 s  PASSED  0.085 s	11	Then select Address Status	PASSED	1.244 s
12 Then select Residential or Occupancy Status  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  13 Then Enter Address Line1  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  14 Then Enter Address Line2  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.453 s  0.095 s  0.326 s  PASSED  0.326 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.085 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.138 s
12 Then select Residential or Occupancy Status  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  13 Then Enter Address Line1  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  PASSED  0.144 s  0.453 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  14 Then Enter Address Line2  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.326 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.085 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  13 Then Enter Address Line1  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.443 s  0.453 s  0.095 s		Contract Advance   Contract Ad		
Screenshot  13 Then Enter Address Line1  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.453 s  0.095 s  0.095 s  PASSED  0.326 s  PASSED  0.326 s  PASSED  0.326 s	12	Then select Residential or Occupancy Status	PASSED	0.505 s
13 Then Enter Address Line1  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  14 Then Enter Address Line2  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.453 s  0.095 s  0.095 s  PASSED  0.326 s  PASSED  0.326 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.144 s
13 Then Enter Address Line1 PASSED 0.453 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  14 Then Enter Address Line2 PASSED 0.326 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.326 s  PASSED 0.326 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  14 Then Enter Address Line2  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.095 s  0.095 s		Compared		
Screenshot  14 Then Enter Address Line2  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.326 s  0.085 s	13	Then Enter Address Line1	PASSED	0.453 s
14 Then Enter Address Line2  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.326 s  0.085 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.095 s
14 Then Enter Address Line2  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.326 s  0.085 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.085 s		TOTAL		
	14	Then Enter Address Line2	PASSED	0.326 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.085 s
		screenshot		

#	Step / Hook Details	Status	Duration
	### Control of the co		
15	Then select Country	FAILED	10.407 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[ChromeDriver: chrome on WINDOWS (50566b0c57016064538e316e8c344e57)] -> xpath: //ion-label[contains(text(),'INDIA')]//ion-radio] (tried for 10 second(s) with 1000 milliseconds interval) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: unknown at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.Customer_AddressDetails.select_country(Customer_AddressDetails.java:136) at ?.select Country(file:///C:/Users/inindc00089/git/repository6/Priyanka_AzentioULSFramework/src/test/java/features/Customer_AddressDetails.feature:20) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.110 s
	screenshot		
	ALEXTO  IT IS A P IN THE PARTY		
16	Then select Province ID	SKIPPED	0.000 s
17	Then Enter Neighbourhood District Name	SKIPPED	0.001 s
18	Then select City ID	SKIPPED	0.000 s
19	Then Enter Zip Code	SKIPPED	0.000 s
20	Then Enter Mobile Number primary	SKIPPED	0.000 s
21	Then Enter Occupancy Date	SKIPPED	0.000 s







**EXPANDED SECTION** 




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --

