


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Customer Address Details	1	0	1	0	29.062 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Customer	verify the functionality of save button post entering all valid	22	8	1	13	29.059 s
	Address Details	details and clicking on save button					

DETAILED SECTION -- 4 --

(F)- Check the functionality of Customer Address Details

FAILED	DURATION - 29.062 s	Scenarios		Steps	
		Total - 1		Total - 22	
/ 2:19:27.681	AM // 2:19:56.743 AM /	Pass - 0	1	Pass - 8	22
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 13	

(S)- verify the functionality of save button post entering all valid details and clicking on save button



#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	6.024 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.264 s
	screenshot		
	AZENTIO Miles as 1 Grad		
2	And User Login as maker	PASSED	5.163 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.139 s
	screenshot		


3 Then click on inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 Then search Customer Address Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_ST	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 Then click on inbox search icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 Then search Customer Address Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) pASSED 0.189 s PASSED 0.132 s Then search Customer Address Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.109 s PASSED 1.132 s		The state of the s		
screenshot 4 Then click on inbox search icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 Then search Customer Address Details record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario	3	Then click on inbox	PASSED	0.180 s
4 Then click on inbox search icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then search Customer Address Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.ja		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
4 Then click on inbox search icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 Then search Customer Address Details record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 1.132 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then search Customer Address Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.109 s 0.106 s 1.132 s		Source to the state of the stat		
Screenshot Then search Customer Address Details record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And maker user open the record from inbox PASSED 1.132 s	4	Then click on inbox search icon	PASSED	0.189 s
5 Then search Customer Address Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 And maker user open the record from inbox PASSED 0.109 s 0.106 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.132 s
5 Then search Customer Address Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 And maker user open the record from inbox PASSED 0.109 s 0.109 s PASSED 0.106 s		screenshot	7	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And maker user open the record from inbox PASSED 0.106 s PASSED 1.132 s		Company Comp		
Screenshot Compared to the content of the conten	5	Then search Customer Address Details record	PASSED	0.109 s
6 And maker user open the record from inbox 1.132 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.106 s
6 And maker user open the record from inbox PASSED 1.132 s		screenshot		
·		State Stat		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.113 s	6	And maker user open the record from inbox	PASSED	1.132 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.113 s
screenshot		screenshot		


#	Step / Hook Details	Status	Duration
	ARTON O D P S S S S S S S S S S S S S S S S S S		
7	Then click on Additional customer info Segment button	PASSED	1.214 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.294 s
	screenshot		
	ACASTTO		
3	Then click on Action button of Customer Personal Information	PASSED	0.292 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.290 s
	screenshot		
	Control to the second of the s		
9	Then from customer identification screen click on add button of Address details	FAILED	10.451 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[ChromeDriver: chrome on WINDOWS (06ab0c336c1f3c21523dc63a33c4cac2)] -> xpath: //ion-title[contains(text(),'Address Details')]/ancestor::ion-card/descendant::button[1]] (tried for 10 second(s) with 1000 milliseconds interval) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: unknown at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.Customer_AddressDetails. from_customer_identification_screen_click_on_add_button_of_address_details(Customer_AddressDetails.java:63) at ?.from customer identification screen click on add button of Address details(file:///C:/Users/inindc00089/git/ repository6/Priyanka_AzentioULSFramework/src/test/java/features/Customer_AddressDetails.feature:14) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.133 s
	screenshot	1	

DETAILED SECTION -- 7 --


#	Step / Hook Details	Status	Duration
	A STATE OF THE PARTY OF THE PAR		
10	Then select Address Type	SKIPPED	0.001 s
11	Then select Address Status	SKIPPED	0.000 s
12	Then select Residential or Occupancy Status	SKIPPED	0.000 s
13	Then Enter Address Line1	SKIPPED	0.001 s
14	Then Enter Address Line2	SKIPPED	0.000 s
15	Then select Country	SKIPPED	0.000 s
16	Then select Province ID	SKIPPED	0.000 s
17	Then Enter Neighbourhood District Name	SKIPPED	0.000 s
18	Then select City ID	SKIPPED	0.000 s
19	Then Enter Zip Code	SKIPPED	0.000 s
20	Then Enter Mobile Number primary	SKIPPED	0.000 s
21	Then Enter Occupancy Date	SKIPPED	0.000 s
22	Then click on save button of Address Detail	SKIPPED	0.000 s


EXPANDED SECTION -- 8 --





EXPANDED SECTION -- 10 --





EXPANDED SECTION -- 12 --

