

Cucumber Report

18-Oct-2022, 1:02:45 pm

Start : Oct 18, 1:01:39.395 pm

End : Oct 18, 1:02:36.255 pm

Duration : 56.860 s

Features


Scenarios

Steps

PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 15
FAILED - 0
SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of the Project Ubit Details</u>	1	1	0	0	56.860 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the functionality of the Project Ubit Details</u>	<u>verify the Unit details Parameter details List view</u>	15	15	0	0	56.855 s




(F)- Check the functionality of the Project Ubit Details


PASSED	DURATION - 56.860 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 15 Pass - 15 Fail - 0 Skip - 0	
/ 1:01:39.395 pm // 1:02:36.255 pm /					

(S)- verify the Unit details Parameter details List view


PASSED	DURATION - 56.855 s		Steps Total - 15 Pass - 15 Fail - 0 Skip - 0	
/ 1:01:39.400 pm // 1:02:36.255 pm /				
Check the functionality of the Project Ubit Details				
@AT_PM_T015				

#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	17.773 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.544 s
	screenshot		
			
2	Then user click on configurations Tab	PASSED	0.138 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.413 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	When user click Config Manager menu	PASSED	0.437 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.433 s
	screenshot		
			
4	And user click on project master List view icon	PASSED	0.287 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.541 s
	screenshot		
			
5	And user click on List view Edit Icon	PASSED	0.794 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.636 s
	screenshot		
			
6	And user click on unit details Add icon and verify the functionality	PASSED	5.488 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.672 s
	screenshot		
			
7	And user Enter the value in Building Name and verify it	PASSED	0.309 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.428 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	And user Enter the value in Unit No and verify it	PASSED	0.257 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.281 s
	screenshot		
			
9	And user Enter the value in Floor and verify it	PASSED	0.152 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.223 s
	screenshot		
			
10	And user Enter the value in Saleable Area sq ft and verify it	PASSED	0.282 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.289 s
	screenshot		
			
11	And user Enter the value in Unit No and verify it	PASSED	0.191 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.262 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
12	And user Enter the value in Exposed No and verify it	PASSED	0.177 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.218 s
	screenshot		
			
13	And user verify the Active De-Active status and verify it	PASSED	0.052 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.274 s
	screenshot		
			
14	And user save the Record in unit Details and verify the Message	PASSED	1.721 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.391 s
	screenshot		
			
15	And User verify the list view Record is Non-Editable	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.357 s
	screenshot		

#	Step / Hook Details	Status	Duration
			

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the Unit details Parameter
details List view


(F) Check the functionality of the Project
Ubit Details



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the Unit details Parameter
details List view


(F) Check the functionality of the Project
Ubit Details



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the Unit details Parameter
details List view


(F) Check the functionality of the Project
Ubit Details



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the Unit details Parameter
details List view


(F) Check the functionality of the Project
Ubit Details



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the Unit details Parameter
details List view

(F) Check the functionality of the Project
Unit Details



AZENTIO
ONEBOOKING

Search the menu

Unit Details

Unit Details

Building Name: Arshath

Unit No:

Floor:

Saleable Area (Sq. Ft.):


Exposed Appl No:

Status: ☒

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the Unit details Parameter
details List view

(F) Check the functionality of the Project
Unit Details



AZENTIO
ONEBOOKING

Search the menu

Unit Details

Unit Details

Building Name: Arshath

Unit No: 5689

Floor:

Saleable Area (Sq. Ft.):

Exposed Appl No:

Status: ☒

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the Unit details Parameter
details List view

(F) Check the functionality of the Project
Unit Details

The screenshot displays the AZENTIO ONEBOOKING application interface. On the left is a dark blue sidebar with a search bar and a menu containing 'Dashboard', 'Configurations' (with a sub-menu including Project Master, Notification Master, Report Master, Target Master, Business Division Master, Approval Reviewer Level Matrix, Income Group Definition, Facility Type, NPA Identification, Classification Master, and Living Expense), 'Transactions', and 'Reports'. The main content area is titled 'Unit Details' and contains a form with the following fields: 'Building Name' (Arshath), 'Unit No' (5689), 'Floor' (5), 'Saleable Area (Sq. Ft)' (1000), and 'Exposed Appl No'. A 'Status' toggle switch is visible at the bottom right of the form. The top right of the application shows user interface elements including a language selector (Engl...), a location selector (LOS), a user profile dropdown (Aze...), and a notification icon.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the Unit details Parameter
details List view

(F) Check the functionality of the Project
Unit Details

This screenshot is identical to the one above, showing the AZENTIO ONEBOOKING application's 'Unit Details' form. The sidebar menu, form fields (Building Name: Arshath, Unit No: 5689, Floor: 5, Saleable Area: 1000, Exposed Appl No), and status toggle are all present and match the previous image.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the Unit details Parameter
details List view

(F) Check the functionality of the Project
Unit Details

The screenshot displays the AZENTIO ONEBOOKING application interface. On the left is a dark blue sidebar with a search bar and a menu containing 'Dashboard', 'Configurations' (with a sub-menu listing various masters like Project Master, Notification Master, etc.), 'Transactions', and 'Reports'. The main content area is titled 'Unit Details' and contains a form with the following fields: 'Building Name' (Arshath), 'Unit No' (56895689), 'Floor' (5), 'Saleable Area (Sq. Ft)' (1000), 'Exposed Appl No' (empty), and 'Status' (a toggle switch). The top right of the application shows user interface elements like language selection (Engl...), location (LOS), and a user profile icon.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the Unit details Parameter
details List view

(F) Check the functionality of the Project
Unit Details

This screenshot is identical to the one above, showing the AZENTIO ONEBOOKING application's 'Unit Details' form. The only difference is in the 'Exposed Appl No' field, which now contains the value '54'. All other fields and the overall interface structure remain the same.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the Unit details Parameter
details List view

(F) Check the functionality of the Project
Unit Details

The screenshot displays the AZENTIO ONEBOOKING application interface. On the left is a blue sidebar menu with options: Dashboard, Configurations (Project Master, Notification Master, Report Master, Target Master, Business Division Master, Approval Reviewer Level Matrix, Income Group Definition, Facility Type, NPA Identification, Classification Master, Living Expense), Transactions, and Reports. The main content area is titled 'Unit Details' and contains a form with the following fields: Building Name (Arshath), Unit No (56895689), Floor (5), Saleable Area (Sq. Ft) (1000), Exposed Appl No (54), and a Status toggle switch. A top navigation bar includes a search icon, a grid icon, language (Engl...), location (LOS), user (Aze...), and a profile icon.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the Unit details Parameter
details List view

(F) Check the functionality of the Project
Unit Details

This screenshot shows the AZENTIO ONEBOOKING application with a green success message at the top right: 'Success! Record created with ID: 156'. The interface features the same sidebar menu as the previous screenshot. The main content area is divided into two sections: 'Building Details' and 'Unit Details'. The 'Building Details' section shows a table with one entry: Building Name 'PALM PARADISE HILL VIEW', Unit Type '1093080', and Status 'Active'. The 'Unit Details' section shows a table with one entry: Build_Id '7', Tower No '7', Tower Name, Type Of Unit, and Status. Both tables have pagination controls at the bottom indicating 'Showing 1 to 1 of 1 entries'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the Unit details Parameter
details List view

(F) Check the functionality of the Project
Ubit Details

The screenshot displays the AZENTIO ONEBOOKING application interface. On the left is a blue sidebar with a search bar and a menu containing various configuration and reporting options. The main content area is divided into two sections: 'Building Details' and 'Unit Details'. The 'Building Details' section shows a table with one entry for 'PALM PARADISE HILL VIEW' with a status of 'Active'. The 'Unit Details' section shows a table with one entry for '7' with a status of 'M'. A green notification banner at the top right indicates 'Success! Record created with ID: 156'.

AZENTIO ONEBOOKING

Search the menu

Dashboard

Configurations

- Project Master
- Notification Master
- Report Master
- Target Master
- Business Division Master
- Approval Reviewer Level Matrix
- Income Group Definition
- Facility Type
- NPA Identification
- Classification Master
- Living Expense

Transactions

Reports

Villa

Technical Conditions

Remarks

Document To Be Collected From Retail Borrower

Status

Building Details

+ Search Export

Action	Unit Type	Building Name	Status
	1093080	PALM PARADISE HILL VIEW	Active

Showing 1 to 1 of 1 entries

Unit Details

+ Search Export

Action	Build_Id	Tower No	Tower Name	Type Of Unit	Status
	7	7			M

Showing 1 to 1 of 1 entries