

Cucumber Report

17-Nov-2022, 5:27:22 pm

Start : Nov 17, 5:24:25.056 pm

End : Nov 17, 5:27:20.260 pm

Duration : 2 m 55.204 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 15


FAILED - 1

SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of Living Expenses Master</u>	1	0	1	0	2 m 55.204 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the functionality of Living Expenses Master</u>	<u>Creation of Living Expenses record with valid data</u>	16	15	1	0	2 m 55.198 s





(F)- Check the functionality of Living Expenses Master


FAILED	DURATION - 2 m 55.204 s	Scenarios		Steps	
/ 5:24:25.056 pm // 5:27:20.260 pm /		Total - 1		Total - 16	
		Pass - 0		Pass - 15	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	





(S)- Creation of Living Expenses record with valid data


<div>FAILED</div> <div>DURATION - 2 m 55.198 s</div>			<div>Steps</div> <div>Total - 16</div> <div>Pass - 15</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 5:24:25.062 pm // 5:27:20.260 pm /				
Check the functionality of Living Expenses Master				
@AT_LE_001_Creation				

#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	50.907 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.505 s
	screenshot		
			
2	Then user change Application Type as Los	PASSED	1.126 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.401 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	Then user click on configurations Tab	PASSED	0.088 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.638 s
	screenshot		
			
4	When user click Config Manager menu	PASSED	0.305 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.622 s
	screenshot		
			
5	And user click on List view Icon of Living Expenses	PASSED	0.665 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.425 s
	screenshot		
			
6	And user click on Add Icon for Living Expenses	PASSED	0.700 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.786 s
	screenshot		
			
7	And user Pass the Exceldata value for Creation	PASSED	0.086 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.927 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	And user Enter value in Description and verify it	PASSED	0.537 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.247 s
	screenshot		
			
9	And user Enter value in Description2 and verify it	PASSED	0.345 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.269 s
	screenshot		
			
10	And user Enter value in Description3 and verify it	PASSED	1.347 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.389 s
	screenshot		
			
11	And user select Rule value and verify it	PASSED	0.359 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.577 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
12	And user choose Calender Effective Date and verify it	PASSED	1.631 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.658 s
	screenshot		
			
13	And user save the Record in Living Expenses	PASSED	2.461 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.579 s
	screenshot		
			
14	And user go the Maker Inbox and store the Referance ID	PASSED	8.540 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.286 s
	screenshot		
			
15	Then user Click on Action Icon	PASSED	0.251 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.397 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
16	<p>And user verify submit button and submit the Record from Maker stage</p> <pre> org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=106.0.5249.119) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVDAP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [eb54c417ba31c54c337de7cb95b74864, findElement {using=xpath, value=//button/span[contains(text(),'Submit')]]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 106.0.5249.119, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:62801}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62801/devtoo..., se:cdpVersion: 106.0.5249.119, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: eb54c417ba31c54c337de7cb95b74864 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.toString(Unknown Source) at java.base/java.lang.String.valueOf(String.java:4215) at java.base/java.lang.StringBuilder.append(StringBuilder.java:169) at org.openqa.selenium.support.ui.ExpectedConditions\$10.toString(ExpectedConditions.java:298) at java.base/java.lang.String.valueOf(String.java:4215) at java.base/java.lang.StringBuilder.append(StringBuilder.java:169) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) </pre>	FAILED	1 m 4.836 s


#	Step / Hook Details	Status	Duration
	<p>at stepdefinitions.LivingExpense_Master.user_verify_submit_button_and_submit_the_record_from_maker_stage(LivingExpense_Master.java:338)</p> <p>at ?.user verify submit button and submit the Record from Maker stage(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/MDM_LivingExp_Master.feature:19)</p> <p>* Not displayable characters are replaced by '?'.</p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=106.0.5249.119) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [eb54c417ba31c54c337de7cb95b74864, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 106.0.5249.119, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\Local\Google\Chrome\User Data\Default\Temporary Profiles\Profile 1\extensions\org.openqa.selenium.chrome.chromedriver\resources\chromedriver\resources\chromedriver.exe}, goog:chromeOptions: {debuggerAddress: localhost:62801}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62801/devtools, se:cdpVersion: 106.0.5249.119, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: eb54c417ba31c54c337de7cb95b74864</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347)</p> <p>at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)</p>	FAILED	10.638 s
	<p>AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=106.0.5249.119) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [eb54c417ba31c54c337de7cb95b74864, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 106.0.5249.119, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\Local\Google\Chrome\User Data\Default\Temporary Profiles\Profile 1\extensions\org.openqa.selenium.chrome.chromedriver\resources\chromedriver\resources\chromedriver.exe}, goog:chromeOptions: {debuggerAddress: localhost:62801}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62801/devtools, se:cdpVersion: 106.0.5249.119, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: eb54c417ba31c54c337de7cb95b74864</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)</p>	FAILED	0.275 s

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses record
with valid data


(F) Check the functionality of Living
Expenses Master





(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses record
with valid data

(F) Check the functionality of Living
Expenses Master



<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>		
<p><u>(S) Creation of Living Expenses record with valid data</u></p>		
<p><u>(F) Check the functionality of Living Expenses Master</u></p>		

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>		
<p><u>(S) Creation of Living Expenses record with valid data</u></p>		
<p><u>(F) Check the functionality of Living Expenses Master</u></p>		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses record
with valid data

(F) Check the functionality of Living
Expenses Master

The screenshot shows the AZENTIO ONEBOOKING application interface. The top navigation bar includes the date '17-Nov-2022', a calendar icon, an email icon, a grid icon, and language/region dropdowns for 'Engl...', 'LOS', and 'Aze...'. A user profile icon is on the right. The left sidebar is a dark blue menu with the following items: Dashboard, Configurations (with a sub-menu arrow), Project Master, Notification Master, Report Master, Target Master, Business Division Master, Approval Reviewer Level Matrix, Income Group Definition, Facility Type, NPA Identification, Classification Master, Living Expense, Transactions, and Reports. The 'Living Expense' item is highlighted.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses record
with valid data

(F) Check the functionality of Living
Expenses Master

The screenshot shows the AZENTIO ONEBOOKING application interface with the 'List of Living Expense Model' table displayed. The table has columns for Action, Description, Rule ID, Effective Date, and Status. There are four entries in the table, all with a status of 'Active'. The bottom of the table shows 'Showing 1 to 4 of 4 entries' and a pagination control with '1' selected and '5' as the total count.

Action	Description	Rule ID	Effective Date	Status
	Test	98303335	2022-10-15	Active
	yugydygugc	98303256	2022-10-25	Active
	Descr1	98303254	2022-10-16	Active
	Test expense	98303254	2022-10-04	Active

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses record
with valid data

(F) Check the functionality of Living
Expenses Master

AZENTIO
ONEBOOKING

17-Nov-2022 [Calendar] [Email] [Grid] [Engl...] [LOS] [Aze...] [User]

Search the menu

Living Expense Definition

Living Expense Definition

Description *

Description2 *

Description3 *

Rule

Effective Date *

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses record
with valid data

(F) Check the functionality of Living
Expenses Master

AZENTIO
ONEBOOKING

17-Nov-2022 [Calendar] [Email] [Grid] [Engl...] [LOS] [Aze...] [User]

Search the menu

Living Expense Definition

Living Expense Definition

Description *

Description2 *

Description3 *

Rule

Effective Date *

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses record
with valid data

(F) Check the functionality of Living
Expenses Master

The screenshot shows the AZENTIO ONEBOOKING interface. The top navigation bar includes the date '17-Nov-2022', a calendar icon, an email icon, a grid icon, and language/region dropdowns for 'Engl...', 'LOS', and 'Aze...'. The left sidebar is a blue menu with options: Dashboard, Configurations (Project Master, Notification Master, Report Master, Target Master, Business Division Master, Approval Reviewer Level Matrix, Income Group Definition, Facility Type, NPA Identification, Classification Master, Living Expense), Transactions, and Reports. The 'Living Expense' option is highlighted. The main content area is titled 'Living Expense Definition' and contains the following fields: Description (Expenses), Description2 (ExpensesExp), Description3 (empty), Rule (Select), and Effective Date (empty). A blue save icon is located at the bottom right of the form.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses record
with valid data

(F) Check the functionality of Living
Expenses Master

This screenshot is similar to the one above, showing the 'Living Expense Definition' form. In this state, the form is more complete: Description is 'Expenses', Description2 is 'ExpensesExp', and Description3 is 'ExpensesLivingExpenses'. The other fields (Rule, Effective Date) and the save icon remain the same. The sidebar and top navigation bar are also consistent with the previous screenshot.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses record
with valid data

(F) Check the functionality of Living
Expenses Master

AZENTIO ONEBOOKING

17-Nov-2022

Engl... LOS Aze...

Search the menu

Dashboard

Configurations

Project Master

Notification Master

Report Master

Target Master

Business Division Master

Approval Reviewer Level Matrix

Income Group Definition

Facility Type

NPA Identification

Classification Master

Living Expense

Transactions

Reports

Living Expense Definition

Description *

Expenses

Rule

Rule1

Select

RULE

Rule1

Rule2

Rule3

Description2 *

ExpensesExp

Description3 *

ExpensesLivingExpenses

Effective Date *

03-Aug-2023

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses record
with valid data

(F) Check the functionality of Living
Expenses Master

AZENTIO ONEBOOKING

17-Nov-2022

Engl... LOS Aze...

Search the menu

Dashboard

Configurations

Project Master

Notification Master

Report Master

Target Master

Business Division Master

Approval Reviewer Level Matrix

Income Group Definition

Facility Type

NPA Identification

Classification Master

Living Expense

Transactions

Reports

Living Expense Definition

Description *

Expenses

Rule

Rule1

Description2 *

ExpensesExp

Description3 *

ExpensesLivingExpenses

Effective Date *

03-Aug-2023

August 2023

Su	Mo	Tu	We	Th	Fr	Sa
30	31	1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30	31	1	2

Today Clear

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses record
with valid data

(F) Check the functionality of Living
Expenses Master

The screenshot displays the AZENTIO ONEBOOKING application interface. On the left is a blue sidebar menu with options: Dashboard, Configurations (Project Master, Notification Master, Report Master, Target Master, Business Division Master, Approval Reviewer Level Matrix, Income Group Definition, Facility Type, NPA Identification, Classification Master, Living Expense), Transactions, and Reports. The main content area is titled 'List of Living Expense Model' and contains a table with the following data:

Action	Description	Rule ID	Effective Date	Status
	Expenses	98303254	2023-08-02	Active
	Expenses	98303254	2023-08-02	Active
	Expenses	98303254	2023-08-02	Active
	desc22	98303335	2022-11-16	Active
	Aanchal	98303335	2022-11-15	Active

At the bottom of the table, it says 'Showing 1 to 5 of 35 entries'. A green notification banner at the top right states 'Success, Workflow initiated with ID: 395'. The top right of the page shows the date '17-Nov-2022' and various icons.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses record
with valid data

(F) Check the functionality of Living
Expenses Master

The screenshot displays the AZENTIO ONEBOOKING application interface. On the left is a blue sidebar menu with options: Dashboard, Configurations (Project Master, Notification Master, Report Master, Target Master, Business Division Master, Approval Reviewer Level Matrix, Income Group Definition, Facility Type, NPA Identification, Classification Master, Living Expense), Transactions, and Reports. The main content area is titled 'Inbox' and contains a table with the following data:

Action	Reference Id	Client Name	Event	Workflow	Employee Name	Stage Code	Stage Desc	Role Code	Created Date	Approver Role
	395		BPM Two Stage Workflow	Two Stage Workflow	in02256	MAKER	maker	LOSMKR	17-Nov-2022	
	394		BPM Two Stage Workflow	Two Stage Workflow	in02256	MAKER	maker	LOSMKR	17-Nov-2022	
	652		BPM Two Stage Workflow	Two Stage Workflow	in02256	MAKER	maker	LOSMKR	17-Nov-2022	
	650		BPM Two Stage Workflow	Two Stage Workflow	in02256	MAKER	maker	LOSMKR	17-Nov-2022	
	649		BPM Two Stage Workflow	Two Stage Workflow	in02256	MAKER	maker	LOSMKR	17-Nov-2022	
	361		BPM Two Stage Workflow	Two Stage Workflow	in02256	MAKER	maker	LOSMKR	17-Nov-2022	
	647		BPM Two Stage Workflow	Two Stage Workflow	in02256	MAKER	maker	LOSMKR	17-Nov-2022	
	643		BPM Two Stage Workflow	Two Stage Workflow	in02256	MAKER	maker	LOSMKR	17-Nov-2022	
	360		BPM Two Stage Workflow	Two Stage Workflow	in02256	MAKER	maker	LOSMKR	17-Nov-2022	
	641		BPM Two Stage Workflow	Two Stage Workflow	in02256	MAKER	maker	LOSMKR	17-Nov-2022	

At the bottom of the table, it says 'Showing 1 to 10 of 674 entries'. The top right of the page shows the date '17-Nov-2022', language 'Engl...', location 'LOS', and user 'Aze...'. A green notification banner at the top right states 'Success, Workflow initiated with ID: 395'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses record
with valid data

(F) Check the functionality of Living
Expenses Master

AZENTIO
ONEBOOKING

17-Nov-2022 Engl... LOS Aze...

Search the menu

- Dashboard
- Configurations
 - Project Master
 - Notification Master
 - Report Master
 - Target Master
 - Business Division Master
 - Approval Reviewer Level Matrix
 - Income Group Definition
 - Facility Type
 - NPA Identification
 - Classification Master
 - Living Expense
- Transactions
- Reports

Inbox

Action	Reference Id	Client Name	Event	Workflow	Employee Name	Stage Code	Stage Desc	Role Code	Created Date	Approver Role
	395		BPM Two Stage Workflow	Two Stage Workflow	in02256	MAKER	maker	LOSMKR	17-Nov-2022	
	394		BPM Two Stage Workflow	Two Stage Workflow	in02256	MAKER	maker	LOSMKR	17-Nov-2022	
	652		BPM Two Stage Workflow	Two Stage Workflow	in02256	MAKER	maker	LOSMKR	17-Nov-2022	
	650		BPM Two Stage Workflow	Two Stage Workflow	in02256	MAKER	maker	LOSMKR	17-Nov-2022	
	649		BPM Two Stage Workflow	Two Stage Workflow	in02256	MAKER	maker	LOSMKR	17-Nov-2022	
	361		BPM Two Stage Workflow	Two Stage Workflow	in02256	MAKER	maker	LOSMKR	17-Nov-2022	
	647		BPM Two Stage Workflow	Two Stage Workflow	in02256	MAKER	maker	LOSMKR	17-Nov-2022	
	643		BPM Two Stage Workflow	Two Stage Workflow	in02256	MAKER	maker	LOSMKR	17-Nov-2022	
	360		BPM Two Stage Workflow	Two Stage Workflow	in02256	MAKER	maker	LOSMKR	17-Nov-2022	
	641		BPM Two Stage Workflow	Two Stage Workflow	in02256	MAKER	maker	LOSMKR	17-Nov-2022	

Showing 1 to 10 of 674 entries << < 1 2 3 4 5 > >> 10