

Cucumber Report

Jul 20, 2022, 5:05:03 PM

Start : Jul 20, 5:04:26.482 PM

End : Jul 20, 5:05:02.594 PM

Duration : 36.112 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 11
FAILED - 1
SKIPPED - 3







#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	0	1	0	36.112 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	verify Checker user is able to Approve the record	15	11	1	3	36.109 s





(F)- Product Master Retail Functionality

FAILED	DURATION - 36.112 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 15 Pass - 11 Fail - 1 Skip - 3	
/ 5:04:26.482 PM // 5:05:02.594 PM /					



(S)- verify Checker user is able to Approve the record


<div>FAILED</div> <div>DURATION - 36.109 s</div>			<div>Steps</div> <div>Total - 15</div> <div>Pass - 11</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 5:04:26.485 PM // 5:05:02.594 PM /				
Product Master Retail Functionality				
@ProductMaster_Retail_Approve				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	8.939 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.148 s
	screenshot		
			
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.079 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on Product Setup	PASSED	0.122 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.149 s
	screenshot		
			
4	Then click on Product Master eye icon	PASSED	0.106 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.202 s
	screenshot		
			
5	Then click on Product Master add button	PASSED	3.147 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.267 s
	screenshot		
			
6	Then verify functionality and asterik mark of the field Product Group	PASSED	5.228 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.133 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then verify functionality and asterik mark of the field Product Code	PASSED	1.227 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.103 s
	screenshot		
			
8	Then Enter Product Description	PASSED	0.148 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.109 s
	screenshot		
			
9	Then verify functionality and asterik mark of the field RetailCorporate	PASSED	5.242 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.122 s
	screenshot		
			
10	Then verify the field Remarks	PASSED	4.252 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.093 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then click on save button	PASSED	3.145 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
	screenshot		
			
12	Then validate Success pop up	FAILED	0.020 s
	<p>org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of null (reading 'shadowRoot') (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0903b727efca99b3a036d63857748e9d, executeScript {script=return document.querySelector('ion-toast').shadowRoot.querySelector('div[class=toast-message]'), args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:57341}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57341/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0903b727efca99b3a036d63857748e9d</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:481) at helper.JavascriptHelper.executeScript(JavascriptHelper.java:21) at stepdefinitions.ProductMaster_Retail.validate_success_pop_up(ProductMaster_Retail.java:195)</p>		

#	Step / Hook Details	Status	Duration
	<p>at ?.validate Success pop up(file:///C:/Users/inindc00089/git/Azentio_ULSFramework/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:72)</p> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.125 s
13	Then click on inbox	SKIPPED	0.000 s
14	And open the record	SKIPPED	0.000 s
15	Then submit the Record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software


Puneet

01-Sep-2023

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record


(F) Product Master Retail Functionality

The screenshot displays the Azentio software interface. On the left is a dark blue sidebar with the Azentio logo at the top. Below the logo are three icons: a wrench, a puzzle piece, and a clipboard. A list of menu items follows: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup (highlighted in orange), Regulatory Product Defini..., Project Setup, and Config Manager. The main area of the interface is a light blue rectangle. At the top right of this area is a header bar containing an envelope icon, language and location dropdowns (English, LOS), a software version dropdown (Azentio Software), a grid icon, a bell icon, a user profile icon for 'Puneet' with the date '01-Sep-2023', and a small document icon. A dark blue circular button with a white gear icon is located in the bottom right corner of the main area.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

This screenshot shows the Azentio software interface with a different menu selection. The sidebar menu is identical to the previous one, but 'Product master' is now highlighted in orange. Below the main menu list, there are three additional items: 'Asset Auto Master', 'Asset CD Master', and 'Sub Product Master', each with a house icon, a checkmark icon, and an eye icon. The rest of the interface, including the top header bar and the bottom right gear button, remains the same as in the previous screenshot.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master interface. On the left is a dark blue sidebar with the Azentio logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area has a top header with a hamburger menu, language (English), LOS, Azentio Software, and user profile (Puneet, 01-Sep-2023). Below the header is a 'Product Master' section with a search bar and an 'Export' button. A table lists product entries with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, and Status. The table contains five rows of data, all with 'Active' status. At the bottom, it says 'Showing 1 to 5 of 68 entries' with pagination controls.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
	98303249	PMR	Standard home loan - kuls	R	Active
	98303249	AHL	Standard Home Loan - KUBS	R	Active
	98303249	HL3	Home Loan - Standard	R	Active
	98303249	HFL	Housing Finance LTD	R	Active
	98303249	TTM	Corporate TTM	R	Active

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record


(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form view. The sidebar is the same as in the previous screenshot. The main content area has a top header with the same navigation and user profile. Below the header is a 'Product Master' section with a back arrow and a red notification icon. The form contains several fields: Product Group (dropdown menu showing 'Lending'), Product Code (text input), Product Description (dropdown menu showing 'Select'), and Retail/Corporate (dropdown menu showing 'Select'). There is also a 'Remarks' text area. A small dropdown menu is open next to the Product Description field, showing options: Deposits, Lending (selected), Trade, and Treasury.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record


(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form. The form has a header with a back arrow, the title 'Product Master', and a red notification icon. Below the header is a section titled 'Product Master'. The form contains several fields: 'Product Group' with a dropdown menu showing 'Lending', 'Product Code' with a text input field containing 'HLL', 'Product Description' with a text input field, 'Retail/Corporate' with a dropdown menu showing 'Select', 'DM Code' with a text input field, and 'Remarks' with a large text area. The form is styled with a clean, modern design using white and light gray colors.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record



(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form. The form has a header with a back arrow, the title 'Product Master', and a red notification icon. Below the header is a section titled 'Product Master'. The form contains several fields: 'Product Group' with a dropdown menu showing 'Lending', 'Product Code' with a text input field containing 'HLL', 'Product Description' with a text input field containing 'OK', 'Retail/Corporate' with a dropdown menu showing 'Select', 'DM Code' with a text input field, and 'Remarks' with a large text area. The form is styled with a clean, modern design using white and light gray colors.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record



(F) Product Master Retail Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master interface. The sidebar on the left contains navigation options: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area displays a table of products with the following columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, Status, and Authorization Status. The table contains five rows of data, all with a status of 'Active'. The top bar shows the user is logged in as 'English' and 'LOS', and a success message is displayed. The bottom of the table shows pagination: 'Showing 1 to 5 of 64 entries'.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status	Authorization Status
	98303249	HLL	OK	R	Active	
	98303249	HL	OK	R	Active	
	98303249	LFH	OK	R	Active	
	98303275	depo15	depo15	R	Active	
	98303275	depo14	depo14	R	Active	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master interface. The sidebar on the left contains navigation options: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area displays a table of products with the following columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, Status, and Authorization Status. The table contains five rows of data, all with a status of 'Active'. The top bar shows the user is logged in as 'English' and 'LOS', and a success message is displayed. The bottom of the table shows pagination: 'Showing 1 to 5 of 64 entries'.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status	Authorization Status
	98303249	HLL	OK	R	Active	
	98303249	HL	OK	R	Active	
	98303249	LFH	OK	R	Active	
	98303275	depo15	depo15	R	Active	
	98303275	depo14	depo14	R	Active	