

# Cucumber Report

25-Aug-2022, 5:58:07 pm

*Start : Aug 25, 5:57:27.844 pm*

*End : Aug 25, 5:58:01.836 pm*

*Duration : 33.992 s*

*Features*


*Scenarios*

*Steps*

*PASSED - 0*  
*FAILED - 1*  
*SKIPPED - 0*


*PASSED - 0*  
*FAILED - 1*  
*SKIPPED - 0*

*PASSED - 9*  
*FAILED - 1*  
*SKIPPED - 1*







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of Living Expenses Master</u>	1	0	1	0	33.992 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Living Expenses Master	Creation of Living Expense Parameter record with invalid data	11	9	1	1	33.987 s


**(F)- Check the functionality of Living Expenses Master**





<b>FAILED</b>	<b>DURATION - 33.992 s</b>	Scenarios		Steps	
/ 5:57:27.844 pm // 5:58:01.836 pm /		Total - 1	1	Total - 11	11
		Pass - 0		Pass - 9	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	


**(S)- Creation of Living Expense Parameter record with invalid data**

<b>FAILED</b>	<b>DURATION - 33.987 s</b>		Steps Total - 11 Pass - 9 Fail - 1 Skip - 1	
/ 5:57:27.849 pm // 5:58:01.836 pm /				
Check the functionality of Living Expenses Master				
@AT_LE_016_Parameter_Invalid				

#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	12.992 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.626 s
	screenshot		
			
2	Then user click on configurations Tab	PASSED	0.172 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	3.008 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And user click on Other Masters Tab	PASSED	0.542 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.367 s
	screenshot 		
4	And user Goto the Temp view screen of living Expense	PASSED	0.174 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.464 s
	screenshot 		
5	And user click on First record in living Expense	PASSED	0.536 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.387 s
	screenshot 		
6	And user click on Living Expenses Parameter	PASSED	0.765 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.473 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
7	And user click on Add Icon for Living Expenses	PASSED	2.342 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.494 s
	screenshot		
			
8	And user Enter Invalid value in Description and verify it	PASSED	0.654 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.251 s
	screenshot		
			
9	And Validate the Message and verify it	PASSED	0.268 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.249 s
	screenshot		
			
10	And user verify the Blank field in Living Expense	FAILED	0.071 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//ion-badge[contains(text(),'Required field')])[1]"} (Session info: chrome=104.0.5112.82) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVDPO14547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [775c005ba16cf6138de9511ac16338b8, findElement {using=xpath, value=/(//ion-		

#	Step / Hook Details	Status	Duration
	<p>badge[contains(text(),'Required field')])[1]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.82, chrome: {chromedriverVersion: 103.0.5060.134 (8ec6fce403b..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:63112}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63112/devtoo..., se:cdpVersion: 104.0.5112.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 775c005ba16cf6138de9511ac16338b8</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)  at stepdefinitions.LivingExpense_Master.user_verify_the_blank_field_in_living_expense(LivingExpense_Master.java:220)  at ?.user verify the Blank field in Living Expense(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/LivingExp_Master.feature:412)  * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.243 s
11	And user save the Record in Living Expenses	SKIPPED	0.000 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living Expense Parameter  
record with invalid data


(F) Check the functionality of Living  
Expenses Master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living Expense Parameter  
record with invalid data

(F) Check the functionality of Living  
Expenses Master






(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living Expense Parameter  
record with invalid data


(F) Check the functionality of Living  
Expenses Master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living Expense Parameter  
record with invalid data

(F) Check the functionality of Living  
Expenses Master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living Expense Parameter  
record with invalid data

(F) Check the functionality of Living  
Expenses Master

The screenshot displays the AZENTIO ONEBanking application. On the left is a blue sidebar menu with options: Dashboard, Configurations, Corporate Masters, Misc Config, Other Masters, Insurance Master, Facility Type, Living Expense, QuestionnaireMaster, Product Definitions, Product Setup, and Transactions. The main area is titled 'List of Living Expense Model' and contains a table with the following data:

Action	Description	Rule ID	Effective Date	Status
	Description Test	98303335	2022-08-25	Active
	test	98303335	2022-08-25	Active
	test	98303335	2022-08-24	Active
	ExpenseModify	98303254	2023-08-03	Active
	ExpenseModify	98303254	2023-08-03	Active

Below the table, it says 'Showing 1 to 5 of 15 entries' with pagination controls. A search bar and an 'Export' button are at the top right of the table area.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living Expense Parameter  
record with invalid data

(F) Check the functionality of Living  
Expenses Master

This screenshot shows the same AZENTIO ONEBanking application, but with the 'Living Expense Parameter' tab selected in the breadcrumb navigation at the top. The breadcrumb path is 'Living Expense Definition > Living Expense Parameter > Living Expense Location'. The main content area is currently empty, and the sidebar menu remains the same as in the previous screenshot.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living Expense Parameter  
record with invalid data

(F) Check the functionality of Living  
Expenses Master

AZENTIO ONEBanking

Living Expense Definition Living Expense Parameter Living Expense Location

Living Expense Parameter

Description \* Code \* Value \*

Select

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living Expense Parameter  
record with invalid data

(F) Check the functionality of Living  
Expenses Master

AZENTIO ONEBanking

Living Expense Definition Living Expense Parameter Living Expense Location

Living Expense Parameter

Description \* Code \* Value \*

Select

\*&^%\$#

Alphanumeric characters allowed

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living Expense Parameter  
record with invalid data

(F) Check the functionality of Living  
Expenses Master

**AZENTIO**  
ONEBanking

Living Expense Definition | **Living Expense Parameter** | Living Expense Location

Living Expense Parameter

Description \*  
\*&^%\$#  
Alphanumeric characters allowed

Code \*  
Select

Value \*

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living Expense Parameter  
record with invalid data

(F) Check the functionality of Living  
Expenses Master

**AZENTIO**  
ONEBanking

Living Expense Definition | **Living Expense Parameter** | Living Expense Location

Living Expense Parameter

Description \*  
\*&^%\$#  
Alphanumeric characters allowed

Code \*  
Select

Value \*