

Cucumber Report

Aug 12, 2022, 11:36:59 AM

Start : Aug 12, 11:35:32.714 AM

End : Aug 12, 11:36:57.764 AM

Duration : 1 m 25.050 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 11


FAILED - 1

SKIPPED - 16







| # | Feature Name | T | P | F | S | Duration |
|---|---------------------------------|---|---|---|---|--------------|
| 1 | <u>collateral Functionality</u> | 1 | 0 | 1 | 0 | 1 m 25.050 s |






| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---------------------------------|--|----|----|---|----|--------------|
| 1 | <u>collateral Functionality</u> | <u>Asset collateral category - List View WIP Records</u> | 28 | 11 | 1 | 16 | 1 m 25.029 s |




(F)- collateral Functionality




| | | | | | |
|--|--------------------------------|--|---|---|---|
| FAILED | DURATION - 1 m 25.050 s | Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0 |  | Steps Total - 28 Pass - 11 Fail - 1 Skip - 16 |  |
| / 11:35:32.714 AM // 11:36:57.764 AM / | | | | | |
| | | | | | |



(S)- Asset collateral category - List View WIP Records

| | | | | |
|--|--|--|--|---|
| <div>FAILED</div> <div>DURATION - 1 m 25.029 s</div> | |  | <div>Steps</div> <div>Total - 28</div> <div>Pass - 11</div> <div>Fail - 1</div> <div>Skip - 16</div> |  |
| / 11:35:32.735 AM // 11:36:57.764 AM / | | | | |
| collateral Functionality | | | | |
| @ACCM_07_004 @collateral_return @ACCM_07_003 | | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User launch the kuls application | PASSED | 7.412 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.295 s |
| | screenshot | | |
| |  | | |
| 2 | And User Login as maker | PASSED | 4.798 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.148 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| |  | | |
| 3 | Then click on Asset collateral config | PASSED | 0.142 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.140 s |
| | screenshot | | |
| |  | | |
| 4 | Then click on collateral Edit icon | PASSED | 0.206 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.396 s |
| | screenshot | | |
| |  | | |
| 5 | Then open collateral wip record for return | PASSED | 1.052 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.252 s |
| | screenshot | | |
| |  | | |
| 6 | Then click on collateral save button | PASSED | 0.716 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.242 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| |  | | |
| 7 | Then validate Success pop up | PASSED | 0.884 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.223 s |
| | screenshot  | | |
| 8 | Then click on inbox | PASSED | 0.530 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.149 s |
| | screenshot  | | |
| 9 | Then click on search icon of record list | PASSED | 0.225 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.276 s |
| | screenshot  | | |
| 10 | Then search collateral record | PASSED | 0.281 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.133 s |
| | screenshot | | |


| # | Step / Hook Details | Status | Duration |
|----|---|--------|-------------|
| |  | | |
| 11 | And maker user open the record from inbox | PASSED | 0.385 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.144 s |
| | screenshot | | |
| |  | | |
| 12 | Then maker user submit the Record | FAILED | 1 m 0.633 s |
| | <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //button/span[contains(text(),'Submit')]' (tried for 60 second(s) with 2000 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)</p> <p>at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)</p> <p>at stepdefinitions.ProductMaster_Retail.maker_user_submit_the_record(ProductMaster_Retail.java:418)</p> <p>at ?.maker user submit the Record(file:///C:/Users/inindc00089/git/repository6/Priyanka_AzentioULSFramework/src/test/java/features/Collateral.feature:39)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button/span[contains(text(),'Submit')]"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33b272c7c7b712e68f20b18fd5fe8448, findElement {using=xpath, value=//button/span[contains(text(),'Submit')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:/Users/ININDC~1/AppData/L..., goog:chromeOptions: {debuggerAddress: localhost:56642}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56642/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 33b272c7c7b712e68f20b18fd5fe8448</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.ProductMaster_Retail.maker_user_submit_the_record(ProductMaster_Retail.java:418) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| | <pre> at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p> | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.103 s |
| | <p>screenshot</p>  | | |
| 13 | Then user logout from the application | SKIPPED | 0.000 s |
| 14 | And User Login as Checker | SKIPPED | 0.000 s |
| 15 | Then click on inbox | SKIPPED | 0.000 s |
| 16 | Then click on search icon of record list | SKIPPED | 0.000 s |
| 17 | Then search collateral record | SKIPPED | 0.000 s |
| 18 | Then checker user open the record from inbox | SKIPPED | 0.000 s |
| 19 | Then validate Txn status is completed | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| 20 | Then close the collateral view summary | SKIPPED | 0.000 s |
| 21 | Then checker user return the record | SKIPPED | 0.001 s |
| 22 | Then user logout from the application | SKIPPED | 0.001 s |
| 23 | And User Login as maker | SKIPPED | 0.000 s |
| 24 | Then click on Asset collateral config | SKIPPED | 0.000 s |
| 25 | Then click on collateral Edit icon | SKIPPED | 0.000 s |
| 26 | Then search and validate the approved record | SKIPPED | 0.000 s |
| 27 | Then open collateral wip record for return | SKIPPED | 0.000 s |
| 28 | Then user logout from the application | SKIPPED | 0.000 s |


| | |
|---|--|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) Asset collateral category - List View WIP Records | |
| (F) collateral Functionality | |

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) Asset collateral category - List View WIP Records | |
| (F) collateral Functionality | |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Asset collateral category - List View
WIP Records


(F) collateral Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Asset collateral category - List View
WIP Records

(F) collateral Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Asset collateral category - List View
WIP Records

(F) collateral Functionality

The screenshot displays the AZENTIO ONEBanking application. On the left is a blue sidebar menu with options: Dashboard, Configurations, Asset Collateral Config, Collateral, Collateral sub type, Collateral type, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, and Transactions. The main area shows a table titled 'List of Asset/Collateral categories'. The table has columns: Action, Asset/Collateral Category Code, AssetCollateral Category Description, Created By, Status, and Authorization Status. The table contains five rows of data, with the second row (FD34, FixedDepo) highlighted. A search bar at the top right contains 'FD34' and an 'Export' button. A pagination bar at the bottom indicates 'Showing 1 to 5 of 153 entries' with page numbers 1 through 5.

| Action | Asset/Collateral Category Code | AssetCollateral Category Description | Created By | Status | Authorization Status |
|--------|--------------------------------|--------------------------------------|------------|--------|----------------------|
| | 1000 | ok | in00135 | Active | CHECKER |
| | FD34 | FixedDepo | in00135 | Active | MAKER |
| | FD33 | FixedDepo | in00135 | Active | |
| | FD29 | FixedDepo | in00135 | Active | |
| | 50019455 | Okey | in00135 | Active | CHECKER |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Asset collateral category - List View
WIP Records

(F) collateral Functionality

The screenshot displays the AZENTIO ONEBanking application in the 'Asset / Collateral categories' detail view. The sidebar menu is the same as in the previous screenshot. The main area shows a form titled 'Asset / Collateral Category Detail'. The form has two columns. The left column contains: Description (FixedDepo), Module (LC), and Status (Active). The right column contains: Asset / Collateral Category Code (FD34), Registration Required (toggle off), Repossession Allowed (toggle off), and Remarks (ok). At the top right of the form are buttons for 'Submit', 'Cancel', and a help icon.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Asset collateral category - List View
WIP Records

(F) collateral Functionality

AZENTIO ONEBanking

Search the menu

Dashboard

Configurations

Asset Collateral Config

Collateral

Collateral sub type

Collateral type

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Transactions

List of Asset/Collateral categories

Export

| Action | Asset/Collateral Category Code | AssetCollateral Category Description | Created By | Status | Authorization Status |
|--------|--------------------------------|--------------------------------------|------------|--------|----------------------|
| | 1000 | ok | in00135 | Active | CHECKER |
| | FD34 | FixedDepo | in00135 | Active | MAKER |
| | FD33 | FixedDepo | in00135 | Active | |
| | FD29 | FixedDepo | in00135 | Active | |
| | 50019455 | Okey | in00135 | Active | CHECKER |

Showing 1 to 5 of 153 entries

1 2 3 4 5

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Asset collateral category - List View
WIP Records

(F) collateral Functionality

AZENTIO ONEBanking

Search the menu

Dashboard

Configurations

Asset Collateral Config

Collateral

Collateral sub type

Collateral type

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Transactions

Inbox

Action

Showing 0 to 0 of 0 entries

10

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Asset collateral category - List View
WIP Records

(F) collateral Functionality

AZENTIO ONEBanking

Search the menu

Inbox

| Action | Reference Id | Event Code | Stage Code | Role Code | Employee Name | Created Date | Workflow Code | Product |
|--------|--------------|-------------------|------------|-----------|---------------|-------------------|---------------|---------|
| | 251 | UW_OFFSET_CONTROL | MAKER | LOSMKR | in00135 | 12-Aug-2022 11:33 | TSW | |
| | 98 | COLL_TYPE | MAKER | LOSMKR | in00135 | 12-Aug-2022 11:33 | TSW | |
| | 61 | BOUNCE_MST | MAKER | LOSMKR | in00135 | 11-Aug-2022 20:39 | TSW | |
| | 248 | COLLATERAL | MAKER | LOSMKR | in00135 | 11-Aug-2022 20:33 | TSW | |
| | 569 | WAREHOUSE_MST | MAKER | LOSMKR | in00135 | 11-Aug-2022 18:34 | TSW | |
| | 363 | DEPOSIT_ACC_MST | MAKER | LOSMKR | in00135 | 11-Aug-2022 18:30 | TSW | |
| | 567 | WAREHOUSE_MST | MAKER | LOSMKR | in00135 | 11-Aug-2022 18:30 | TSW | |
| | 566 | WAREHOUSE_MST | MAKER | LOSMKR | in00135 | 11-Aug-2022 18:29 | TSW | |
| | 187 | ASSET_AUTO_MST | MAKER | LOSMKR | in00135 | 11-Aug-2022 18:28 | TSW | |
| | 362 | DEPOSIT_ACC_MST | MAKER | LOSMKR | in00135 | 11-Aug-2022 18:16 | TSW | |

Showing 1 to 10 of 1033 entries

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Asset collateral category - List View
WIP Records

(F) collateral Functionality

AZENTIO ONEBanking

Search the menu

Inbox

COLLATERAL

| Action | Reference Id | Event Code | Stage Code | Role Code | Employee Name | Created Date | Workflow Code | Product |
|--------|--------------|-------------------|------------|-----------|---------------|-------------------|---------------|---------|
| | 251 | UW_OFFSET_CONTROL | MAKER | LOSMKR | in00135 | 12-Aug-2022 11:33 | TSW | |
| | 98 | COLL_TYPE | MAKER | LOSMKR | in00135 | 12-Aug-2022 11:33 | TSW | |
| | 61 | BOUNCE_MST | MAKER | LOSMKR | in00135 | 11-Aug-2022 20:39 | TSW | |
| | 248 | COLLATERAL | MAKER | LOSMKR | in00135 | 11-Aug-2022 20:33 | TSW | |
| | 569 | WAREHOUSE_MST | MAKER | LOSMKR | in00135 | 11-Aug-2022 18:34 | TSW | |
| | 363 | DEPOSIT_ACC_MST | MAKER | LOSMKR | in00135 | 11-Aug-2022 18:30 | TSW | |
| | 567 | WAREHOUSE_MST | MAKER | LOSMKR | in00135 | 11-Aug-2022 18:30 | TSW | |
| | 566 | WAREHOUSE_MST | MAKER | LOSMKR | in00135 | 11-Aug-2022 18:29 | TSW | |
| | 187 | ASSET_AUTO_MST | MAKER | LOSMKR | in00135 | 11-Aug-2022 18:28 | TSW | |
| | 362 | DEPOSIT_ACC_MST | MAKER | LOSMKR | in00135 | 11-Aug-2022 18:16 | TSW | |

Showing 1 to 10 of 1033 entries

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Asset collateral category - List View
WIP Records

(F) collateral Functionality

The screenshot displays the AZENTIO ONEBanking application. On the left is a blue sidebar menu with options: Dashboard, Configurations (expanded), Asset Collateral Config, Collateral (checked), Collateral sub type (checked), Collateral type (checked), Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, and Transactions. The main area is titled 'Inbox' and features a search bar with 'COLLATERAL' entered. Below the search bar is a table with the following columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, and Product. The table contains 10 rows of data, all with 'COLLATERAL' as the Event Code and 'MAKER' as the Stage Code. The bottom of the table shows pagination: 'Showing 1 to 10 of 52 entries' and a page number '1' selected from a range of 1 to 10. A blue circular button with a gear icon is located at the bottom right of the table area.

| Action | Reference Id | Event Code | Stage Code | Role Code | Employee Name | Created Date | Workflow Code | Product |
|--------|--------------|------------|------------|-----------|---------------|-------------------|---------------|---------|
| | 248 | COLLATERAL | MAKER | LOSMKR | in00135 | 11-Aug-2022 20:33 | TSW | |
| | 243 | COLLATERAL | MAKER | LOSMKR | in00135 | 10-Aug-2022 15:19 | TSW | |
| | 231 | COLLATERAL | MAKER | LOSMKR | in00135 | 09-Aug-2022 21:6 | TSW | |
| | 230 | COLLATERAL | MAKER | LOSMKR | in00135 | 09-Aug-2022 20:50 | TSW | |
| | 219 | COLLATERAL | MAKER | LOSMKR | in00135 | 09-Aug-2022 17:48 | TSW | |
| | 214 | COLLATERAL | MAKER | LOSMKR | in00135 | 09-Aug-2022 17:36 | TSW | |
| | 190 | COLLATERAL | MAKER | LOSMKR | in00135 | 09-Aug-2022 11:10 | TSW | |
| | 189 | COLLATERAL | MAKER | LOSMKR | in00135 | 09-Aug-2022 11:4 | TSW | |
| | 188 | COLLATERAL | MAKER | LOSMKR | in00135 | 09-Aug-2022 11:3 | TSW | |
| | 187 | COLLATERAL | MAKER | LOSMKR | in00135 | 09-Aug-2022 10:44 | TSW | |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Asset collateral category - List View
WIP Records

(F) collateral Functionality

This screenshot is identical to the one above, showing the AZENTIO ONEBanking application with the 'Inbox' view of collateral records. The sidebar menu, search bar, table of records, and pagination are all the same as in the first screenshot.

| Action | Reference Id | Event Code | Stage Code | Role Code | Employee Name | Created Date | Workflow Code | Product |
|--------|--------------|------------|------------|-----------|---------------|-------------------|---------------|---------|
| | 248 | COLLATERAL | MAKER | LOSMKR | in00135 | 11-Aug-2022 20:33 | TSW | |
| | 243 | COLLATERAL | MAKER | LOSMKR | in00135 | 10-Aug-2022 15:19 | TSW | |
| | 231 | COLLATERAL | MAKER | LOSMKR | in00135 | 09-Aug-2022 21:6 | TSW | |
| | 230 | COLLATERAL | MAKER | LOSMKR | in00135 | 09-Aug-2022 20:50 | TSW | |
| | 219 | COLLATERAL | MAKER | LOSMKR | in00135 | 09-Aug-2022 17:48 | TSW | |
| | 214 | COLLATERAL | MAKER | LOSMKR | in00135 | 09-Aug-2022 17:36 | TSW | |
| | 190 | COLLATERAL | MAKER | LOSMKR | in00135 | 09-Aug-2022 11:10 | TSW | |
| | 189 | COLLATERAL | MAKER | LOSMKR | in00135 | 09-Aug-2022 11:4 | TSW | |
| | 188 | COLLATERAL | MAKER | LOSMKR | in00135 | 09-Aug-2022 11:3 | TSW | |
| | 187 | COLLATERAL | MAKER | LOSMKR | in00135 | 09-Aug-2022 10:44 | TSW | |