

# Cucumber Report

17-Nov-2022, 4:12:47 pm

**Start : Nov 17, 4:11:37.612 pm**

**End : Nov 17, 4:12:44.568 pm**

**Duration : 1 m 6.956 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 1**

**SKIPPED - 0**

**PASSED - 8**


**FAILED - 1**

**SKIPPED - 2**







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of Living Expenses Master</u>	1	0	1	0	1 m 6.956 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the functionality of Living Expenses Master</u>	<u>Creation of Living Expenses record with invalid data</u>	11	8	1	2	1 m 6.950 s





**(F)- Check the functionality of Living Expenses Master**



<b>FAILED</b>	<b>DURATION - 1 m 6.956 s</b>	Scenarios		Steps	
/ 4:11:37.612 pm // 4:12:44.568 pm /		Total - 1		Total - 11	
		Pass - 0		Pass - 8	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	


**(S)- Creation of Living Expenses record with invalid data**

<b>FAILED</b>	<b>DURATION - 1 m 6.950 s</b>		Steps	
/ 4:11:37.618 pm // 4:12:44.568 pm /			Total - 11	
Check the functionality of Living Expenses Master			Pass - 8	
@AT_LE_005_Validation			Fail - 1	
			Skip - 2	

#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	28.729 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.391 s
	screenshot		
			
2	Then user change Application Type as Los	PASSED	2.765 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.431 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	Then user click on configurations Tab	PASSED	0.068 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.438 s
	screenshot		
			
4	When user click Config Manager menu	PASSED	0.128 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.362 s
	screenshot		
			
5	And user click on List view Icon of Living Expenses	PASSED	0.675 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.778 s
	screenshot		
			
6	And user click on Add Icon for Living Expenses	PASSED	0.347 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.489 s
	screenshot		
			
7	And user save the Record in Living Expenses	PASSED	0.296 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.388 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
8	And user Pass the Exceldata value for Invalid	PASSED	0.009 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.212 s
	screenshot		
			
9	And user verify the Blank field in Living Expense	FAILED	0.058 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//ion-badge[contains(text(),'Required field')])[1]"} (Session info: chrome=106.0.5249.119) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1e22ee5dae7dd20bffb2ae46ed373383, findElement {using=xpath, value=(//ion-badge[contains(text(),'Required field')])[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 106.0.5249.119, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:60071}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60071/devtoo..., se:cdpVersion: 106.0.5249.119, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 1e22ee5dae7dd20bffb2ae46ed373383</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)</p>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.LivingExpense_Master.user_verify_the_blank_field_in_living_expense(LivingExpense_Master.java:776) at ?.user verify the Blank field in Living Expense(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/MDM_LivingExp_Master.feature:133) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.263 s
	screenshot		
			
10	And user Enter Invalid value in Description2 and verify it	SKIPPED	0.001 s
11	And Validate the Message and verify it	SKIPPED	0.000 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living Expenses record  
with invalid data


(F) Check the functionality of Living  
Expenses Master




(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)


(S) Creation of Living Expenses record  
with invalid data

(F) Check the functionality of Living  
Expenses Master





<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) Creation of Living Expenses record with invalid data</u></p>	
<p><u>(F) Check the functionality of Living Expenses Master</u></p>	

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) Creation of Living Expenses record with invalid data</u></p>	
<p><u>(F) Check the functionality of Living Expenses Master</u></p>	

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living Expenses record  
with invalid data

(F) Check the functionality of Living  
Expenses Master

**AZENTIO ONEBOOKING**

17-Nov-2022 Engl... LOS Aze...

Search the menu

**List of Living Expense Model**



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living Expenses record  
with invalid data

(F) Check the functionality of Living  
Expenses Master

**AZENTIO ONEBOOKING**

17-Nov-2022 Engl... LOS Aze...

Search the menu

**List of Living Expense Model**

Action	Description	Rule ID	Effective Date	Status
	Test	98303335	2022-10-15	Active
	yugydygugc	98303256	2022-10-25	Active
	Descr1	98303254	2022-10-16	Active
	Test expense	98303254	2022-10-04	Active

Showing 1 to 4 of 4 entries << < 1 > >> 5

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living Expenses record  
with invalid data

(F) Check the functionality of Living  
Expenses Master

The screenshot displays the 'Living Expense Definition' form in the AZENTIO ONEBOOKING application. The interface includes a top navigation bar with the date '17-Nov-2022' and user details. A left sidebar menu lists various system components, with 'Living Expense' highlighted. The main form area contains several input fields: 'Description', 'Description2', 'Description3', 'Rule' (a dropdown menu), and 'Effective Date'. A blue save button is located at the bottom right of the form.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living Expenses record  
with invalid data

(F) Check the functionality of Living  
Expenses Master

This screenshot is identical to the one above, showing the 'Living Expense Definition' form in the AZENTIO ONEBOOKING application. It captures the same interface elements, including the top navigation bar, the left sidebar menu, and the main form fields for defining a living expense record.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living Expenses record  
with invalid data

(F) Check the functionality of Living  
Expenses Master

The screenshot displays the AZENTIO ONEBOOKING application interface. On the left is a blue sidebar menu with a search bar and a list of configuration items: Dashboard, Project Master, Notification Master, Report Master, Target Master, Business Division Master, Approval Reviewer Level Matrix, Income Group Definition, Facility Type, NPA Identification, Classification Master, and Living Expense. Below these are sections for Transactions and Reports. The main content area is titled 'Living Expense Definition' and contains a form with the following fields: 'Description' (with a red asterisk), 'Description2' (with a red asterisk), 'Description3' (with a red asterisk), 'Rule' (a dropdown menu currently showing 'Select'), and 'Effective Date' (with a red asterisk). A blue save icon is located at the bottom right of the form. The top of the application shows the date '17-Nov-2022', a calendar icon, an email icon, a grid icon, and language/region dropdowns for 'Engl...', 'LOS', and 'Aze...'. A user profile icon is also visible in the top right corner.