

Cucumber Report

20-Sep-2022, 3:24:10 pm

Start : Sep 20, 3:22:45.580 pm

End : Sep 20, 3:24:10.017 pm

Duration : 1 m 24.437 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 7
FAILED - 1
SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	<u>To verify the functional flow for customer entity layout facility details</u>	1	0	1	0	1 m 24.437 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify the functional flow for customer entity layout facility details	To verify the impact when user keep any mandatory field blank and click on save button	8	7	1	0	1 m 24.433 s





(F)- To verify the functional flow for customer entity layout facility details


FAILED	DURATION - 1 m 24.437 s	Scenarios		Steps	
/ 3:22:45.580 pm // 3:24:10.017 pm /		Total - 1		Total - 8	
		Pass - 0		Pass - 7	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- To verify the impact when user keep any mandatory field blank and click on save button


<div>FAILED</div> <div>DURATION - 1 m 24.433 s</div>		<div>Steps</div> <div>Total - 8</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 0</div>	
<div>/ 3:22:45.584 pm // 3:24:10.017 pm /</div>			
<div>To verify the functional flow for customer entity layout facility details</div>			
<div>@AT-FD-002</div>			

#	Step / Hook Details	Status	Duration
1	Given User login as uls maker in transaction	PASSED	10.860 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.273 s
	screenshot		
			
2	And User click the inbox mail icon in application detail offering	PASSED	0.183 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.283 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And User click the action edit icon in customer entity layout facility details	PASSED	2.310 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.245 s
	screenshot		
			
4	And User click the facility info tab in customer entity layout facility details	PASSED	5.183 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.451 s
	screenshot		
			
5	And User click the add icon in customer entity layout facility details	PASSED	0.151 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.284 s
	screenshot		
			
6	And User verify the impact when user enter characters value in numeric field in customer entity layout facility details	PASSED	0.187 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.316 s
	screenshot		
			
7	And User verify the impact when user enters only special characters value in any field in customer entity layout facility details	PASSED	0.137 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.202 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	<p>And User verify the impact when user keep any mandatory field blank and click on save button in customer entity layout facility details</p> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //button[@ng-reflect-text='Update']' (tried for 60 second(s) with 5000 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.KULS_CustomerEntityLayout_FacilityDetails. user_verify_the_impact_when_user_keep_any_mandatory_field_blank_and_click_on_save_button_in_customer_entity_layout_facility_details(KULS_CustomerEntityLayout_FacilityDetails.java:529) at ?.User verify the impact when user keep any mandatory field blank and click on save button in customer entity layout facility details(file:///C:/Users/inindc00071/git/repositoryKarthiM/mKarthi_AzentioULSFramework3/src/test/java/features/Customer_Entity_Layout_FacilityDetails.feature:41)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@ng-reflect-text='Update']"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016574', ip: '10.1.47.116', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5c11df301cbfc880ab3af401c62d52e6, findElement {using=xpath, value=//button[@ng-reflect-text='Update']}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:56422}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56422/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5c11df301cbfc880ab3af401c62d52e6 at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)</p>	FAILED	1 m 0.510 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.KULS_CustomerEntityLayout_FacilityDetails. user_verify_the_impact_when_user_keep_any_mandatory_field_blank_and_click_on_save_button_in_customer_entity_layout_facility_details(KULS_CustomerEntityLayout_FacilityDetails.java:529) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) </pre>		

#	Step / Hook Details	Status	Duration
	<div>at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)</div> <div>* Not displayable characters are replaced by '?'. AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</div> <div>screenshot</div> <div></div>	PASSED	0.212 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the impact when user keep
any mandatory field blank and click on
save button


(F) To verify the functional flow for
customer entity layout facility details



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the impact when user keep
any mandatory field blank and click on
save button

(F) To verify the functional flow for
customer entity layout facility details



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the impact when user keep
any mandatory field blank and click on
save button

(F) To verify the functional flow for
customer entity layout facility details

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	551	APP_CREATE	APPDATAENT	CPUEXEC	in02040	16-Sep-2022 10:53	HLW	AHL
	546	APP_CREATE	APPDATAENT	CPUEXEC	in02040	15-Sep-2022 19:12	HLW	AHL
	539	APP_CREATE	APPDATAENT	CPUEXEC	in02040	15-Sep-2022 17:7	HLW	AHL
	517	APP_CREATE	APPDATAENT	CPUEXEC	in02040	15-Sep-2022 13:2	HLW	AHL
	512	APP_CREATE	APPDATAENT	CPUEXEC	in02040	15-Sep-2022 11:58	HLW	AHL
	506	APP_CREATE	APPDATAENT	CPUEXEC	in02040	15-Sep-2022 10:22	HLW	AHL
	489	APP_CREATE	APPDATAENT	CPUEXEC	in02040	14-Sep-2022 20:59	HLW	AHL
	480	APP_CREATE	APPDATAENT	CPUEXEC	in02040	14-Sep-2022 17:28	HLW	AHL
	478	APP_CREATE	APPDATAENT	CPUEXEC	in02040	14-Sep-2022 16:54	HLW	AHL
	468	APP_CREATE	APPDATAENT	CPUEXEC	in02040	14-Sep-2022 13:42	HLW	AHL

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the impact when user keep
any mandatory field blank and click on
save button

(F) To verify the functional flow for
customer entity layout facility details

Conventional Facility List

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the impact when user keep
any mandatory field blank and click on
save button

(F) To verify the functional flow for
customer entity layout facility details

The screenshot shows the 'Conventional Facility List' page in the AZENTIO ONE Banking application. The page features a sidebar with navigation options: Dashboard, Configurations, Transactions, and Reports. The main content area displays a table with columns: Action, Product, Sub product, Tenure, Expiry date, Requested Amount, and Status. Two entries are visible, both with a status of 'Active'. The first entry has a tenure of 18 and a requested amount of 10000. The second entry has a tenure of 18, an expiry date of 22-Sep-2022, and a requested amount of 2222. The page also includes a search bar, an export button, and pagination controls showing 'Showing 1 to 2 of 2 entries'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the impact when user keep
any mandatory field blank and click on
save button

(F) To verify the functional flow for
customer entity layout facility details

The screenshot shows the 'Facility Details' page in the AZENTIO ONE Banking application. The page features a sidebar with navigation options: Dashboard, Configurations, Transactions, and Reports. The main content area displays a form with various fields for facility details. The fields are organized into two columns. The left column includes: Primary Product (dropdown), Scheme (dropdown), Facility Type (dropdown), Pricing Or Interest Indicator (dropdown), Declared Down Payment Amount (dropdown), Currency (dropdown), and Loan Tenure(Months) (dropdown). The right column includes: Primary Sub Product (dropdown), Program Code (dropdown), Servicing Branch (dropdown), Declared Asset Value (dropdown), Requested Amount (dropdown), and Expiry Date (text input). The page also includes a search bar, a back button, and a save button.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the impact when user keep
any mandatory field blank and click on
save button

(F) To verify the functional flow for
customer entity layout facility details

The screenshot shows the 'Facility Details' form in the AZENTIO ONE Banking application. The form is divided into two columns of input fields. The left column includes: Primary Product (dropdown), Scheme (dropdown), Facility Type (dropdown), Pricing Or Interest Indicator (dropdown), Declared Down Payment Amount (dropdown with INR selected), Currency (dropdown), and Loan Tenure(Months) (text input with 1616). The right column includes: Primary Sub Product (dropdown), Program Code (dropdown), Servicing Branch (dropdown with East Zone selected), Declared Asset Value (dropdown with INR selected), Requested Amount (dropdown with INR selected), and Expiry Date (text input). A 'Save' button is located at the bottom right of the form. The top navigation bar shows various tabs like Application Info, Customer details, and Facility Info. The left sidebar contains a search bar and a menu with options like Dashboard, Configurations, Transactions, and Reports.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the impact when user keep
any mandatory field blank and click on
save button

(F) To verify the functional flow for
customer entity layout facility details

This is a duplicate of the screenshot above, showing the 'Facility Details' form in the AZENTIO ONE Banking application. The form contains the same set of input fields and navigation elements as described in the first screenshot.