

Cucumber Report

Jul 22, 2022, 10:04:55 PM

Start : Jul 22, 10:04:35.065 PM

End : Jul 22, 10:04:54.422 PM

Duration : 19.357 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 6


FAILED - 1

SKIPPED - 14







#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	0	1	0	19.357 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	verify Checker user is able to Approve the record	21	6	1	14	19.353 s




(F)- Product Master Retail Functionality


FAILED	DURATION - 19.357 s	Scenarios		Steps	
/ 10:04:35.065 PM // 10:04:54.422 PM /		Total - 1		Total - 21	
		Pass - 0		Pass - 6	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 14	


(S)- verify Checker user is able to Approve the record

<div>FAILED</div> <div>DURATION - 19.353 s</div>		<div></div>	<div>Steps</div> <div>Total - 21</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 14</div>	<div></div>
<div>/ 10:04:35.069 PM // 10:04:54.422 PM /</div>				
<div>Product Master Retail Functionality</div>				
<div>@ProductMaster_Retail_Approve_Reject_Return</div>				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	9.407 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.125 s
	screenshot		
			
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.112 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on Product Setup	PASSED	0.196 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.182 s
	screenshot		
			
4	Then click on Product Master eye icon	PASSED	0.144 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.282 s
	screenshot		
			
5	Then click on Product Master add button	PASSED	2.154 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.247 s
	screenshot		
			
6	Then verify functionality and asterik mark of the field Product Group	PASSED	3.248 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.122 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	<p>Then verify functionality and asterik mark of the field Product Code</p> <p>org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8f83da600b9c8b02139475f976afd167, sendKeysToElement {id=ad80ec7e-9629-4cca-8a9b-701e065b3806, value=[Ljava.lang.CharSequence;@250967f1]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:62156}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62156/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (8f83da600b9c8b02139475f976afd167)] -> xpath: //ion-row[1]/ion-col[3]/ion-item[1]/ion-input[1]/input] Session ID: 8f83da600b9c8b02139475f976afd167</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:107) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy45.sendKeys(Unknown Source) at stepdefinitions.ProductMaster_Retail.verify_functionality_and_asterik_mark_of_the_field_product_code(ProductMaster_Retail.java:78) at ?.verify functionality and asterik mark of the field Product Code(file:///C:/Users/inindc00089/git/Azentio_ULSFramework/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:67) </pre> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.173 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
	screenshot		
			
8	Then Enter Product Description	SKIPPED	0.000 s
9	Then verify functionality and asterik mark of the field RetailCorporate	SKIPPED	0.000 s
10	Then verify the field Remarks	SKIPPED	0.001 s
11	Then click on save button	SKIPPED	0.000 s
12	Then validate Success pop up	SKIPPED	0.000 s
13	Then click on inbox	SKIPPED	0.000 s
14	And open record for Approve	SKIPPED	0.001 s
15	Then submit the Record	SKIPPED	0.000 s
16	Then Logout from Maker	SKIPPED	0.000 s
17	And User Login as Checker	SKIPPED	0.000 s
18	Then click on Menu	SKIPPED	0.000 s
19	Then click on inbox	SKIPPED	0.000 s
20	Then Open the record to approve it	SKIPPED	0.000 s
21	Then approve the record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed


Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record


(F) Product Master Retail Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master interface. On the left is a dark blue sidebar with the Azentio logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area has a top header with a hamburger menu, language (English), LOS, Azentio Software, and user profile (Puneet, 01-Sep-2023). Below the header is a 'Product Master' section with a '+', search, and export button. A table lists product entries with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, and Status. The table contains five rows of data, all with 'Active' status. At the bottom, it says 'Showing 1 to 5 of 105 entries' with pagination controls.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
	98303249	HOMPUR 3	Housing Loan 3	R	Active
	98303275	8	ASDFG	R	Active
	98303249	HOMEXT	Housing Loan	R	Active
	98303275	ad01	ad011	R	Active
	98303249	A	OK	R	Active

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form view. The sidebar is the same as in the first screenshot. The main content area has a top header with the same navigation and user profile. Below the header is a 'Product Master' section with a back button and a red notification icon. The form contains fields for Product Group (Lending), Product Code, Product Description (with a dropdown menu open showing options: Deposits, Lending (selected), Trade, Treasury), and Retail/Corporate (Select). There is also a Remarks field.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Asset Auto Master

Asset CD Master

Product master

Sub Product Master

Regulatory Product Defini...

Project Setup

Config Manager

Product Master

Product Master

Product Group *

Lending

Product Description *

DM Code

Product Code *

Retail/Corporate *

Select

Remarks