

Cucumber Report

Jul 20, 2022, 11:13:09 PM

Start : Jul 20, 11:12:35.917 PM

End : Jul 20, 11:13:06.463 PM

Duration : 30.546 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 15

FAILED - 1

SKIPPED - 1







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of product master</u>	1	0	1	0	30.546 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the functionality of product master</u>	<u>Product Master - Modify records (approve, reject and return) at maker stage</u>	17	15	1	1	30.541 s





(F)- Check the functionality of product master


FAILED	DURATION - 30.546 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 17 Pass - 15 Fail - 1 Skip - 1	
/ 11:12:35.917 PM // 11:13:06.463 PM /					

(S)- Product Master - Modify records (approve, reject and return) at maker stage



<div>FAILED</div> <div>DURATION - 30.541 s</div>		<div></div>	<div>Steps</div> <div>Total - 17</div> <div>Pass - 15</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 11:12:35.922 PM // 11:13:06.463 PM /</div>				
<div>Check the functionality of product master</div>				
<div>@M5</div>				


#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	11.839 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.280 s
	screenshot		
			
2	And User Login as maker	PASSED	0.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.236 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then user should navigate to product master	PASSED	0.390 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.244 s
	screenshot		
			
4	And click on edit view of product master	PASSED	0.323 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
	screenshot		
			
5	Then click on edit button of record2 to modify	PASSED	1.149 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.308 s
	screenshot		
			
6	Then verify system should modify the record before approved	PASSED	1.564 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.292 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then click on inbox button	PASSED	0.429 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.318 s
	screenshot 		
8	And select the modified record from inbox to reject	PASSED	0.682 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.231 s
	screenshot 		
9	Then click on submit button	PASSED	1.524 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.301 s
	screenshot 		
10	Then system should display confirmation message after submit	PASSED	0.411 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.227 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	And click on edit view of product master	PASSED	0.231 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.477 s
	screenshot		
			
12	Then click on edit button of record3 to modify	PASSED	0.209 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.348 s
	screenshot		
			
13	Then verify system should modify the record before approved	PASSED	0.593 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.407 s
	screenshot		
			
14	Then click on inbox button	PASSED	0.241 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.224 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
15	And select the modified record from inbox to return	PASSED	0.317 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.394 s
	screenshot		
			
16	Then click on submit button	FAILED	1.262 s
	<p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (1253, 114). Other element would receive the click: <div role="alert" class="ng-tns-c143-12 toast-message ng-star-inserted" aria-label="Record APPROVED Successfully, and Current Stage is CHECKER with status PENDING from in01589." style="">...</div> (Session info: chrome=100.0.4896.127) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [50bc6812e4eab1039d388114c7d61004, clickElement {id=1e1ee602-90a1-4f6f-a8c6-0d9fca5acdcd}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.127, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:63059}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63059/devtoo..., se:cdpVersion: 100.0.4896.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (50bc6812e4eab1039d388114c7d61004)] -> xpath: //span[contains(text(),'Submit')]] Session ID: 50bc6812e4eab1039d388114c7d61004</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor2.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at stepdefinitions.ProductMaster_Retail.click_on_submit_button(ProductMaster_Retail.java:155) at ?.click on submit button(file:///C:/Users/inindc00091/git/Azentio_ULS_04/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:36) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.191 s
17	Then system should display confirmation message after submit	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master




The screenshot displays the Azentio Software interface. The top navigation bar includes a hamburger menu, language selection (English), location selection (LOS), and the software name (Azentio Software). The left sidebar contains a list of configuration options: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Regulatory Product Defini..., Project Setup, Config Manager, and Sample Screens. The main content area is mostly blank, with a single loading spinner visible in the upper right quadrant. A small blue circular icon with a white gear symbol is located in the bottom right corner of the main area.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master




The screenshot displays the Azentio Software interface, specifically the 'Product wise Analysis' section. The top navigation bar and left sidebar are identical to the previous screenshot. The main content area is titled 'Product wise Analysis' and contains three distinct chart containers. The first container is labeled 'Product-wise Amount Financed', the second is 'Subproduct-wise Amount Financed', and the third is 'Scheme wise Amount Financed'. Each of these containers currently shows a blank area with a loading spinner. A small blue circular icon with a white gear symbol is located in the bottom right corner of the main area. At the bottom of the page, there is a footer that reads 'Powered by Metabase'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage


(F) Check the functionality of product
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

The screenshot shows the Azentio Product Master interface. On the left is a dark blue sidebar with the Azentio logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area is titled 'Product Master' and contains a table with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, Status, and Authorization Status. The table lists five entries, all with 'Active' status. The first entry is highlighted with an orange border. Below the table, it says 'Showing 1 to 5 of 139 entries' with pagination controls. At the top right, there are user profile details for 'Puneet' dated '01-Sep-2023'.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status	Authorization Status
	98303275	desc22		R	Active	MAKER
	98303275	desc21		R	Active	MAKER
	98303249	LHL		R	Active	
	98303275	desc19		R	Active	
	98303275	desc18		R	Active	MAKER

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

The screenshot shows the Azentio Product Master edit form. The sidebar is identical to the previous screenshot, with 'Product master' highlighted. The main content area is titled 'Product Master' and contains a form with fields: Product Group (Deposits), Product Code (desc21), Product Description (desc11), Retail/Corporate (Retail), DM Code (desc21), Status (toggle switch), and Remarks (desc21). At the top right, there are 'Submit', 'Cancel', and a help icon. The user profile details for 'Puneet' dated '01-Sep-2023' are also visible.

Product Group: Deposits
Product Code: desc21
Product Description: desc11
Retail/Corporate: Retail
DM Code: desc21
Status: ☒
Remarks: desc21

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

The screenshot displays the Azentio software interface. On the left is a dark blue sidebar with the 'AZENTIO' logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main area shows an 'Inbox' table with columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, and Product. The table contains 12 rows of data. At the top right, there is a green 'Success' notification bar. Below the table, the 'Product Master' form is visible, featuring fields for Product Group (Deposits), Product Code (desc21), Product Description, DM Code (desc21), Retail/Corporate (Retail), Status (toggle), and Remarks (desc21). The form has 'Submit', 'Cancel', and 'Info' buttons at the top right.

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5561	PRODUCT_MST	MAKER	LOSMKR	in00135	20-Jul-2022 23:4	TSW	
	5557	PRODUCT_MST	MAKER	LOSMKR	in00135	20-Jul-2022 23:4	TSW	
	5562	PRODUCT_MST	MAKER	LOSMKR	in00135	20-Jul-2022 22:39	TSW	
	5558	PRODUCT_MST	MAKER	LOSMKR	in00135	20-Jul-2022 20:52	TSW	
	43	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 19:56	TSW	
	42	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 19:33	TSW	
	40	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 19:8	TSW	
	39	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 19:5	TSW	
	38	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 19:3	TSW	
	37	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 18:59	TSW	

Product Master

Product Group * Deposits

Product Code * desc21

Product Description *

Retail/Corporate * Retail

DM Code desc21

Status ☒


Remarks desc21

Submit Cancel Info

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage


(F) Check the functionality of product
master

The image shows the Azentio Product Master form. At the top, there is a green success message: 'Success' with a checkmark icon and a close button. Below this, there are 'Submit', 'Cancel', and a help icon. The form title is 'Product Master'. The form fields are: Product Group (Deposits), Product Code (desc21), Product Description (empty), Retail/Corporate (Retail), DM Code (desc21), Status (toggle switch), and Remarks (desc21). At the bottom, there is an 'Action confirmation' dialog box with a 'SUBMIT' button and a 'Close X' button.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

The image shows the Azentio Product Master form. At the top, there is a green success message: 'Success' with a checkmark icon and a close button. Below this, there are 'Submit', 'Cancel', and a help icon. The form title is 'Product Master'. The form fields are: Product Group (Deposits), Product Code (desc21), Product Description (empty), Retail/Corporate (Retail), DM Code (desc21), Status (toggle switch), and Remarks (desc21). At the bottom, there is an 'Action confirmation' dialog box with a 'SUBMIT' button and a 'Close X' button.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

The screenshot shows the Azentio Product Master interface. On the left is a dark blue sidebar with the Azentio logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted in orange), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area is titled 'Product Master' and displays a table with several rows of data, each represented by a grey placeholder box. In the top right corner, there is a green notification box with a checkmark icon and the text: 'Record APPROVED Successfully, and Current Stage is CHECKER with status PENDING from in01589.' The top of the interface includes a header bar with a hamburger menu, language selection (English), location selection (LOS), software version (Azentio Software), and a grid icon.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage


(F) Check the functionality of product
master

The screenshot shows the Azentio Product Master interface with a form for adding or editing a record. The sidebar is identical to the previous screenshot, with 'Product master' highlighted. The main content area is titled 'Product Master' and contains a form with the following fields: 'Product Group' (a dropdown menu), 'Product Code' (a text field containing 'desc22'), 'Product Description' (a text field), 'Retail/Corporate' (a dropdown menu), 'DM Code' (a text field containing 'desc22'), 'Status' (a toggle switch), and 'Remarks' (a large text area containing 'desc22'). In the top right corner, there is a green notification box with a checkmark icon and the text: 'Record APPROVED Successfully, and Current Stage is CHECKER with status PENDING from in01589.' The top of the interface includes a header bar with a hamburger menu, language selection (English), location selection (LOS), software version (Azentio Software), and a grid icon.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage


(F) Check the functionality of product
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master




Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date
	5557	PRODUCT_MST	MAKER	LOSMKR	in00135	20-Jul-2022 23:34 TSW
	5562	PRODUCT_MST	MAKER	LOSMKR	in00135	20-Jul-2022 22:39 TSW
	5558	PRODUCT_MST	MAKER	LOSMKR	in00135	20-Jul-2022 20:52 TSW
	43	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 19:56 TSW
	42	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 19:33 TSW
	40	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 19:8 TSW
	39	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 19:5 TSW
	38	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 19:3 TSW
	37	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 18:59 TSW
	36	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 18:56 TSW

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master




The screenshot shows the Azentio Product Master form. The left sidebar contains a menu with options like Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main form has fields for Product Group (Deposits), Product Code (desc18), Product Description, Retail/Corporate (Retail), DM Code (desc18), Status (toggle), and Remarks (desc18). A green success message box in the top right corner reads: "Success", "Record APPROVED Successfully, and Current Stage is CHECKER with status PENDING from in01589." The top navigation bar includes a hamburger menu, email icon, English dropdown, LOS dropdown, Azentio Software dropdown, and a grid icon.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master



The screenshot shows the Azentio Product Master form, similar to the one above. In this version, the success message box is not visible. Instead, there are orange buttons for "Submit", "Cancel", and a help icon in the top right corner. The form fields and sidebar menu are identical to the previous screenshot.