Start: Nov 24, 11:01:56.278 am End: Nov 24, 11:02:37.095 am **Duration: 40.817 s** Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 7 SKIPPED - 0 SKIPPED - 0 SKIPPED - 6 14 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 50 % 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	check the functionality of the Warehouse Master	1	0	1	0	40.817 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	check the functionality of the	To verify the list view data in wareHouse master	14	7	1	6	40.812 s
	Warehouse Master						

DETAILED SECTION -- 4 --

## **(F)-** check the functionality of the Warehouse Master

FAILED	DURATION - 40.817 s	Scenarios		Steps	
		Total - 1		Total - 14	
/ 11:01:56.278 a	m // 11:02:37.095 am /	Pass - 0	1	Pass - 7	14
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 6	

## **(S)-** To verify the list view data in wareHouse master



#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	20.739 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.417 s
	screenshot		
	ASSITIO  AND S T NO		
2	Then user change Application Type as Los	PASSED	2.841 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.400 s
	screenshot		
	ASENTO NOTE OF THE PROPERTY OF		


AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  4 When user click Config Manager menu  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And click on view button in ware house master  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And click on view button in ware house master  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.186 s  PASSED  0.534 s  0.534 s  0.534 s  0.534 s  0.534 s  0.534 s	#	Step / Hook Details	Status	Duration
When user click Config Manager menu  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  And click on view button in ware house master  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Add click on view button in ware house master  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  1.701 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.904 s  TO And Get The approved record data  PASSED  1.038 s	3	Then user click on configurations Tab	PASSED	0.406 s
When user click Config Manager menu  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  5. And click on view button in ware house master  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  1.701 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.904 s  PASSED  1.701 s  PASSED  0.904 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.261 s
When user click Conflig Manager menu  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And click on view button in ware house master  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumb		screenshot		
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And click on view button in ware house master  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber		AND THE RESIDENCE OF TH		
screenshot  And click on view button in ware house master  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksC	4	When user click Config Manager menu	PASSED	0.158 s
And click on view button in ware house master  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And select the first approved record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.701 s  PASSED  0.904 s  To And Get The approved record data  PASSED  1.038 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.367 s
After_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And select the first approved record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.701 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  And select the first approved record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  AGTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.ja		TATION INDICATE TO AN ALL TO ANAL TO AN ALL TO AN ALL TO AN ALL TO AN ALL TO ANAL TO AN ALL TO ANAL TO AN ALL TO ANAL		
Screenshot  And select the first approved record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And Get The approved record data  PASSED  1.701 s  PASSED  0.904 s  1.701 s  PASSED  1.701 s  PASSED  1.701 s  PASSED  1.701 s  PASSED  1.701 s	5	And click on view button in ware house master	PASSED	0.186 s
And select the first approved record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And Get The approved record data  PASSED  1.701 s  PASSED  0.904 s  PASSED  1.038 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.534 s
And select the first approved record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And Get The approved record data  PASSED  1.701 s  0.904 s  PASSED  0.904 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  7 And Get The approved record data  PASSED  0.904 s  PASSED  0.904 s  PASSED  1.038 s				
Screenshot  7 And Get The approved record data  PASSED 1.038 s	6	And select the first approved record	PASSED	1.701 s
7 And Get The approved record data  PASSED 1.038 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.904 s
7 And Get The approved record data PASSED 1.038 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.422 s	7	And Get The approved record data	PASSED	1.038 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.422 s
screenshot		screenshot		

#	Step / Hook Details	Status	Duration
	*** A SECTION***  *** Company of the		
8	Then verify System should display the currect description value	FAILED	0.148 s
	org.openqa.selenium.NoSuchElementException: no such element. Unable to locate element: {"method":"xpath","selector":"//table//tbody///tr[1]t/(13)/span"} (Session info: chrome=106.05249.119) For documentation on this error, please visit: https://selenium.dev/exceptions/sino_such_element Build info: version: '4.0.0-re-1', revision: 'bc551.cbda' System info: host: 'MiMUVADP014547', ip: '10.1.47.111', os.name: Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: Jase08c4800d295eb1765e482435deef, findElement (using=xpath, value=/rtable//tbody//tr[1]/tr[3]//span]] Capabilities (acceptinsecureCerts: Ialse, browserName: chrome, browserVersion: 106.0.5249.119, chrome: (chromedriverVersion: 105.0.5195.52 (412e35e51883, userDataDir: CXUsersiNINDC-11AppDataL), goog:chromeOptions: (debuggerAddress: localhost.57915), javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformse: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost.57915/devtoo, se:cdpVersion: 106.0.5249.119, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 300000, sc		
	AFTER STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.732 s


DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	ASSTOR  TO SET TO THE		
9	Then verify system should display the currect address value	SKIPPED	0.001 s
10	Then verify system should display the currect phone 1 value	SKIPPED	0.000 s
11	Then verify system should display the currect fax value	SKIPPED	0.000 s
12	Then verify system should display the currect mail value	SKIPPED	0.001 s
13	Then verify system should display the currect contarct person value	SKIPPED	0.000 s
14	Then verify system should display the exact status of the record	SKIPPED	0.000 s


EXPANDED SECTION -- 8 --



EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --

