

# Cucumber Report

Sep 22, 2022, 10:13:37 AM

**Start : Sep 22, 10:12:38.625 AM**

**End : Sep 22, 10:13:33.336 AM**

**Duration : 54.711 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 1**

**SKIPPED - 0**

**PASSED - 6**


**FAILED - 1**

**SKIPPED - 15**







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of Customer Address Details</u>	1	0	1	0	54.711 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the functionality of Customer Address Details</u>	<u>verify the functionality of save button post entering all valid details and clicking on save button</u>	22	6	1	15	54.707 s





**(F)- Check the functionality of Customer Address Details**


<b>FAILED</b>	<b>DURATION - 54.711 s</b>	Scenarios		Steps	
/ 10:12:38.625 AM // 10:13:33.336 AM /		Total - 1		Total - 22	
		Pass - 0		Pass - 6	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 15	

**(S)- verify the functionality of save button post entering all valid details and clicking on save button**


<div>FAILED</div> <div>DURATION - 54.707 s</div>			Steps		
/ 10:12:38.629 AM // 10:13:33.336 AM /			Total - 22		
Check the functionality of Customer Address Details			Pass - 6		
			Fail - 1		
@AT_CAD_002			Skip - 15		

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	7.102 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.320 s
	screenshot		
			
2	And User Login as maker	PASSED	5.273 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.108 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on inbox	PASSED	0.362 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.341 s
	screenshot 		
4	Then click on inbox search icon	PASSED	0.123 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.130 s
	screenshot 		
5	Then search Customer Address Details record	PASSED	0.125 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.103 s
	screenshot 		
6	And maker user open the record from inbox	PASSED	1.172 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	<p>Then click on Additional customer info Segment button</p> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //ion-segment-button[@id='seg3']' (tried for 10 second(s) with 1000 milliseconds interval)  at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)  at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)  at stepdefinitions.Customer_AddressDetails.click_on_additional_customer_info_segment_button(Customer_AddressDetails.java:47)  at ?.click on Additional customer info Segment button(file:///C:/Users/inindc00089/git/repository6/Priyanka_AzentioULSFramework/src/test/java/features/Customer_AddressDetails.feature:12)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-segment-button[@id='seg3']"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a8d60d817c48ba2397048d3541062d38, findElement {using=xpath, value=//ion-segment-button[@id='seg3']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local\Google\Chrome\User Data\Default\Profile 1\Extensions\pfnh...), goog:chromeOptions: {debuggerAddress: localhost:59847}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59847/devtools..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a8d60d817c48ba2397048d3541062d38  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</p>	FAILED	10.195 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.Customer_AddressDetails.click_on_additional_customer_info_segment_button(Customer_AddressDetails.java:47) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.100 s
	screenshot		
			
8	Then click on Action button of Customer Personal Information	SKIPPED	0.000 s
9	Then from customer identification screen click on add button of Address details	SKIPPED	0.000 s
10	Then select Address Type	SKIPPED	0.000 s
11	Then select Address Status	SKIPPED	0.000 s
12	Then select Residential or Occupancy Status	SKIPPED	0.000 s
13	Then Enter Address Line1	SKIPPED	0.000 s
14	Then Enter Address Line2	SKIPPED	0.000 s
15	Then select Country	SKIPPED	0.000 s
16	Then select Province ID	SKIPPED	0.000 s
17	Then Enter Neighbourhood District Name	SKIPPED	0.000 s
18	Then select City ID	SKIPPED	0.000 s
19	Then Enter Zip Code	SKIPPED	0.000 s
20	Then Enter Mobile Number primary	SKIPPED	0.000 s
21	Then Enter Occupancy Date	SKIPPED	0.000 s




#	Step / Hook Details	Status	Duration
22	Then click on save button of Address Detail	SKIPPED	0.000 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify the functionality of save button  
post entering all valid details and clicking  
on save button


(F) Check the functionality of Customer  
Address Details



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify the functionality of save button  
post entering all valid details and clicking  
on save button

(F) Check the functionality of Customer  
Address Details



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify the functionality of save button  
post entering all valid details and clicking  
on save button

(F) Check the functionality of Customer  
Address Details

The screenshot shows the AZENTIO ONEBanking application interface. On the left is a dark blue sidebar with a menu containing: Dashboard, Configurations, Config Manager, Sample Screens, Transactions, and Reports. The main area is titled 'Inbox' and shows 'Action' with a search bar. Below the search bar, it says 'Showing 0 to 0 of 0 entries'. At the bottom right of the main area, there is a blue circular button with a white gear icon.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify the functionality of save button  
post entering all valid details and clicking  
on save button

(F) Check the functionality of Customer  
Address Details

The screenshot shows the AZENTIO ONEBanking application interface with the inbox populated with 10 entries. The sidebar is the same as in the previous screenshot. The main area is titled 'Inbox' and shows a table of actions. At the bottom right, there is a blue circular button with a white gear icon.

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	610	APP_CREATE	LEGVRFY	CPUEXEC	in02040	21-Sep-2022 18:29	HLW	AHL		T	T
	610	APP_CREATE	FCUVRFY	CPUEXEC	in02040	21-Sep-2022 18:29	HLW	AHL		T	T
	605	APP_CREATE	FCUVRFY	CPUEXEC	in02040	21-Sep-2022 18:9	HLW	AHL		T	T
	605	APP_CREATE	LEGVRFY	CPUEXEC	in02040	21-Sep-2022 18:9	HLW	AHL		T	T
	609	APP_CREATE	APPDATAENT	CPUEXEC	in02040	21-Sep-2022 18:7	HLW	AHL		T	T
	608	APP_CREATE	APPDATAENT	CPUEXEC	in02040	21-Sep-2022 17:55	HLW	AHL		T	T
	607	APP_CREATE	APPDATAENT	CPUEXEC	in02040	21-Sep-2022 17:51	HLW	AHL		T	T
	606	APP_CREATE	APPDATAENT	CPUEXEC	in02040	21-Sep-2022 17:44	HLW	AHL		T	T
	594	APP_CREATE	NEWAPP	BREXEC	in02040	21-Sep-2022 11:48	HLW	AHL		T	
	593	APP_CREATE	NEWAPP	BREXEC	in02040	21-Sep-2022 11:43	HLW	AHL		T	

Showing 1 to 10 of 87 entries

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify the functionality of save button  
post entering all valid details and clicking  
on save button

(F) Check the functionality of Customer  
Address Details

The screenshot shows the AZENTIO ONEBanking application interface. On the left is a blue sidebar menu with options: Dashboard, Configurations, Config Manager, Sample Screens, Transactions, and Reports. The main area is titled 'Inbox' and contains a table of transactions. The table has columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, Product, Workflow Type, Event Type, and Transaction Type. The table lists 10 transactions, with the first one highlighted. A search bar at the top right contains the text '606'. At the bottom, a pagination bar shows 'Showing 1 to 10 of 87 entries' and a set of navigation arrows with the number 1 highlighted.

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	610	APP_CREATE	LEGVRFY	CPUEXEC	in02040	21-Sep-2022 18:29	HLW	AHL		T	T
	610	APP_CREATE	FCUVRFY	CPUEXEC	in02040	21-Sep-2022 18:29	HLW	AHL		T	T
	605	APP_CREATE	FCUVRFY	CPUEXEC	in02040	21-Sep-2022 18:9	HLW	AHL		T	T
	605	APP_CREATE	LEGVRFY	CPUEXEC	in02040	21-Sep-2022 18:9	HLW	AHL		T	T
	609	APP_CREATE	APPDATAENT	CPUEXEC	in02040	21-Sep-2022 18:7	HLW	AHL		T	T
	608	APP_CREATE	APPDATAENT	CPUEXEC	in02040	21-Sep-2022 17:55	HLW	AHL		T	T
	607	APP_CREATE	APPDATAENT	CPUEXEC	in02040	21-Sep-2022 17:51	HLW	AHL		T	T
	606	APP_CREATE	APPDATAENT	CPUEXEC	in02040	21-Sep-2022 17:44	HLW	AHL		T	T
	594	APP_CREATE	NEWAPP	BREXEC	in02040	21-Sep-2022 11:48	HLW	AHL		T	
	593	APP_CREATE	NEWAPP	BREXEC	in02040	21-Sep-2022 11:43	HLW	AHL		T	

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify the functionality of save button  
post entering all valid details and clicking  
on save button

(F) Check the functionality of Customer  
Address Details

This screenshot shows the same AZENTIO ONEBanking application interface as the first one, but with the search bar containing '606'. The table now only displays one transaction, which is highlighted. The pagination bar at the bottom indicates 'Showing 1 to 1 of 1 entries'.

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	606	APP_CREATE	APPDATAENT	CPUEXEC	in02040	21-Sep-2022 17:44	HLW	AHL		T	T

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify the functionality of save button  
post entering all valid details and clicking  
on save button

(F) Check the functionality of Customer  
Address Details

**AZENTIO**  
ONEBanking

Search the menu

**Inbox**

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	606	APP_CREATE	APPDATENT	CPUEXEC	in02040	21-Sep-2022 17:44	HLW	AHL		T	T

Showing 1 to 1 of 1 entries

1

10