

Cucumber Report

Sep 14, 2022, 11:49:11 PM

Start : Sep 14, 11:48:42.213 PM

End : Sep 14, 11:49:10.806 PM

Duration : 28.593 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 8
FAILED - 1
SKIPPED - 8







#	Feature Name	T	P	F	S	Duration
1	Income Details Functionality	1	0	1	0	28.593 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Income Details Functionality</u>	<u>Creation of Income details record with invalid data</u>	17	8	1	8	28.589 s





(F)- Income Details Functionality




FAILED	DURATION - 28.593 s	Scenarios		Steps	
/ 11:48:42.213 PM // 11:49:10.806 PM /		Total - 1		Total - 17	
		Pass - 0		Pass - 8	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 8	


(S)- Creation of Income details record with invalid data

<div>FAILED</div> <div>DURATION - 28.589 s</div>		<div></div>	<div>Steps</div> <div>Total - 17</div> <div>Pass - 8</div> <div>Fail - 1</div> <div>Skip - 8</div>		<div></div>
<div>/ 11:48:42.217 PM // 11:49:10.806 PM /</div>					
<div>Income Details Functionality</div>					
<div>@AT-ID-007</div>					

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	5.152 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.269 s
	screenshot		
			
2	And User Login as maker	PASSED	4.976 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.105 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on inbox	PASSED	0.182 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.152 s
	screenshot 		
4	Then click on inbox search icon	PASSED	0.173 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.119 s
	screenshot 		
5	Then search Income Details record	PASSED	0.101 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.102 s
	screenshot 		
6	And maker user open the record from inbox	PASSED	1.143 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then click on Customer Financials Segment button	PASSED	1.197 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.224 s
	screenshot 		
8	Then click on Customer Financials Record Edit button	PASSED	1.142 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.273 s
	screenshot 		
9	Then click on Income Details Action Edit	FAILED	10.491 s
	<p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[ChromeDriver: chrome on WINDOWS (8935d892e8cf2df8580da21e9f798750)] -> xpath: (//table[1]/tbody[1]/tr[1]/td[1]/span[1]/button[1]/span[1])[2]] (tried for 10 second(s) with 1000 milliseconds interval) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVDAP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: unknown</p> <p>at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)</p> <p>at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)</p> <p>at stepdefinitions.IncomeDetails.click_on_income_details_action_edit(IncomeDetails.java:282)</p> <p>at ?.click on Income Details Action Edit(file:///C:/Users/inindc00089/git/repository6/Priyanka_AzentioULSFramework/src/test/java/features/IncomeDetails.feature:53)</p> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.111 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
10	Then modify Income Details record with valid data	SKIPPED	0.000 s
11	Then click on Income Details save button	SKIPPED	0.000 s
12	Then Validate Save Success msg	SKIPPED	0.001 s
13	And maker user open the record from inbox	SKIPPED	0.000 s
14	Then click on Customer Financials Segment button	SKIPPED	0.000 s
15	Then click on Customer Financials Record Edit button	SKIPPED	0.000 s
16	Then click on Income Details Action Edit	SKIPPED	0.000 s
17	Then Validate Valid modified record should get saved in a system	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Income details record with
invalid data

(F) Income Details Functionality

AZENTIO™
ONEBanking

User ID

CONTINUE

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Income details record with
invalid data

(F) Income Details Functionality

AZENTIO™
ONEBanking

Search the menu

Dashboard

Configurations

Transactions

Reports

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Income details record with
invalid data

(F) Income Details Functionality

The screenshot displays the AZENTIO ONEBanking application interface. On the left is a dark blue sidebar with a search bar and a menu containing: Dashboard, Configurations (expanded), Config Manager, Sample Screens, Transactions, and Reports. The main content area is titled 'Inbox' and shows 'Action' with a search icon. Below this, it states 'Showing 0 to 0 of 0 entries' with navigation arrows and a dropdown set to '10'. A blue circular button with a gear icon is visible in the bottom right corner.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Income details record with
invalid data

(F) Income Details Functionality

The screenshot displays the AZENTIO ONEBanking application interface with the 'Inbox' section populated with 10 entries. The sidebar is identical to the previous screenshot. The 'Inbox' section shows a table with the following columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, and Product. The table contains 10 rows of data, all with 'APP_CREATE' as the Event Code and 'CPUEXEC' as the Role Code. The 'Created Date' for all entries is '14-Sep-2022'. The 'Workflow Code' is 'HLW' and the 'Product' is 'AHL'. The bottom of the table shows 'Showing 1 to 10 of 55 entries' with navigation arrows and a dropdown set to '10'. A blue circular button with a gear icon is visible in the bottom right corner.

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	489	APP_CREATE	APPDATAENT	CPUEXEC	in02040	14-Sep-2022 20:59	HLW	AHL
	485	APP_CREATE	OFFERING	CREOFF	in02040	14-Sep-2022 20:34	HLW	AHL
	480	APP_CREATE	APPDATAENT	CPUEXEC	in02040	14-Sep-2022 17:28	HLW	AHL
	478	APP_CREATE	APPDATAENT	CPUEXEC	in02040	14-Sep-2022 16:54	HLW	AHL
	470	APP_CREATE	DISBMKR	OPEMKR	in02040	14-Sep-2022 14:51	HLW	AHL
	468	APP_CREATE	APPDATAENT	CPUEXEC	in02040	14-Sep-2022 13:42	HLW	AHL
	424	APP_CREATE	LEGVRFY	CPUEXEC	in02040	14-Sep-2022 13:13	HLW	AHL
	424	APP_CREATE	FCUVRFY	CPUEXEC	in02040	14-Sep-2022 13:13	HLW	AHL
	466	APP_CREATE	APPDATAENT	CPUEXEC	in02040	14-Sep-2022 12:35	HLW	AHL
	465	APP_CREATE	OFFERING	CREOFF	in02040	14-Sep-2022 12:23	HLW	AHL

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Income details record with
invalid data

(F) Income Details Functionality

The screenshot shows the AZENTIO ONEBanking application interface. On the left is a blue sidebar menu with options: Dashboard, Configurations, Config Manager, Sample Screens, Transactions, and Reports. The main area displays an 'Inbox' table with columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, and Product. The table contains 10 entries, all with 'APP_CREATE' as the Event Code and 'CPUEXEC' as the Role Code. A search bar at the top right of the table contains the text '457'. At the bottom of the table, it says 'Showing 1 to 10 of 55 entries'.

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	489	APP_CREATE	APPDATAENT	CPUEXEC	in02040	14-Sep-2022 20:59	HLW	AHL
	485	APP_CREATE	OFFERING	CREOFF	in02040	14-Sep-2022 20:34	HLW	AHL
	480	APP_CREATE	APPDATAENT	CPUEXEC	in02040	14-Sep-2022 17:28	HLW	AHL
	478	APP_CREATE	APPDATAENT	CPUEXEC	in02040	14-Sep-2022 16:54	HLW	AHL
	470	APP_CREATE	DISBMKR	OPEMKR	in02040	14-Sep-2022 14:51	HLW	AHL
	468	APP_CREATE	APPDATAENT	CPUEXEC	in02040	14-Sep-2022 13:42	HLW	AHL
	424	APP_CREATE	LEGVRFY	CPUEXEC	in02040	14-Sep-2022 13:13	HLW	AHL
	424	APP_CREATE	FCUVRFY	CPUEXEC	in02040	14-Sep-2022 13:13	HLW	AHL
	466	APP_CREATE	APPDATAENT	CPUEXEC	in02040	14-Sep-2022 12:35	HLW	AHL
	465	APP_CREATE	OFFERING	CREOFF	in02040	14-Sep-2022 12:23	HLW	AHL

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Income details record with
invalid data

(F) Income Details Functionality


The screenshot shows the AZENTIO ONEBanking application interface, similar to the one above but with only one entry in the 'Inbox' table. The search bar at the top right of the table contains the text '457'. At the bottom of the table, it says 'Showing 1 to 1 of 1 entries'.

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	457	APP_CREATE	APPDATAENT	CPUEXEC	in02040	13-Sep-2022 13:51	HLW	AHL

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Income details record with
invalid data


(F) Income Details Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Income details record with
invalid data

(F) Income Details Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Income details record with
invalid data

(F) Income Details Functionality

AZENTIO

ONEBanking

Search the menu

Dashboard

Configurations

Config Manager

Sample Screens

Transactions

Reports

Prev

Application Info

Customer details

Additional Customer Info

Customer Financials

Facility Info

Document Details

Next

Income

Employment Type

Salaried

Income	Frequency	Amount	Def %	Adj %	Amount Considered	Action
BASIC	Monthly	50000	100	80	40000	+

Total Income

50000

Total Income Considered

40000

Salary Credited To Bank

YES

Bank Name

ICICIBANK

Branch Name

Select

Deduction	Frequency	Deduction Amt	Deduction Def %	Deduction Adj %	Deduction Considered	Action
INCOME TAX	Monthly	5000	100	100	5000	+

Total Deduction

5000

Total Deduction Considered

5000

Currency

INR