

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	collateral Functionality	1	1	0	0	28.149 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	collateral Functionality	collateral - to check the functionality of view summary	8	8	0	0	28.146 s

DETAILED SECTION -- 4 --

## **(F)- collateral Functionality**

PASSED	DURATION - 28.149 s	Scenarios		Steps	
		Total - 1		Total - 8	
/ 4:10:20.754 PN	1 // 4:10:48.903 PM /	Pass - 1	1	Pass - 8	8
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	


## (S)- collateral - to check the functionality of view summary




#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	7.411 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.357 s
	screenshot		
	AZENTIO  Microsi  Grad		
2	And User Login as maker	PASSED	5.360 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
	screenshot		


ASSISTED  OF OF OF SECTION SEC		
3 Then click on Asset collateral config PAS	SSED	0.237 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PAS	SSED	0.142 s
screenshot		
ACCUPATION OF SECTION		
4 Then click on collateral Edit icon PAS	SSED	0.349 s
screenshot	SSED	0.546 s
C C C P I (MC) (MC) (MC) (MC) (MC) (MC) (MC) (MC)		
5 Then open collateral wip record PAS	SSED	1.237 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	SSED	0.162 s
screenshot		
ALESTICS  CI C		
6 Then click on collateral view summary PAS	SSED	2.133 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	SSED	0.255 s
screenshot		


DETAILED SECTION -- 6 --



EXPANDED SECTION -- 7







EXPANDED SECTION -- 10 --

