Cucumber Report

Start : Aug 08, 3:18:54.378 PM

End : Aug 08, 3:19:18.171 PM

Duration : 23.793 s

Features	Scenarios	Steps

PASSED - 0	PASSED - 0	PASSED - 8
FAILED - 1	FAILED - 1	FAILED - 1
SKIPPED - 0	SKIPPED - 0	SKIPPED - 18

1

1

27

0 %

0 %

29 %

#	Feature Name	T	P	F	S	Duration
1	collateral Functionality	1	0	1	0	23.793 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	collateral Functionality	collateral-	27	8	1	18	23.788 s

(F)- collateral Functionality

| FAILED	DURATION - 23.793 s	Scenarios		Steps	
/ 3:18:54.378 PM // 3:19:18.171 PM /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 27 Pass - 8 Fail - 1 Skip - 18	27

(S)- collateral-

FAILED	DURATION - 23.788 s		Steps	
/ 3:18:54.383 PM // 3:19:18.171 PM /			Total - 27	
collateral Functionality			Pass - 8 Fail - 1	27
@m7			Skip - 18	

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	13.362 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
	screenshot		
2	And User Login as maker	PASSED	0.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then click on Asset collateral config	PASSED	0.070 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.117 s
	screenshot		
4	Then click on Language tab	PASSED	0.125 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
	screenshot		
5	Then select French language	PASSED	0.153 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
	screenshot		
6	Then click on collateral eye icon	PASSED	0.125 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.327 s
	screenshot		

| #	Step / Hook Details	Status	Duration
7	Then click on collateral add button	PASSED	4.218 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.118 s
	screenshot		
8	Then Enter collateral French Description	PASSED	0.373 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.104 s
	screenshot		
9	Then click on collateral back button	FAILED	1.071 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element is not clickable at point (291, 118). Other element would receive the click: <div class="p-tooltip-text">...</div> (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4479af54048100a685ee6fda0331ea18, clickElement {id=6578b35d-899b-4ca5-a7f8-bc4d51a73903}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:52722}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52722/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (4479af54048100a685ee6fda0331ea18)] -> xpath: //button[@ng-reflect-text='Go Back']/span[1]] Session ID: 4479af54048100a685ee6fda0331ea18
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy45.click(Unknown Source) at stepdefinitions.Collateral.click_on_collateral_back_button(Collateral.java:154) at ?.click on collateral back button(file:///C:/Users/inindc00089/git/repository6/Priyanka_AzentioULSFramework/src/test/java/features/Collateral.feature:134) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.085 s
10	Then click on Language tab	SKIPPED	0.000 s
11	Then select German language	SKIPPED	0.000 s
12	Then click on collateral eye icon	SKIPPED	0.000 s
13	Then click on collateral add button	SKIPPED	0.001 s
14	Then Enter collateral German Description	SKIPPED	0.000 s
15	Then click on collateral back button	SKIPPED	0.000 s
16	Then click on Language tab	SKIPPED	0.001 s
17	Then select Arabic language	SKIPPED	0.000 s
18	Then click on collateral eye icon	SKIPPED	0.000 s
19	Then click on collateral add button	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
20	Then Enter collateral Arabic Description	SKIPPED	0.000 s
21	Then click on collateral back button	SKIPPED	0.000 s
22	Then click on Language tab	SKIPPED	0.000 s
23	Then select English language	SKIPPED	0.000 s
24	Then click on collateral eye icon	SKIPPED	0.000 s
25	Then click on collateral add button	SKIPPED	0.000 s
26	Then Enter collateral English Description	SKIPPED	0.000 s
27	Then Enter collateral Description	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) collateral-

(F) collateral Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) collateral-

(F) collateral Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) collateral-

(F) collateral Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) collateral-

(F) collateral Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) collateral-

(F) collateral Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) collateral-

(F) collateral Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) collateral-

(F) collateral Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) collateral-

(F) collateral Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) collateral-

(F) collateral Functionality

AZENTIO
ONEBanking

Go Back

Asset / Collateral categories

Asset / Collateral Category Detail

Description *
d'accord

Asset / Collateral Category Code *

Module *
Select

Registration Required

Reposession Allowed

Remarks *

Search the menu

- Dashboard
- Configurations
  - Asset Collateral Config
    - Collateral
    - Collateral sub type
    - Collateral type
  - Business Rules
  - Corporate Masters
  - Misc Config
  - Other Masters
  - Product Definitions
- Transactions