

# Cucumber Report

Jul 25, 2022, 9:55:07 PM

Start : Jul 25, 9:54:01.088 PM

End : Jul 25, 9:55:05.939 PM

Duration : 1 m 4.851 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 5  
FAILED - 1  
SKIPPED - 23







| # | Feature Name                                     | T | P | F | S | Duration    |
|---|--|---|---|---|---|-------------|
| 1 | <u>Check the functionality of product master</u> | 1 | 0 | 1 | 0 | 1 m 4.851 s |






| # | Feature Name                                     | Scenario Name  | T  | P | F | S  | Duration    |
|---|--|--|----|---|---|----|-------------|
| 1 | <u>Check the functionality of product master</u> | <u>Product Master - Modify records (approve, reject and return) at maker stage</u> | 29 | 5 | 1 | 23 | 1 m 4.845 s |





**(F)- Check the functionality of product master**

|                                      |                               |           |   |            |   |
|--------------------------------------|-------------------------------|-----------|---|------------|---|
| <b>FAILED</b>                        | <b>DURATION - 1 m 4.851 s</b> | Scenarios |  | Steps      |  |
| / 9:54:01.088 PM // 9:55:05.939 PM / |                               | Total - 1 |   | Total - 29 |   |
|                                      |                               | Pass - 0  |   | Pass - 5   |   |
|                                      |                               | Fail - 1  |   | Fail - 1   |   |
|                                      |                               | Skip - 0  |   | Skip - 23  |   |

**(S)- Product Master - Modify records (approve, reject and return) at maker stage**


|  |  |   |   |  |
|--|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 1 m 4.845 s</div>  |  | <div></div> | <div>Steps</div> <div>Total - 29</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 23</div> | <div></div> |
| <div>/ 9:54:01.094 PM // 9:55:05.939 PM /</div>      |  |   |   |  |
| <div>Check the functionality of product master</div> |  |   |   |  |
| <div>@M5 @ProductMaster</div>                        |  |   |   |  |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given User launch the kuls application  | PASSED | 5.061 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.436 s  |
|   | screenshot  |        |          |
|   |  |        |          |
| 2 | And User Login as maker   | PASSED | 5.173 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.245 s  |
|   | screenshot  |        |          |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   |   |        |          |
| 3 | Then user should navigate to product master  | PASSED | 0.379 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.293 s  |
|   | screenshot   |        |          |
|   |   |        |          |
| 4 | And click on edit view of product master   | PASSED | 0.176 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.232 s  |
|   | screenshot   |        |          |
|   |   |        |          |
| 5 | Then click on edit button of record to modify  | PASSED | 24.850 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.156 s  |
|   | screenshot   |        |          |
|   |   |        |          |
| 6 | Then user should verify the buttons available on screen while modify   | FAILED | 20.417 s |
|   | <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //ion-row[1]/ion-col[2]/digital-select-layout[1]' (tried for 20 second(s) with 1000 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)</p> <p>at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:93)</p> |        |          |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | <p>at stepdefinitions.ProductMaster_Retail.user_should_verify_the_buttons_available_on_screen_while_modify(ProductMaster_Retail.java:78)<br/> at ?.user should verify the buttons available on screen while modify(file:///C:/Users/inindc00091/git/Devesh_AzentioULS_FW/AzentioULSFrameworkCopy/src/test/java/features/ProductMaster_Retail.feature:9)<br/> Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/ion-row[1]/ion-col[2]/digital-select-layout[1]"} (Session info: chrome=100.0.4896.127) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [30378897d46a61c3faa4ebaa2bc2ad42, findElement {using=xpath, value=/ion-row[1]/ion-col[2]/digital-select-layout[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.127, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppDataL...}, goog:chromeOptions: {debuggerAddress: localhost:61319}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61319/devtoo..., se:cdpVersion: 100.0.4896.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 30378897d46a61c3faa4ebaa2bc2ad42<br/> atjdk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source)<br/> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br/> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br/> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br/> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br/> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br/> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br/> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)<br/> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)<br/> at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br/> at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)<br/> at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)<br/> at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br/> at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br/> atjdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source)<br/> at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)<br/> at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)<br/> at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)<br/> at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)<br/> at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)<br/> at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:93)<br/> at stepdefinitions.ProductMaster_Retail.user_should_verify_the_buttons_available_on_screen_while_modify(ProductMaster_Retail.java:78)<br/> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br/> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)<br/> at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br/> at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p> |        |          |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)<br>at io.cucumber.java.Invoker.invoke(Invoker.java:24)<br>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)<br>at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)<br>at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)<br>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)<br>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)<br>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)<br>at io.cucumber.core.runner.TestStep.run(TestStep.java:64)<br>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)<br>at io.cucumber.core.runner.TestCase.run(TestCase.java:104)<br>at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)<br>at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)<br>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)<br>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)<br>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br>at java.base/java.lang.reflect.Method.invoke(Method.java:568)<br>at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)<br>at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)<br>at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)<br>at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)<br>at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)<br>at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)<br>at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)<br>at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)<br>at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)<br>at org.testng.TestRunner.privateRun(TestRunner.java:794)<br>at org.testng.TestRunner.run(TestRunner.java:596)<br>at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)<br>at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)<br>at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)<br>at org.testng.SuiteRunner.run(SuiteRunner.java:276)<br>at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)<br>at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)<br>at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)<br>at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)<br>at org.testng.TestNG.runSuites(TestNG.java:1063)<br>at org.testng.TestNG.run(TestNG.java:1031)<br>at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) |        |          |


| #  | Step / Hook Details  | Status  | Duration |
|----|--|---------|----------|
|    | at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)<br>at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)<br>* Not displayable characters are replaced by '?'. |         |          |
|    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br>screenshot<br>      | PASSED  | 0.202 s  |
| 7  | Then verify system should modify the record before approved  | SKIPPED | 0.001 s  |
| 8  | And click on eye icon of product master  | SKIPPED | 0.000 s  |
| 9  | Then verify system should modify already approved record   | SKIPPED | 0.000 s  |
| 10 | Then verify system allow user to save modified record with valid data  | SKIPPED | 0.001 s  |
| 11 | Then system should display the confirmation message  | SKIPPED | 0.000 s  |
| 12 | Then click on inbox button   | SKIPPED | 0.000 s  |
| 13 | And select the modified record from inbox to approve   | SKIPPED | 0.001 s  |
| 14 | Then click on submit button  | SKIPPED | 0.000 s  |
| 15 | Then system should display confirmation message after submit   | SKIPPED | 0.000 s  |
| 16 | And click on edit view of product master   | SKIPPED | 0.001 s  |
| 17 | Then click on edit button of record2 to modify   | SKIPPED | 0.001 s  |
| 18 | Then verify system should modify the record before approved  | SKIPPED | 0.000 s  |
| 19 | Then click on inbox button   | SKIPPED | 0.001 s  |
| 20 | And select the modified record from inbox to reject  | SKIPPED | 0.000 s  |
| 21 | Then click on submit button  | SKIPPED | 0.000 s  |
| 22 | Then system should display confirmation message after submit   | SKIPPED | 0.000 s  |
| 23 | And click on edit view of product master   | SKIPPED | 0.000 s  |
| 24 | Then click on edit button of record3 to modify   | SKIPPED | 0.000 s  |
| 25 | Then verify system should modify the record before approved  | SKIPPED | 0.000 s  |
| 26 | Then click on inbox button   | SKIPPED | 0.000 s  |
| 27 | And select the modified record from inbox to return  | SKIPPED | 0.001 s  |
| 28 | Then click on submit button  | SKIPPED | 0.001 s  |
| 29 | Then system should display confirmation message after submit   | SKIPPED | 0.000 s  |



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage


(F) Check the functionality of product  
master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product  
master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product  
master

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage


(F) Check the functionality of product  
master

Product master

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product  
master




The screenshot displays the Azentio Software interface. On the left is a dark blue sidebar with the 'AZENTIO' logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area is titled 'Product Master' and features a table with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, Status, and Authorization Status. The table contains four rows of data, all with 'In-active' status. Below the table is a pagination bar showing 'Showing 166 to 169 of 169 entries' and a page number '34'. The top of the interface includes a header with a menu icon, language 'English', 'LOS', 'Azentio Software', and a user profile for 'Puneet' dated '01-Sep-2023'.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product  
master



This screenshot is identical to the one above, showing the Azentio Software interface with the 'Product Master' table and navigation sidebar.