

Cucumber Report

22-Nov-2022, 1:44:00 pm

Start : Nov 22, 1:43:01.918 pm

End : Nov 22, 1:43:57.113 pm

Duration : 55.195 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 9
FAILED - 1
SKIPPED - 16







#	Feature Name	T	P	F	S	Duration
1	To verify the functional flow for customer entity layout facility details	1	0	1	0	55.195 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify the functional flow for customer entity layout facility details	To verify the functional flow for customer entity layout facility details	26	9	1	16	55.189 s

(F)- To verify the functional flow for customer entity layout facility details




FAILED	DURATION - 55.195 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 26 Pass - 9 Fail - 1 Skip - 16	
/ 1:43:01.918 pm // 1:43:57.113 pm /					


(S)- To verify the functional flow for customer entity layout facility details

<div>FAILED</div> <div>DURATION - 55.189 s</div>		<div></div>	<div>Steps</div> <div>Total - 26</div> <div>Pass - 9</div> <div>Fail - 1</div> <div>Skip - 16</div>	<div></div>
<div>/ 1:43:01.924 pm // 1:43:57.113 pm /</div>				
<div>To verify the functional flow for customer entity layout facility details</div>				
<div>@AT_FD_001</div>				


#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	19.248 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.676 s
	screenshot		
			
2	And user click on Inbox Icon	PASSED	0.353 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.357 s
	screenshot		
			


#	Step / Hook Details	Status	Duration
3	And User click the action edit icon in customer entity layout facility details	PASSED	5.552 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.313 s
	screenshot		
			
4	And User click the facility info tab in customer entity layout facility details	PASSED	3.434 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.805 s
	screenshot		
			
5	And User click the add icon in customer entity layout facility details	PASSED	0.097 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.958 s
	screenshot		
			
6	And User click the back button in customer entity layout facility details	PASSED	1.120 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.355 s
	screenshot		
			
7	And User click the add icon in customer entity layout facility details	PASSED	0.639 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.688 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	And User update the excel data for Facility details creation	PASSED	0.068 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.288 s
	screenshot		
			
9	And User enter the primary product in customer entity layout facility details	PASSED	3.345 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.228 s
	screenshot		
			
10	And User enter the primary sub product in customer entity layout facility details	FAILED	1.096 s
	<p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-select _ngcontent-cjx-c322="" ng-reflect-ok-text="OK" ng-reflect-cancel-text="CANCEL" ng-reflect-placeholder="Select" ng-reflect-interface="popover" ng-reflect-multiple="false" ng-reflect-disabled="false" ng-reflect-is-disabled="false" class="ng-untouched ng-pristine ng-valid ios in-item hydrated ion-untouched ion-pristine ion-valid" role="button" aria-haspopup="listbox" aria-label="Select, Product *">...</ion-select> is not clickable at point (1490, 293). Other element would receive the click: <ion-popover class="select-popover ios popover-desktop popover-side-bottom hydrated" id="ion-overlay-4" aria-modal="true" no-router="" tabindex="-1" style="z-index: 20004; --width:802.016px;">...</ion-popover> (Session info: chrome=106.0.5249.119) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVDAP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ef2c502be1b8f49252f4de29e0d90d7c, clickElement [id=497e0efb-c25d-486c-8c5a-0a94ea5be881]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 106.0.5249.119, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\Local..., goog:chromeOptions: {debuggerAddress: localhost:55055}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55055/devtoo..., se:cdpVersion: 106.0.5249.119, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (ef2c502be1b8f49252f4de29e0d90d7c)] -> xpath: //ion-label[contains(text(),'Product')]/following-sibling::ion-select] Session ID: ef2c502be1b8f49252f4de29e0d90d7c</p>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.KULS_CustomerEntityLayout_FacilityDetails. user_enter_the_primary_sub_product_in_customer_entity_layout_facility_details(KULS_CustomerEntityLayout_FacilityDetails.java:151) at ?.User enter the primary sub product in customer entity layout facility details(file:///C:/Users/inindc00075/git/Arshath_ULS/ Arshath_AzentioULSFramework/src/test/java/features/ULS_FacilityDetails.feature:14) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.259 s
11	And User enter the scheme in customer entity layout facility details	SKIPPED	0.001 s
12	And User enter the program code in customer entity layout facility details	SKIPPED	0.000 s
13	And User enter the facility type in customer entity layout facility details	SKIPPED	0.000 s
14	And User enter the servicing branch in customer entity layout facility details	SKIPPED	0.000 s
15	And User enter the pricing or interest indicator in customer entity layout facility details	SKIPPED	0.001 s
16	And User enter the declared asset value in customer entity layout facility details	SKIPPED	0.000 s
17	And User enter the declared down payment amount in customer entity layout facility details	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
18	And User enter the requested amount in customer entity layout facility details	SKIPPED	0.000 s
19	And User enter the currency in customer entity layout facility details	SKIPPED	0.000 s
20	And User enter the loan tenure month in customer entity layout facility details	SKIPPED	0.000 s
21	And User enter the Moratorium Period in customer entity layout facility details	SKIPPED	0.000 s
22	And User click the save icon in customer entity layout facility details	SKIPPED	0.000 s
23	And User get the save confirmation messege in customer entity layout facility details	SKIPPED	0.000 s
24	Then User click the action edit icon in conventional facility details	SKIPPED	0.000 s
25	And User verify the primary product field should be non editable in customer entity layout facility details	SKIPPED	0.000 s
26	And User verify the primary sub product field should be non editable in customer entity layout facility details	SKIPPED	0.000 s

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) To verify the functional flow for customer entity layout facility details</u></p>	
<p><u>(F) To verify the functional flow for customer entity layout facility details</u></p>	

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) To verify the functional flow for customer entity layout facility details</u></p>	
<p><u>(F) To verify the functional flow for customer entity layout facility details</u></p>	

(F) To verify the functional flow for customer entity layout facility details

AZENTIO
22-Nov-2022
Engl...
LOS
Aze...

Dashboard

Configurations

Transactions

Reports

Inbox

Action	Reference Id	Client Name	Event	Workflow	Employee Name	Stage Code	Stage Desc	Role Code	Created Date	Approver Role
	2559	PREETAM	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	22-Nov-2022	
	2779		Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	18-Nov-2022	
	2591	SHIVRAJ	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	13-Nov-2022	
	2227	Aakash	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	07-Nov-2022	
	1324	shweta	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	02-Nov-2022	
	1490	Aanchal	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	02-Nov-2022	
	2005	Rohit	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	01-Nov-2022	
	1921	NITU	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	01-Nov-2022	
	1836	ROSHAN	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	31-Oct-2022	
	1914	ADITI	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	31-Oct-2022	

Showing 1 to 10 of 104 entries << < 1 2 3 4 5 > >> 10

(F) To verify the functional flow for customer entity layout facility details

[illegible]

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the functional flow for
customer entity layout facility details

(F) To verify the functional flow for
customer entity layout facility details

The screenshot shows the 'Facility Details' form in the AZENTIO ONE Banking application. The form is divided into two columns. The left column contains fields for Classification, Scheme, Facility Type, Pricing Or Interest Indicator, Declared Down Payment Amount, Currency, and Moratorium Period. The right column contains fields for Product, Program Code, Servicing Branch, Declared Property Value, Requested Amount, and Loan Tenure(Months). The form is titled 'Facility Details' and has a back arrow icon. The top navigation bar includes tabs for Application Info, Customer details, Additional Customer Info, Customer Financials, Facility Info (selected), Document Details, Offering, Repayment Schedule, Policy Check, Fee Details, and Prop. Next. The top right corner shows the date 22-Nov-2022, language settings (Engl, LOS, Aze), and a user profile icon.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the functional flow for
customer entity layout facility details

(F) To verify the functional flow for
customer entity layout facility details

The screenshot shows the 'Conventional Facility List' table in the AZENTIO ONE Banking application. The table has columns for Action, Classification, Product, Tenure, Expiry date, Requested Amount, and Status. There is a single entry with Classification 'AHL', Product 'CBH1', Tenure '300', Requested Amount '6500000', and Status 'Active'. The table is titled 'Conventional Facility List' and has a search icon and an 'Export' button. The bottom navigation bar includes tabs for Application Info, Customer details, Additional Customer Info, Customer Financials, Facility Info (selected), Document Details, Offering, Repayment Schedule, Policy Check, Fee Details, and Prop. Next. The bottom right corner shows a pagination bar with 'Showing 1 to 1 of 1 entries' and a page number '1'.

Action	Classification	Product	Tenure	Expiry date	Requested Amount	Status
	AHL	CBH1	300		6500000	Active

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the functional flow for
customer entity layout facility details

(F) To verify the functional flow for
customer entity layout facility details

The screenshot shows the 'Facility Details' form in the AZENTIO ONE Banking system. The form is divided into two columns of input fields. The left column includes: Classification (dropdown), Scheme (dropdown), Facility Type (dropdown), Pricing Or Interest Indicator (dropdown), Declared Down Payment Amount (text input), Currency (dropdown), and Moratorium Period (text input with value 0). The right column includes: Product (dropdown), Program Code (dropdown), Servicing Branch (dropdown), Declared Property Value (text input), Requested Amount (text input), and Loan Tenure(Months) (text input). The top navigation bar shows the date 22-Nov-2022 and various user interface elements. The left sidebar contains a search bar and a menu with options: Dashboard, Configurations, Transactions, and Reports.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the functional flow for
customer entity layout facility details

(F) To verify the functional flow for
customer entity layout facility details

This screenshot is identical to the one above, showing the 'Facility Details' form. A 'Go Back' button is highlighted with a black box and a white arrow pointing to the left, located above the 'Facility Details' title. The rest of the form and the navigation elements are the same as in the previous screenshot.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the functional flow for
customer entity layout facility details

(F) To verify the functional flow for
customer entity layout facility details

The screenshot shows the 'Facility Details' form in the AZENTIO ONE Banking system. The interface includes a top navigation bar with the date '22-Nov-2022' and user information. A left sidebar contains a search bar and a menu with 'Dashboard', 'Configurations', 'Transactions', and 'Reports'. The main content area is titled 'Facility Details' and features a 'Classification' dropdown menu with a list of options: Home Loan, Happy flow, Commercial Real Estate, Overdraft, Deposits prod, Post Import Loan, Import Letters Of Credit, Letters Of Credit Acceptances, TermLoan, English, DepoTest3, deposit, and Enolish. To the right of the dropdown is a 'Product' dropdown. Below these are fields for 'Program Code', 'Servicing Branch', 'East Zone', 'Declared Property Value', 'Requested Amount', and 'Loan Tenure(Months)'. The bottom of the form has a 'Next' button.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the functional flow for
customer entity layout facility details

(F) To verify the functional flow for
customer entity layout facility details

This screenshot is identical to the one above, showing the 'Facility Details' form in the AZENTIO ONE Banking system. It displays the same navigation elements, dropdown menus, and input fields for facility details.