

Cucumber Report

22-Sep-2022, 2:03:31 pm

Start : Sep 22, 2:02:28.618 pm

End : Sep 22, 2:03:28.941 pm

Duration : 1 m 0.323 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 7


FAILED - 1

SKIPPED - 5







#	Feature Name	T	P	F	S	Duration
1	<u>check the functionality of Customer address details</u>	1	0	1	0	1 m 0.323 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>check the functionality of Customer address details</u>	<u>verify system allow user to do a modification on already approved record</u>	13	7	1	5	1 m 0.316 s





(F)- check the functionality of Customer address details


FAILED	DURATION - 1 m 0.323 s	Scenarios		Steps	
/ 2:02:28.618 pm // 2:03:28.941 pm /		Total - 1		Total - 13	
		Pass - 0		Pass - 7	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 5	

(S)- verify system allow user to do a modification on already approved record


<div>FAILED</div> <div>DURATION - 1 m 0.316 s</div>			<div>Steps</div> <div>Total - 13</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 2:02:28.624 pm // 2:03:28.940 pm /				
check the functionality of Customer address details				
@AT_CAD_07				

#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	15.262 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.263 s
	screenshot		
			
2	And user click on Inbox Icon	PASSED	0.254 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.349 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And user click search icon	PASSED	0.158 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.230 s
	screenshot		
			
4	And user Enter Customer Address details Application ID	PASSED	0.199 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.182 s
	screenshot		
			
5	And user click on First record of Appdata Entry	PASSED	0.105 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.462 s
	screenshot		
			
6	And user click on Additional customer Info Tab	PASSED	1.162 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.641 s
	screenshot		
			
7	And user click on First Record Edit Icon	PASSED	0.290 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.624 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	<p>And user click on Address Information First Record Edit Icon</p> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: (/tbody[1]/tr[1]/td[1]/span[1]/button[1])[2]' (tried for 30 second(s) with 2000 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.Customer_Address_Information. user_click_on_address_information_first_record_edit_icon(Customer_Address_Information.java:536) at ?.user click on Address Information First Record Edit Icon(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzenzioULSFramework/src/test/java/features/CustomerAddress_details.feature:83) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/tbody[1]/tr[1]/td[1]/span[1]/button[1])[2]"} (Session info: chrome=105.0.5195.102) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d580dcbce19774c79d3b22b1d2a721c4, findElement {using=xpath, value=/tbody[1]/tr[1]/td[1]/span[1]/button[1])[2]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.102, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\Local\...}, goog:chromeOptions: {debuggerAddress: localhost:53655}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53655/devtoo..., se:cdpVersion: 105.0.5195.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d580dcbce19774c79d3b22b1d2a721c4 atjdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</p>	FAILED	31.261 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.Customer_Address_Information. user_click_on_address_information_first_record_edit_icon(Customer_Address_Information.java:536) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.376 s
9	And user Modify the Address type field	SKIPPED	0.001 s
10	And user Modify the Address Status field	SKIPPED	0.000 s
11	And user Modify the Residential status field	SKIPPED	0.000 s
12	And user Modify the City ID field	SKIPPED	0.001 s
13	And user click the update the button	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record


(F) check the functionality of Customer
address details



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record

(F) check the functionality of Customer
address details



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record

(F) check the functionality of Customer
address details

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	620	APP_CREATE	APPDATANT	CPUEXEC	in02040	22-Sep-2022 13:35	HLW	AHL		T	T
	231	CHARGE_MST	MAKER	LOSMKR	in02040	22-Sep-2022 13:9	TSW			M	M
	631	APP_CREATE	APPDATANT	CPUEXEC	in02040	22-Sep-2022 12:53	HLW	AHL		T	T
	619	APP_CREATE	APPDATANT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	630	APP_CREATE	APPDATANT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	629	APP_CREATE	NEWAPP	BREXEC	in02040	22-Sep-2022 12:19	HLW	AHL		T	T
	628	APP_CREATE	NEWAPP	BREXEC	in02040	22-Sep-2022 12:19	HLW	AHL		T	T
	621	APP_CREATE	NEWAPP	BREXEC	in02040	22-Sep-2022 11:32	HLW	AHL		T	T
	617	APP_CREATE	APPDATANT	CPUEXEC	in02040	22-Sep-2022 11:5	HLW	AHL		T	T
	606	APP_CREATE	DISBMKR	OPEMKR	in02040	22-Sep-2022 10:58	HLW	AHL		T	T

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record

(F) check the functionality of Customer
address details

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	620	APP_CREATE	APPDATANT	CPUEXEC	in02040	22-Sep-2022 13:35	HLW	AHL		T	T
	231	CHARGE_MST	MAKER	LOSMKR	in02040	22-Sep-2022 13:9	TSW			M	M
	631	APP_CREATE	APPDATANT	CPUEXEC	in02040	22-Sep-2022 12:53	HLW	AHL		T	T
	619	APP_CREATE	APPDATANT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	630	APP_CREATE	APPDATANT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	629	APP_CREATE	NEWAPP	BREXEC	in02040	22-Sep-2022 12:19	HLW	AHL		T	T
	628	APP_CREATE	NEWAPP	BREXEC	in02040	22-Sep-2022 12:19	HLW	AHL		T	T
	621	APP_CREATE	NEWAPP	BREXEC	in02040	22-Sep-2022 11:32	HLW	AHL		T	T
	617	APP_CREATE	APPDATANT	CPUEXEC	in02040	22-Sep-2022 11:5	HLW	AHL		T	T
	606	APP_CREATE	DISBMKR	OPEMKR	in02040	22-Sep-2022 10:58	HLW	AHL		T	T

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record

(F) check the functionality of Customer
address details

The screenshot shows the AZENTIO ONE Banking interface. On the left is a blue sidebar menu with options: Dashboard, Configurations, Transactions, and Reports. The main area displays an 'Inbox' table with the following columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, Product, Workflow Type, Event Type, and Transaction Type. A single entry is visible with Reference Id 506, Event Code APP_CREATE, Stage Code APPDATAENT, Role Code CPUEXEC, Employee Name in02040, Created Date 15-Sep-2022 10:22, Workflow Code HLW, Product AHL, and Event Type T. Below the table, it says 'Showing 1 to 1 of 1 entries' with pagination controls. The top right of the interface shows language (Engl...), location (LOS), and user profile (Aze...).

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record

(F) check the functionality of Customer
address details

This screenshot shows the same AZENTIO ONE Banking interface, but with the 'Additional Customer Info' tab selected in the top navigation bar. The sidebar menu remains the same. The main content area is currently blank, indicating that the details for the selected customer are not yet displayed. The top right navigation bar shows the same language, location, and user profile information.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record

(F) check the functionality of Customer
address details

AZENTIO ONE Banking

Search the menu

Dashboard

Configurations

Transactions

Reports

Customer Identification

References List View

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record

(F) check the functionality of Customer
address details

AZENTIO ONE Banking

Search the menu

Dashboard

Configurations

Transactions

Reports

Customer Identification

References List View

Address Details

Contact Details