

# Cucumber Report

Jul 20, 2022, 6:46:23 PM

Start : Jul 20, 6:45:36.910 PM

End : Jul 20, 6:46:21.720 PM

Duration : 44.810 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 10  
FAILED - 1  
SKIPPED - 4







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of product master</u>	1	0	1	0	44.810 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the functionality of product master</u>	<u>Product Master - Modify records (approve, reject and return) at maker stage</u>	15	10	1	4	44.802 s


**(F)- Check the functionality of product master**





<b>FAILED</b>	<b>DURATION - 44.810 s</b>	Scenarios		Steps	
/ 6:45:36.910 PM // 6:46:21.720 PM /		Total - 1		Total - 15	
		Pass - 0		Pass - 10	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 4	


**(S)- Product Master - Modify records (approve, reject and return) at maker stage**

<div>FAILED</div> <div>DURATION - 44.802 s</div>			<div>Steps</div> <div>Total - 15</div> <div>Pass - 10</div> <div>Fail - 1</div> <div>Skip - 4</div>	
<div>/ 6:45:36.918 PM // 6:46:21.720 PM /</div>				
<div>Check the functionality of product master</div>				
<div>@M5</div>				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	12.251 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.346 s
	screenshot		
			
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.222 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
3	Then user should navigate to product master	PASSED	0.332 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.253 s
	screenshot		
			
4	And click on edit view of product master	PASSED	0.357 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.574 s
	screenshot		
			
5	Then click on edit button of record to modify	PASSED	0.203 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.385 s
	screenshot		
			
6	Then user should verify the buttons available on screen while modify	PASSED	0.536 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.127 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then verify system should modify before approved the record	PASSED	0.526 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.449 s
	screenshot		
			
8	And click on eye icon of product master	PASSED	0.276 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.484 s
	screenshot		
			
9	Then verify system should modify already approved record	PASSED	1.164 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
	screenshot		
			
10	Then verify system allow user to save modified record with valid data	PASSED	0.269 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.236 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	<p>Then system should display the confirmation message</p> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: (//body/div/div/div/div[1])[1]' (tried for 20 second(s) with 500 milliseconds interval)  at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)  at helper.WaitHelper.waitForElementWithFluentwait(WaitHelper.java:93)  at stepdefinitions.ProductMaster_Retail.system_should_display_the_confirmation_message(ProductMaster_Retail.java:111)  at ?.system should display the confirmation message(file:///C:/Users/inindc00091/git/Azentio_ULS_04/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:14)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//body/div/div/div/div[1])[1]"} (Session info: chrome=100.0.4896.127) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [67ce0192795da99e7e7f924b197aef54, findElement {using=xpath, value=(//body/div/div/div/div[1])[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.127, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:56357}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56357/devtoo..., se:cdpVersion: 100.0.4896.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 67ce0192795da99e7e7f924b197aef54  at jdk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</p>	FAILED	20.438 s

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:93) at stepdefinitions.ProductMaster_Retail.system_should_display_the_confirmation_message(ProductMaster_Retail.java:111) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794)		



#	Step / Hook Details	Status	Duration
	<pre> at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.117 s
	screenshot		
			
12	Then click on inbox button	SKIPPED	0.000 s
13	And select the modified record from inbox to approve	SKIPPED	0.001 s
14	Then click on submit button	SKIPPED	0.000 s
15	Then user verify that system should display confirmation message after submit	SKIPPED	0.001 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product  
master

The screenshot displays the Azentio Software interface. On the left is a dark blue sidebar with the 'AZENTIO' logo at the top. Below the logo are three icons: a wrench, a puzzle piece, and a document. A list of menu items follows: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Regulatory Product Defini..., Project Setup, Config Manager, and Sample Screens. The main content area is white and currently shows a large blue loading spinner in the center. At the top right of the main area, there is a navigation bar with an envelope icon, 'English' with a dropdown arrow, 'LOS' with a dropdown arrow, 'Azentio Software' with a dropdown arrow, a grid icon, a bell icon, a user profile for 'Puneet' with the date '01-Sep-2023', and a small dark icon. A dark blue circular button with a white gear icon is located in the bottom right corner of the main content area.


(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage


(F) Check the functionality of product  
master

This screenshot shows the Azentio Software interface with the 'Product wise Analysis' dashboard. The sidebar is identical to the previous screenshot. The main content area has a title 'Product wise Analysis' at the top. Below the title are three white cards, each with a loading spinner: 'Product-wise Amount Financed', 'Subproduct-wise Amount Financed', and 'Scheme wise Amount Financed'. The navigation bar at the top right is also identical. A dark blue circular button with a white gear icon is in the bottom right corner. At the bottom left of the main content area, there is a small logo and the text 'Powered by Metabase'.

(F) Check the functionality of product master



(F) Check the functionality of product master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product  
master

The screenshot displays the Azentio Product Master interface. On the left is a dark blue sidebar with the Azentio logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area has a top navigation bar with a hamburger menu, language (English), LOS, Azentio Software, a grid icon, a bell, a user profile (Puneet, 01-Sep-2023), and a search icon. Below the header, the 'Product Master' section features a table with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, Status, and Authorization Status. The table contains five rows of data, all with 'Active' status and 'CHECKER' authorization. The last row is highlighted. At the bottom, a pagination bar shows 'Showing 1 to 5 of 134 entries' and a page selector with '1' highlighted.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status	Authorization Status
	98303277	APL		I	Active	CHECKER
	98303277	APL		I	Active	CHECKER
	98303277	APL		I	Active	CHECKER
	98303277	APL		I	Active	CHECKER
	98303275	APL			Active	CHECKER


(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage


(F) Check the functionality of product  
master

The screenshot displays the Azentio Product Master 'Add Product' form. The sidebar and top navigation bar are identical to the previous screenshot. The main content area shows a form with the following fields: Product Group (dropdown menu with 'Deposits' selected), Product Code (text input with 'APL'), Product Description (text input with a plus icon), Retail/Corporate (dropdown menu with 'Select' selected), DM Code (text input), Status (toggle switch), and Remarks (text area). A red notification icon is visible in the top right corner of the form area.

(F) Check the functionality of product master




(F) Check the functionality of product master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product  
master




The screenshot shows the Azentio Product Master form. The form has the following fields: Product Group (Lending), Product Code (LCCM), Product Description (Letter of desc11), Retail/Corporate (Select), DM Code, Status (toggle), and Remarks. A blue button at the bottom says "Please fill all the details".

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product  
master



The screenshot shows the Azentio Product Master form. The form has the following fields: Product Group (Lending), Product Code (LCCM), Product Description (Letter of desc11), Retail/Corporate (Select), DM Code, Status (toggle), and Remarks. A blue button at the bottom says "Please fill all the details".

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)











(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product  
master

**AZENTIO™**

Product Master

Search Export

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
 	98303275	xy		R	Active
 	98303275	HFL	Housing Finance LTD	I	Active
 	98303249	LCCM	Letter of Credit		Active
 	98303275	APL	Personal Finance		Active
 	98303249	PMR	Standard home loan - kuls	R	Active

Showing 1 to 5 of 227 entries << < 1 2 3 4 5 > >> 5