

# Cucumber Report

Jul 20, 2022, 7:39:24 PM

**Start : Jul 20, 7:38:52.184 PM**

**End : Jul 20, 7:39:23.110 PM**

**Duration : 30.926 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 1**

**SKIPPED - 0**

**PASSED - 13**


**FAILED - 1**

**SKIPPED - 1**







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of product master</u>	1	0	1	0	30.926 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the functionality of product master</u>	<u>Product Master - Modify records (approve, reject and return) at maker stage</u>	15	13	1	1	30.922 s





**(F)- Check the functionality of product master**





<b>FAILED</b>	<b>DURATION - 30.926 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 15 Pass - 13 Fail - 1 Skip - 1	
/ 7:38:52.184 PM // 7:39:23.110 PM /					





**(S)- Product Master - Modify records (approve, reject and return) at maker stage**


<b>FAILED</b>	<b>DURATION - 30.922 s</b>		Steps Total - 15 Pass - 13 Fail - 1 Skip - 1	
/ 7:38:52.188 PM // 7:39:23.110 PM /				
Check the functionality of product master				
@M5				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	12.426 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.257 s
	screenshot		
			
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.365 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then user should navigate to product master	PASSED	0.252 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.337 s
	screenshot		
			
4	And click on edit view of product master	PASSED	0.213 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.549 s
	screenshot		
			
5	Then click on edit button of record to modify	PASSED	0.287 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.241 s
	screenshot		
			
6	Then user should verify the buttons available on screen while modify	PASSED	1.634 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.146 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then verify system should modify before approved the record	PASSED	0.483 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.227 s
	screenshot		
			
8	And click on eye icon of product master	PASSED	0.211 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.473 s
	screenshot		
			
9	Then verify system should modify already approved record	PASSED	1.563 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.190 s
	screenshot		
			
10	Then verify system allow user to save modified record with valid data	PASSED	0.209 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.435 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then system should display the confirmation message	PASSED	0.199 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s
	screenshot		
			
12	Then click on inbox button	PASSED	0.222 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.211 s
	screenshot		
			
13	And select the modified record from inbox to approve	PASSED	0.356 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.476 s
	screenshot		
			
14	Then click on submit button	FAILED	2.459 s
	<p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element &lt;span class="p-button-label"&gt;...&lt;/span&gt; is not clickable at point (1253, 114). Other element would receive the click: &lt;ion-modal class="ios modal-card modal-sheet k-workflow-pop hydrated show-modal" id="wfAction" no-router="" aria-modal="true" tabindex="-1" style="z-index: 20005; pointer-events: auto;"&gt;...&lt;/ion-modal&gt; (Session info: chrome=100.0.4896.127) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver</p>		

#	Step / Hook Details	Status	Duration
	<p>Command: [8f43f7e0680e5a2a9b4f9473c9763ca1, clickElement [id=e237a593-e985-4d7a-8b27-c77522382aa6]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.127, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\Local\Microsoft\Edge\User Data\Default\Profile 1\Extensions\chrome\chrome.crx}, goog:chromeOptions: {debuggerAddress: localhost:57447}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57447/devtools, se:cdpVersion: 100.0.4896.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (8f43f7e0680e5a2a9b4f9473c9763ca1)] -&gt; xpath: //button/span[contains(text(),'Submit')]] Session ID: 8f43f7e0680e5a2a9b4f9473c9763ca1</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:568)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)  at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source)  at stepdefinitions.ProductMaster_Retail.click_on_submit_button(ProductMaster_Retail.java:160)  at ?.click on submit button(file:///C:/Users/inindc00091/git/Azentio_ULT_04/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:18)  * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.125 s
15	Then user verify that system should display confirmation message after submit	SKIPPED	0.001 s



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product  
master

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product  
master

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed


Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage


(F) Check the functionality of product  
master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage


(F) Check the functionality of product  
master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product  
master




The screenshot displays the Azentio Product Master interface. On the left is a dark blue sidebar with the Azentio logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area shows a table titled 'Product Master' with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, Status, and Authorization Status. The table contains five rows of data, all with 'Active' status and 'CHECKER' authorization. Below the table is a pagination bar showing 'Showing 1 to 5 of 134 entries' and a page selector with '1' highlighted. The top of the interface includes a header bar with a menu icon, language (English), location (LOS), software version (Azentio Software), and user information (Puneet, 01-Sep-2023).

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product  
master




The screenshot displays the Azentio Product Master interface in 'Add Product' mode. The sidebar is identical to the previous screenshot, with 'Product master' highlighted. The main content area shows a form titled 'Product Master' with fields for: Product Group (Deposits), Product Code (APL), Product Description (empty), Retail/Corporate (Select), DM Code (empty), Status (toggle switch), and Remarks (empty text area). The top of the interface includes a header bar with a menu icon, language (English), location (LOS), software version (Azentio Software), and user information (Puneet, 01-Sep-2023).

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product  
master




The screenshot shows the Azentio Product Master form. The form has a header with the title "Product Master" and a back button. Below the header, there are several input fields: "Product Group" (with a dropdown menu showing "Deposits"), "Product Code" (with a text input field containing "APL"), "Product Description" (with a text input field containing "desc11"), "Retail/Corporate" (with a dropdown menu showing "Select"), "DM Code" (with a text input field), and "Status" (with a toggle switch). There is also a "Remarks" section with a text area. A "Required field" label is visible next to the "Status" toggle. At the bottom of the form, there is a button labeled "Please fill all the details".

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)


(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product  
master




The screenshot shows the Azentio Product Master form. The form has a header with the title "Product Master" and a back button. Below the header, there is a table with multiple rows and columns. The table contains data for various products, including their names, codes, and descriptions. At the bottom of the form, there is a button labeled "Please fill all the details".

(F) Check the functionality of product master



(F) Check the functionality of product master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product  
master

**AZENTIO™**

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Asset Auto Master
- Asset CD Master
- Product master**
- Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

**Product Master**

Search Export

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status	Authorization Status
	98303277	APL		I	Active	CHECKER
	98303277	APL		I	Active	CHECKER
	98303277	APL		I	Active	CHECKER
	98303277	APL		I	Active	CHECKER
	98303275	APL			Active	CHECKER

Showing 1 to 5 of 135 entries 1 2 3 4 5

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product  
master

**AZENTIO™**

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Asset Auto Master
- Asset CD Master
- Product master**
- Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

**Inbox**

Search

Showing 0 to 0 of 0 entries 10

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product  
master

The screenshot shows the Azentio Product Master form. The left sidebar contains a navigation menu with the following items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main form area has the following fields: Product Group (Deposits), Product Code (xy), Product Description (empty), Retail/Corporate (Retail), DM Code (yz), Status (toggle switch), and Remarks (ok). The top right of the form has buttons for Submit, Cancel, and a help icon.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product  
master

The screenshot shows the Azentio Product Master form with an action confirmation dialog box open. The dialog box has the title "Action confirmation" and a "Close X" button. It contains a "SUBMIT" section with buttons for "ok", "immediate", "new record", "modified", "before", and "on behalf". Below this is a "Please Enter Remarks" field with the text "ok" entered. At the bottom of the dialog is a "Submit" button. The background form is the same as the previous screenshot, but the "Product Description" field is now empty.